

CLINICAL AND EXPERIMENTAL OBSTETRICS & GYNECOLOGY

an International Journal

Editor-in-Chief

A. Onnis

Montréal (CND)

Associate Editors

M. Gangemi **M. Marchetti**

Padua (I)

Montréal (CND)

Assistant Editor

J. Wilson

San Diego - CA (USA)

Editorial Board

- | | |
|---|--|
| P. Audet-Lapointe, <i>Montréal (Canada)</i> | A. Gorins, <i>Paris (France)</i> |
| A. Basta, <i>Krakow (Poland)</i> | Z. Holub, <i>Kladno (Czech Republic)</i> |
| H. J. Bender, <i>Dusseldorf (Germany)</i> | B. Kaplan, <i>Petach Tikva (Israel)</i> |
| N. Bhattacharya, <i>Calcutta (India)</i> | B. Kralj, <i>Ljubljana (Slovenia)</i> |
| F. Bonilla Musoles, <i>Valencia (Spain)</i> | A. B. Lalonde, <i>Ottawa (Canada)</i> |
| G. Chamberlain, <i>London, England (UK)</i> | I. Ladopoulos, <i>Athens (Greece)</i> |
| T. Charkviani, <i>Tbilisi (Georgia)</i> | C. Marth, <i>Innsbruck (Austria)</i> |
| J. H. Check, <i>Camden, NJ (USA)</i> | H. Meden-Vrtovec, <i>Ljubljana (Slovenia)</i> |
| S. Chiovschi, <i>Timisoara (Romania)</i> | J. Monsonego, <i>Paris (France)</i> |
| D. Dargent, <i>Lyon (France)</i> | N. Ohara, <i>Kobe (Japan)</i> |
| S. Dexeus, <i>Barcelona (Spain)</i> | C. Orlandi, <i>Bologna (Italy)</i> |
| G. Di Paola, <i>Buenos Aires (Argentina)</i> | N. Papadopoulos, <i>Alexandroupolis (Greece)</i> |
| T. K. A. B. Eskes,
<i>Nijmegen (The Netherlands)</i> | S. Rakar, <i>Ljubljana (Slovenia)</i> |
| M. Friedrich, <i>Homburg (Germany)</i> | J. J. Sciarra, <i>Chicago, IL (USA)</i> |
| V. Gomel, <i>Vancouver (Canada)</i> | J. Stelmachow, <i>Warsaw (Poland)</i> |
| | P. Vîrtej, <i>Bucharest (Romania)</i> |
| | R. Winter, <i>Graz (Austria)</i> |

Editorial Organization:

I.R.O.G. CANADA, Inc. - 4900 Côte St-Luc - Apt # 212

Montréal, Qué. H3W 2H3 (Canada)

Tel. +514-4893242 - Fax +514-4854513 - E-mail: canlux@qc.aira.com - www.irog.net

CLINICAL AND EXPERIMENTAL OBSTETRICS AND GYNECOLOGY (ISSN 0390-6663) publishes original work, preferably brief reports, in the fields of Gynaecology, Obstetrics, Foetal Medicine, Gynaecological Endocrinology and related subjects. (Fertility and Sterility, Menopause, Uro-gynaecology, Ultrasound in Obstetrics and Gynaecology, Sexually Transmitted Diseases). The Journal is covered by **INDEX MEDICUS, MEDLINE, EMBASE/Excerpta Medica, BIOSIS**.

CLINICAL AND EXPERIMENTAL OBSTETRICS AND GYNAECOLOGY is issued every three months in one volume per year by IROG CANADA Inc. Montréal. Printed in Italy by "La Garangola", Tipografia Editrice - Via Montona 4 - 35137 Padova (Italy).

Contents - Vol. XXIX, 1, 2002

EDITORIAL

- Progesterone therapy versus follicle maturing drugs - possible opposite effects on embryo implantation** 5
 J. H. Check - *Camden, N.J., USA*
 Progesterone deficiency allows the body to attack the fetal semi-allograft and is a significant cause of infertility and miscarriage.

ORIGINAL ARTICLES

- Successful pregnancy in a 42-year-old woman with imminent ovarian failure following ovulation induction with ethinyl estradiol without gonadotropins and in vitro fertilization** 11
 M. L. Check, J. H. Check, J. K. Choe, G. S. Berger - *North Carolina, USA*
 A 41-year-old woman with imminent ovarian failure successfully conceived following IVF-ET ovulation induction with ethinyl estradiol.
- Prenatal diagnosis of sacrococcygeal teratoma: A review of cases between 1993 and 2000** 15
 R. Axt-Fliedner, H. J. Hendrik, H. Reinhard, A. K. Ertan, M. Friedrich, K. Remberger, W. Schmidt - *Homburg/Saar, GERMANY*
 Ultrasound and histologic features and outcome of six fetuses with sacrococcygeal teratoma are reported over an 8-year period in a tertiary center.
- The influence of patient preferences and physician practices on cesarean delivery** 19
 O. A. Olatunbosun, A. Ravichander, R. W. Turnell, L. Edouard - *Saskatchewan, CANADA*
 Patient choice and practices of obstetricians influence recourse to cesarean delivery.
- The development of subcutaneous emphysema after delivery on a specially designed chair** 22
 W. A. A. Tjalma, C. M. A. J. Eelen - *Antwerp, BELGIUM*
 Subcutaneous emphysema is an uncommon delivery complication, which should be considered in women immediately postpartum who complain of chest pain.
- Acute onset of hematometra associated with endometritis and cervical stenosis. A case report** 23
 N. Ohara - *Kobe City, JAPAN*
 The possible cause of hematometra is incomplete cervical stenosis which inhibits the passage of blood due to acute endometritis.
- Grey zone score for hypo-osmotic swelling test (HOST) is not associated with embryo implantation defects** 25
 M. L. Check, D. Kiefer, J. H. Check, C. Wilson, D. Katsoff - *Camden, N.J., USA*
 Inseminating oocytes with sperm having grey zone hypo-osmotic swelling test scores is not associated with poor implantation rates.
- Vaginal hysterectomy allied with Kelly-Kennedy surgery and perineal repair for the treatment of patients with a prolapsed uterus and urinary stress incontinence** 27
 C. E. Kayano, M. G. F. Sartori, E. C. Baracat, G. Rodrigues de Lima, M. J. B. C. Girão - *São Paulo, BRAZIL*
 Kelly-Kennedy surgery does not have any indication for patients with urinary stress incontinence and a prolapsed uterus who are submitted to vaginal hysterectomy.
- A survey of physicians' attitude and approach to hormone replacement therapy during menopause** 31
 B. Kaplan, D. Rabinerson, Y. Yogev, I. Bar-Hava, J. Bar, R. Orvieto - *Tel Aviv, ISRAEL*
 Attitude toward HRT and the management strategies of members of the North American Menopause Society correlate with contemporary recommendations in the literature.
- Ovarian cancer antigen CA 125 influences adhesion of human and mammalian cell lines in vitro** 34
 R. Gaetje, D. W. Winnekendonk, A. Ahr, M. Kaufmann - *Frankfurt, GERMANY*
 In all tested human and mammalian cell lines adhesion in vitro was significantly impaired by CA 125 in a time-dependent manner.
- Liver and kidney ultrastructural changes caused by acetylsalicylic acid treatment during pregnancy in rats** 37
 S. Espiridião, R. M. Oliveira-Filho, M. J. Simões, J. A. V. Mamede, L. Kulay Jr. - *São Paulo, BRAZIL*
 Chronic treatment of pregnant rats with acetylsalicylic acid induced clinically unsuspected, yet definite renal and hepatic ultrastructural changes, both in mothers and in their concepts.
- Primary umbilical endometriosis** 40
 M. S. Sidani, A. M. Khalil, A. N. Tawil, M. I. El-Hajj, M. A-F. Seoud - *Beirut, LEBANON*
 A patient with primary solitary endometriosis is presented along with a literature review.

- Prognosis following in vitro fertilization-embryo transfer (IVF-ET) in patients with elevated day 2 or 3 serum follicle stimulating hormone (FSH) is better in younger vs older patients** 42
 J. H. Check, P. Nazari, M. L. Check, J. K. Choe, J. R. Liss - *Camden, N.J., USA*
 The prognosis for pregnancy following embryo transfer is significantly better in younger vs older patients with elevated serum FSH.
- Expression of alpha-smooth muscle actin in the stromal cells of the bone marrow in fetuses in different stages of development, in multiple myeloma and monoclonal gammopathy of unknown significance** 45
 D. Tamaiolakis, A. Kotini, M. Lambropoulou, I. Tolparidou, N. Papadopoulos - *Alexandroupolis, GREECE*
 α -smooth muscle actin is expressed in bone marrow myoid cells in normal fetuses, in multiple myeloma and monoclonal gammopathy of unknown significance.
- Significance of high and normal neonatal nucleated red blood cell count in small-for-gestational-age newborns** 49
 R. Axt-Flidner, H. J. Hendrik, M. Wrobel, M. Friedrich, W. Schmidt - *Homburg/Saar, GERMANY*
 Neonatal nucleated red blood cell counts in SGA and AGA newborns and their obstetrical and perinatal short-term outcome are reported.
- Laparoscopic ultrasonic dissection of uterine vessels in women with benign uterine pathologies** 54
 Z. Holub, L. Kliment - *Kladno, CZECH REPUBLIC*
 Three cases of uterine artery dissection using a laparoscopic ultrasonic technique in symptomatic myomas are described.
- Nucleolar organizer regions: their significance in protein synthesis and consequent release of factors that attract immature lymphocytes in different types of thymic epitheliocytes and in different stages of thymic development** 57
 N. Papadopoulos, A. Kotini, M. Lambropoulou, D. Tamiolakis - *Alexandroupolis, GREECE*
 High AgNOR counts in types I, II thymic epitheliocytes are related to intense protein synthesis and consequent release of factors that attract immature T-lymphocytes.
- P27 expression in normal epithelium and condylomas of the vulva in HIV positive and negative women** 62
 F. Zucchi, J. Focchi, I. D. C. G. Silva, E. C. Baracat, J. N. Stávale, J. C. L. Ribalta - *São Paulo, BRAZIL*
 In vulvar condylomas the p27 expression is very low in both HIV positive and HIV negative cases.
- Unilateral massive ovarian edema (MOE): a case report** 65
 M. Friedrich, A. K. Ertan, R. Axt-Flidner, M. Holländer, W. Schmidt - *Homburg/Saar, GERMANY*
 Massive ovarian edema is an unusual cause of ovarian enlargement in young patients. Because conservative treatment with preservation of the ovaries is often possible, it is an important condition to consider ovarian edema in a young patient with a complex but non-specific ovarian mass and to start an appropriate preoperative clinical setting.
- A unilateral twin extrauterine pregnancy occurring in a solitary fallopian tube: therapeutic choices** 67
 J. T. Awwad, M. ElHajj, I. Usta, A. Nassar, S. T. Awwad, A. Khalil - *Beirut, LEBANON*
 The management of a unilateral twin extrauterine pregnancy occurring in a solitary fallopian tube is discussed.
- Nucleolar organizer regions: their significance in the maturation of the gut-associated lymphoid tissue** 69
 D. Tamiolakis, A. Kotini, M. Lambropoulou, I. Tolparidou, N. Papadopoulos - *Alexandroupolis, GREECE*
 High AgNOR counts are related to gut-associated lymphoid cell proliferation and maturation.

ERRATA - CORRIGE

Non-immune hydrops fetalis in the first trimester: A review of 30 cases

H. Recep - *Istanbul, TURKEY*

Vol. XXVIII, n. 3, 2001, pag. 187

Errata: **Corrige:**
 H. Recep R. Has

CLINICAL AND EXPERIMENTAL OBSTETRICS AND GYNECOLOGY

Vol. XXIX, Number 1, 2002

ISSN: 0390-6663

I.R.O.G. CANADA, Inc.

Editorial office: 4900 Côte St. Luc - Apt. 212 - Montréal, Québec H3W 2H3 (Canada)

Tél.: +514-4893242 - Fax: +514-4854513 - E-mail: canlux@qc.aira.com

www.irog.net

ALL RIGHTS RESERVED

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, nor any information storage and retrieval system without written permission from the copyright owner.

The Authors are responsible for the content of their papers and for the copyright thereof.

Printed in Italy