

CLINICAL AND EXPERIMENTAL OBSTETRICS & GYNECOLOGY

an International Journal

Founding Editor

A. Onnis

Montréal (CND)

Editors-in-Chief

M. Marchetti

Montréal (CND)

J.H. Check

Camden, NJ (USA)

Assistant Editor

J. Wilson

San Diego - CA (USA)

Editorial Board

Audet-Lapointe P., *Montréal (Canada)*

Axt-Fliedner R., *Lübeck (Germany)*

Basta A., *Krakow (Poland)*

Bender H.J., *Dusseldorf (Germany)*

Bhattacharya N., *Calcutta (India)*

Bonilla Musoles F., *Valencia (Spain)*

Charkviani T., *Tbilisi (Georgia)*

Dexeus S., *Barcelona (Spain)*

Di Paola G., *Buenos Aires (Argentina)*

Eskes T.K.A.B.,

Nijmegen (The Netherlands)

Farghaly S.A., *New York (USA)*

Friedrich M., *Homburg (Germany)*

Gomel V., *Vancouver (Canada)*

Gorins A., *Paris (France)*

Grella P.V., *Padua (Italy)*

Holub Z., *Kladno (Czech Republic)*

Jordan J.A., *Birmingham, England (UK)*

Kaplan B., *Petach Tikva (Israel)*

Kralj B., *Ljubljana (Slovenia)*

Markowska J., *Poznan (Poland)*

Marth C., *Innsbruck (Austria)*

Meden-Vrtovec H., *Ljubljana (Slovenia)*

Ohara N., *Kobe (Japan)*

Papadopoulos N., *Alexandroupolis (Greece)*

Rakar S., *Ljubljana (Slovenia)*

Sciarra J.J., *Chicago, IL (USA)*

Stelmachow J., *Warsaw (Poland)*

Varras M.N., *Athens (Greece)*

Winter R., *Graz (Austria)*

Publishing Organization (M. Morsani):

I.R.O.G. CANADA, Inc. - 4900 Côte St-Luc - Apt # 212 - Montréal, Qué. H3W 2H3 (Canada)

Tel. +514-4893242 - Fax +514-4854513 - E-mail: canlux@mgroup-online.com - www.irog.net

Editorial Office (M. Critelli):

Galleria Storione, 2/A - 35123 Padua (Italy) - Tel. (39) 049 8756900 - Fax (39) 049 8752018

CLINICAL AND EXPERIMENTAL OBSTETRICS AND GYNECOLOGY (ISSN 0390-6663) publishes original work, preferably brief reports, in the fields of Gynecology, Obstetrics, Fetal Medicine, Gynecological Endocrinology and related subjects. (Fertility and Sterility, Menopause, Uro-gynecology, Ultrasound in Obstetrics and Gynecology, Sexually Transmitted Diseases, Reproductive Biological Section). The Journal is covered by **INDEX MEDICUS, MEDLINE, EMBASE/Excerpta Medica**.

CLINICAL AND EXPERIMENTAL OBSTETRICS AND GYNECOLOGY is issued every three months in one volume per year by IROG CANADA Inc. Montréal. Printed in Italy by "La Garangola", Tipografia Editrice - Via E. Dalla Costa, 6 - 35129 Padova (Italy).

EDITORIAL ARTICLE

- Chronic pelvic pain - traditional and novel therapies: Part II medical therapy** 113
 J.H. Check, R. Cohen - *Camden, NJ (USA)*
 Low dose estrogen, oral contraceptives, or progestins are the best initial therapy for dysmenorrhea but sympathomimetic amines may prove to be the most effective, best tolerated treatment for chronic pelvic pain.

ORIGINAL ARTICLES

Reproductive Biology Section

- Anti-müllerian hormone is the best predictor of poor response in ICSI cycles of patients with endometriosis** 119
 B. Ramalho de Carvalho, A.C. Japur de Sá Rosa-e-Silva, J.C. Rosa-e-Silva, R.M. dos Reis, R.A. Ferriani, M.F. Silva de Sá - *São Paulo, BRAZIL*
 Infertile patients with endometriosis can benefit from pre-therapeutic basal FSH and AMH assessment; only AMH predicts poor response in ART.

General Section

- Fetal heart rate monitoring during nocturnal polysomnography** 123
 J. Reid, R. Skomro, J. Gjevre, D. Cotton, H. Ward, O. Olatunbosun - *Saskatoon, SK, CANADA*
 Electronic fetal heart monitoring during polysomnography is feasible and safe in health women and those with gestational hypertension.

- Effects of the association zidovudine plus ritonavir on the liver and kidneys of pregnant rats. Morphological and biochemical aspects** 126
 T.M. Pereira Fontes, M.U. Nakamura, R. Mattar, R.S. Simões, A. Wagner, A. Moreira de Carvalho, S. Espiridião, L. Kulay Jr. - *São Paulo, BRAZIL*
 The treatment of pregnant rats with zidovudine plus ritonavir may cause morphological as well as functional changes in maternal kidneys.

- Effectiveness of emergency cervical cerclage in patients with cervical dilation in the second trimester** 131
 Ş. Çelen, Y. Simsek, S. Ozyer, A. Sucak, O. Kaymak, F. Turkcapar, A. Oksuzoglu, E. Akbaba, N. Danisman - *Ankara, TURKEY*
 Effectiveness of emergency cervical cerclage in second trimester pregnancy is a controversial issue. In this study medical records of patients in whom cervical cerclage was performed were investigated, and pregnancy prolongation after the procedure was assessed.

- Correlation between asymmetric dimethylarginine maternal plasma levels and preeclampsia** 134
 A. Savvidis, A. Daniilidis, C. Giannoulis, T. Tantanasis, K. Koiou, V. Zournatzi, J. Tzafettas - *Thessaloniki, GREECE*
 ADMA probably fulfills some criteria to be characterized as a preeclamptic factor but further research is needed with larger studies.

- Changes in ultrasound shear wave elastography properties of normal breast during menstrual cycle** 137
 P. Rzymiski, A. Skórzewska, T. Opala - *Poznan, POLAND*
 Healthy women with regular menstrual cycles underwent B-mode sonography and sonoelastography on day 3, 10, 17 and 24 of the menstrual cycle. Mean values of glandular and fat tissue elasticity of glandular to fat tissue ratio did not change statistically.

- Efficacy of vaginal use of topical estriol in postmenopausal women with urogenital atrophy** 143
A.C.S. Chuery, N.M. de Góis Speck, K.F.Q. de Moura, P.N. Belfort, C. Sakano, J.C.L. Ribalta - *São Paulo, BRAZIL*
This study demonstrated the efficacy of vaginal use of estriol for urogenital atrophy, improving symptoms, cytological and colposcopic parameters.
- Parity affects pregnancy outcomes in women 35 and older** 146
I. Kalogiannidis, C. Margioulas-Siarkou, S. Petousis, S. Masoura, A. Goutzioulis, A. Traianos, N. Prapas, T. Agorastos - *Thessaloniki, GREECE*
Older nulliparous women are at higher risk for adverse pregnancy outcomes compared to older multigravidas.
- Maternal hemoglobin level and red cell indices as predictors of gestational diabetes in a multi-ethnic Asian population** 150
P.C. Tan, J.N. Chai, L.P. Ling, S.Z. Omar - *Perak, MALAYSIA*
High maternal hemoglobin level is the best red cell index predictor for gestational diabetes.
- Exteriorized versus in-situ repair of the uterine incision at cesarean delivery: a randomized controlled trial** 155
K. Özbay - *Bitlis, TURKEY*
Cesarean sections take less time and length of hospital stay is shorter when uterine incision is repaired *in situ*.
- Total infusion of low molecular weight iron-dextran for treating postpartum anemia** 159
A. Daniilidis, C. Giannoulis, A. Pantelis, T. Tantanasis, K. Dinas - *Thessaloniki, GREECE*
Total iron-dextran infusion is safe and permits rapid therapy of iron-deficiency postpartum anemia when administered intravenously.
- Is there any effect of fetal gender on the markers of first trimester Down's Syndrome screening?** 162
G.O. Ajayi - *Lagos, NIGERIA*
First trimester markers differ on gender but are not clinically significant.
- Comparison of single versus multiple courses of antenatal betamethasone in patients with threatened preterm labor** 165
N. Bontis, D. Vavilis, D. Tsolakidis, D.G. Goulis, P. Tzevelekis, D. Kellartzis, B.C. Tarlatzis - *Thessaloniki, GREECE*
Administration of multiple betamethasone courses in threatened preterm labor is not superior to single courses with regards to neonatal morbidity and mortality as well as to maternal morbidity.
- Marked hyperandrogenemia and acne associated with polycystic ovaries in Greek women with polycystic ovary syndrome** 168
N. Skampardonis, A. Kouskoulis, A. Karpouzis, G. Maroulis - *Aleksandroupolis, GREECE*
A high prevalence of acne and hyperandrogenemia occurred in Greek women with polycystic ovary syndrome and polycystic ovaries in transvaginal ultrasound examination.
- Seroprevalence of other antibodies (herpes, CMV, rubella, varicella, hepatitis B and C, syphilis, chlamydia, mumps, toxoplasmosis) in HIV-positive patients** 172
G.O. Ajayi, S.A. Omilabu, D. Alamu, Y. Balogun, S. Badaru - *Lagos, NIGERIA*
A group of Nigerian patients showed that multiple pathogen Co-infections result high in HIV-positive patients.

CASE REPORTS

- Sympathetic nervous system disorder of women that leads to pelvic pain and symptoms of interstitial cystitis may be the cause of severe backache and be very responsive to medical therapy rather than surgery despite the presence of herniated discs** 175
J.H. Check, C. Wilson, R. Cohen - *Camden, NJ (USA)*
Women with acute or chronic backaches should be evaluated for a defect in the sympathetic nervous system and tried on sympathomimetic amines before considering surgery.
- Two cases of measles in pregnant women immediately preceding delivery (case reports)** 177
M. Yoshida, H. Matsuda, K. Furuya - *Saitama Prefecture, JAPAN*
It is desirable for women to be vaccinated against measles before pregnancy.

Evidence that migraine headaches in women may be related to a common defect in the sympathetic nervous system as evidenced by marked improvement following treatment with sympathomimetic amines	180
J.H. Check, R. Cohen, D. Check - <i>Camden, NJ (USA)</i>	
Sympathomimetic amine therapy can be quite effective in relieving severe migraines in some women who have failed to respond to standard therapy.	
Successful water birth in a woman with vaginismus	182
Ö. Moraloğlu, Y. Engin-Üstün, G. Özakşit, L. Mollamahmutoğlu - <i>Ankara, TURKEY</i>	
Water birth is an alternative method of birth in women with vaginismus.	
Nobel medical management of primary bladder endometriosis with dienogest: a case report	184
H. Takagi, K. Matsunami, S. Ichigo, A. Imai - <i>Gifu, JAPAN</i>	
Dienogest may provide conservative alternative management for bladder endometriosis.	
Endometrial tuberculosis: a clinical case	186
P. Iovenitti, G. Ruggeri, R. Tatangelo, P. Palermo, G. Carta - <i>L'Aquila, ITALY</i>	
Endometrial tuberculosis should to be considered in the differential diagnosis of malignant pathologies.	
Outcome of arterial embolization of uterine leiomyoma: case report	188
C.E. Bonduki, C. Yokohama, J.M. Soares Jr., E.L. Alves da Motta, M.J.B.C. Girão, E.C. Baracat - <i>São Paulo, BRAZIL</i>	
Arterial embolization for controlling uterine bleeding might have some consequences on pregnancy outcomes.	

ERRATA - CORRIGE

Apoptosis and expression of Bcl-2, Bax, p53, caspase-3, and Fas, Fas ligand in placentas complicated by preeclampsia

I. Mendilcioglu¹, S. Karaveli², G. Erdogan², M. Simsek¹, O. Taskin¹

Vol. XXXVIII, n. 1, 2011, page 38

Errata: I. Mendilcioglu¹, S. Karaveli², G. Erdogan², M. Simsek¹, O. Taskin¹

Corrige: I. Mendilcioglu¹, S. Karaveli², G. Erdogan², M. Simsek¹, O. Taskin¹, M. Ozekinci¹