

CLINICAL AND EXPERIMENTAL OBSTETRICS & GYNECOLOGY

an International Journal

Editor-in-Chief

A. Onnis

Montréal (CND)

Associate Editors

M. Gangemi **M. Marchetti**

Padua (I)

Montréal (CND)

Assistant Editor

J. Wilson

San Diego - CA (USA)

Editorial Board

- | | |
|---|--|
| P. Audet-Lapointe, <i>Montréal (Canada)</i> | Z. Holub, <i>Kladno (Czech Republic)</i> |
| R. Axt-Flidner, <i>Lübeck (Germany)</i> | J. A. Jordan, <i>Birmingham, England (UK)</i> |
| A. Basta, <i>Krakow (Poland)</i> | B. Kaplan, <i>Petach Tikva (Israel)</i> |
| H. J. Bender, <i>Dusseldorf (Germany)</i> | B. Kralj, <i>Ljubljana (Slovenia)</i> |
| N. Bhattacharya, <i>Calcutta (India)</i> | A. B. Lalonde, <i>Ottawa (Canada)</i> |
| F. Bonilla Musoles, <i>Valencia (Spain)</i> | J. Markowska, <i>Poznan (Poland)</i> |
| T. Charkviani, <i>Tbilisi (Georgia)</i> | C. Marth, <i>Innsbruck (Austria)</i> |
| J. H. Check, <i>Camden, NJ (USA)</i> | H. Meden-Vrtovec, <i>Ljubljana (Slovenia)</i> |
| S. Chiovshi, <i>Timisoara (Romania)</i> | J. Monsonogo, <i>Paris (France)</i> |
| D. Dargent, <i>Lyon (France)</i> | N. Ohara, <i>Kobe (Japan)</i> |
| S. Dexeus, <i>Barcelona (Spain)</i> | N. Papadopoulos, <i>Alexandroupolis (Greece)</i> |
| G. Di Paola, <i>Buenos Aires (Argentina)</i> | S. Rakar, <i>Ljubljana (Slovenia)</i> |
| T. K. A. B. Eskes,
<i>Nijmegen (The Netherlands)</i> | J. J. Sciarra, <i>Chicago, IL (USA)</i> |
| M. Franchi, <i>Verona (Italy)</i> | J. Stelmachow, <i>Warsaw (Poland)</i> |
| M. Friedrich, <i>Homburg (Germany)</i> | M. N. Varras, <i>Athens (Greece)</i> |
| V. Gomel, <i>Vancouver (Canada)</i> | P. Vîrtej, <i>Bucharest (Romania)</i> |
| A. Gorins, <i>Paris (France)</i> | R. Winter, <i>Graz (Austria)</i> |

Editorial Organization:

I.R.O.G. CANADA, Inc. - 4900 Côte St-Luc - Apt # 212

Montréal, Qué. H3W 2H3 (Canada)

Tel. +514-4893242 - Fax +514-4854513 - E-mail: canlux@qc.aira.com - www.irog.net

CLINICAL AND EXPERIMENTAL OBSTETRICS AND GYNECOLOGY (ISSN 0390-6663) publishes original work, preferably brief reports, in the fields of Gynaecology, Obstetrics, Foetal Medicine, Gynaecological Endocrinology and related subjects. (Fertility and Sterility, Menopause, Uro-gynaecology, Ultrasound in Obstetrics and Gynaecology, Sexually Transmitted Diseases). The Journal is covered by **INDEX MEDICUS, MEDLINE, EMBASE/Excerpta Medica, BIOSIS**.

CLINICAL AND EXPERIMENTAL OBSTETRICS AND GYNAECOLOGY is issued every three months in one volume per year by IROG CANADA Inc. Montréal. Printed in Italy by "La Garangola", Tipografia Editrice - Via E. Dalla Costa, 6 - 35129 Padova (Italy).

EDITORIAL ARTICLES

- Ovarian aging and infertility** 5
 H. Meden-Vrtovec - *Ljubljana, SLOVENIA*
 Women in advanced age need to be informed and counselled regarding the outcome of fertility treatments by ART.

- Second trimester uterine artery Doppler ultrasound as a screening test for adverse pregnancy outcome** 9
 R. Axt-Fliedner - *Lübeck, GERMANY*
 The possibilities to use color Doppler waveform analysis of the uterine arteries in order to improve the outcome of pregnancy by identifying women at risk of complications are analyzed.

ORIGINAL ARTICLES

- Heat shock protein 27 in the placentas of women with and without severe preeclampsia** 12
 J.P. Geisler, K.J. Manahan, H.E. Geisler, J.E. Tammela, S.L. Rose, A.K. Hiatt, G.A. Miller, M.C. Wiemann, Z. Zhou - *Indianapolis, IN (USA)*
 HSP27 can be measured in the placenta and is significantly higher in women with preeclampsia.

- Comparison of two culture systems for the in-vitro growth and maturation of mouse preantral follicles** 15
 J.R. Loret de Mola, K. Barnhart, G.S. Kopf, S. Heyner, W. Garside, C.B. Coutifaris - *Philadelphia, PA (USA)*
 Mouse oocyte-granulosa cell complexes from preantral follicles grow at a greater rate when embedded in a collagen matrix as compared to collagen-treated membranes. However, nuclear and cytoplasmic maturation, as evidenced by meiotic competence and fertilization rates, is similar between culture systems.

- Perioperative levels of Interleukin-1 β and Interleukin-6 in women with breast cancer** 20
 L. Mattler, A. Salmassi, M. Heyer, A. Schmutzler, Th. Schollmeyer, W. Jonat - *Kiel, GERMANY*
 Perioperative levels of Interleukin-1 β and Interleukin-6 were tested in women with breast cancer. Elevated Interleukin-1 β levels indicated a high recurrence rate.

- 'Pulsed' estradiol action can stimulate breast cancer cell proliferation** 23
 A.O. Mueck, H. Seeger, D. Wallwiener - *Tuebingen, GERMANY*
 Short-time application of estradiol is able to stimulate breast cell proliferation and may not reduce the breast cancer risk during hormone therapy.

- Implications of the diagnosis of endometriosis on the success of infertility treatment** 25
 C. Calhaz-Jorge, E. Chaveiro, J. Nunes, A.P. Costa - *Lisbon, PORTUGAL*
 A retrospective analysis of data of 783 infertile couples showed no negative impact of endometriosis on the final success of the treatment of infertility.

- Giant cell arteritis of the female genital tract** 31
 B. Piura, A. Wolak, A. Rabinovich, I. Yanai-Inbar - *Beer-Sheva, ISRAEL*
 A woman in whom giant cell arteritis of the genitalia was unexpectedly discovered during surgery is described and the pertinent literature is reviewed.

- Uterine adnexal torsion: Pathologic and gray-scale ultrasonographic findings** 34
 M. Varras, A. Tsikini, D. Polyzos, Ch. Samara, G. Hadjopoulos, Ch. Akrivis - *Epirus, GREECE*
 The pathologic and gray-scale ultrasonographic findings in a series of surgically proven cases of uterine adnexal torsion are described. The rates of torsion by tumour type in women \geq 50 years of age are also presented.

- Postoperative adhesion prevention in gynecologic surgery with hyaluronic acid** 39
 G. Carta, L. Cerrone, P. Iovenitti - *L'Aquila, ITALY*
 Pelvic adhesion development after gynecological operations and their reformation after adhesiolysis still represent a problem in terms of infertility, pelvic pain and/or intestinal obstruction.

- Blastocyst versus early cleavage embryo transfer: A retrospective analysis of 4,165 transfers** 42
 K. Pantos, E. Makrakis, P. Karantizis, D. Stavrou, M. Grammatas, K. Chronopoulos - *Athens, GREECE*
 The transfer of blastocysts in ART is beneficial when compared to that of day-2 embryos and at least comparable to that of day-3 embryos.

- Diagnosis of borderline ovarian cancers in pregnancy** 45
 M. Gojnic, M. Pervulov, S. Petkovic, M. Papic - *Belgrade, YUGOSLAVIA*
 In all adnexal masses in pregnancy we have analysed Doppler flow and histopathologic findings to predict borderline carcinomas.

Periodontal disease and poor obstetrical outcome	47
G. Carta, G. Persia, K. Falciglia, P. Iovenitti - <i>Avezzano, ITALY</i>	
Maternal infective processes, like periodontal disease during pregnancy, have been demonstrated to perturb the physiologic course of parturition through inflammatory cytokine production. The data confirm that there is a possible correlation between the periodontal problems typical of pregnancy and the occurrence of complications such as preterm low birth weight.	
Effect on endometrium of combined oestrogen-progestogen replacement therapy of 1 mg 17β-estradiol and 0.5 mg norethisterone acetate	50
G. Iatrakis, C. Tsionis, S. Antoniadis, G. Kourounis - <i>Patra, GREECE</i>	
Continuous treatment with 1 mg oestradiol and 0.5 mg norethisterone acetate daily in menopause is associated with endometrial hyperplasia.	
Asynchronous delivery of twins and triplets with an interval period ranging from 48 hours to 19 weeks	53
J.M. Tzafettas, G. Farmakides, D. Delkos, G. Kalogiros, F. Gkoutzioulis, A. Psarra, M. Gaitani, M. Mamopoulos - <i>Thessaloniki, GREECE</i>	
In multiple pregnancies continuation of the rest of the pregnancy following the loss of one or more fetuses is possible and justified.	
Comparison of hydrosonography and diagnostic hysteroscopy in the evaluation of infertile patients	56
M.S. Yucebilgin, E. Aktan, K. Bozkurt, M. Kazandi, F. Akercan, L. Mgoyi, M.C. Terek - <i>Izmir, TURKEY</i>	
Hydrosonography may be a useful tool in the evaluation of intrauterine cavity pathologies in infertile patients except for intrauterine adhesions.	
Activated protein C resistance in preeclampsia	59
S. Cagirgan, A. Donmez, C. Ispahi - <i>Izmir, TURKEY</i>	
APCR prevalence is significantly higher in preeclamptic women and this may play an important role in its pathogenesis.	
A double embryo transfer on days 2 and 4 or 5 improves pregnancy outcome in patients with good embryos but repeated failures in IVF or ICSI	63
D. Loutradis, P. Drakakis, K. Dallianidis, S.R. Bletsas, S. Milingos, N. Doumplis, N. Sofikitis, A. Asteriou-Dionyssiou, L. Michalas, S. Michalas - <i>Athens, GREECE</i>	
The purpose of this paper was to evaluate the outcome of a double embryo transfer during the same cycle for patients who had had three or more implantation failures in IVF-ET or ICSI-ET programs after the transfer of good quality embryos in all attempts.	
CASE REPORTS	
Pulmonary edema after ritodrine therapy during pregnancy and subsequent cesarean section with epidural anesthesia	67
S. Karaman, O. Ozcan, F. Akercan, M.C. Terek, M.S. Yucebilgin, V. Firat - <i>Izmir, TURKEY</i>	
The management of a pregnant patient developing pulmonary edema after ritodrine therapy and undergoing cesarean section with epidural anesthesia is reported.	
Acute severe reversible oligohydramnios induced by indomethacin in a patient with rheumatoid arthritis: A case report and review of the literature	70
S. Topuz, R. Has, H. Ermiş, A. Yıldırım, L. İbrahimoğlu, A. Yüksel - <i>Istanbul, TURKEY</i>	
Acute severe reversible oligohydramnios induced by indomethacin in a patient with rheumatoid arthritis is presented. After discontinuation of indomethacin amniotic fluid volume was observed as normal in four days.	
Internal hemorrhage caused by a twisted malignant ovarian dysgerminoma: Ultrasonographic findings of a rare case and review of the literature	73
M. Varras, A. Tsikini, D. Polyzos, Ch. Samara, Ch. Akrivis - <i>Epirus, GREECE</i>	
We report an unusual case of a right ovarian malignant dysgerminoma that presented as an abdominal emergency. The interesting ultrasonographic features of this case are presented.	
A borderline form of empty follicle syndrome. Case report	79
N. Nikolettos, B. Asimakopoulos, M. Simopoulou, S. Al-Hasani - <i>Lübeck, GERMANY</i>	
A case of a patient with two in-vitro fertilization cycles classified as borderline forms of empty follicle syndrome is presented.	

ERRATA - CORRIGE

Action of 25 μ g 17 β -oestradiol vaginal tablets in the treatment of vaginal atrophy in Greek postmenopausal women; clinical study - Ch. Akrivis, M. Varras, A. Thodos, G. Hadjopoulos, A. Bellou, N. Antoniou - *Corfu, GREECE*
Vol. XXX, n. 4, 2003, pag. 232

In the **Figures 5, 6 and 7** instead of **0.5 μ g** oestradiol the correct dosage is **25 μ g** oestradiol.