

CLINICAL AND EXPERIMENTAL OBSTETRICS & GYNECOLOGY

an International Journal

Editors-in-Chief

A. Onnis **J.H. Check**
Montréal (CND) *Camden, NJ (USA)*

Associate Editor

M. Marchetti
Montréal (CND)

Assistant Editor

J. Wilson
San Diego - CA (USA)

Editorial Board

Audet-Lapointe P., <i>Montréal (Canada)</i>	Holub Z., <i>Kladno (Czech Republic)</i>
Axt-Fliedner R., <i>Lübeck (Germany)</i>	Jordan J.A., <i>Birmingham, England (UK)</i>
Basta A., <i>Krakow (Poland)</i>	Kaplan B., <i>Petach Tikva (Israel)</i>
Bender H.J., <i>Dusseldorf (Germany)</i>	Kralj B., <i>Ljubljana (Slovenia)</i>
Bhattacharya N., <i>Calcutta (India)</i>	Lalonde A.B., <i>Ottawa (Canada)</i>
Bonilla Musoles F., <i>Valencia (Spain)</i>	Markowska J., <i>Poznan (Poland)</i>
Charkviani T., <i>Tbilisi (Georgia)</i>	Marth C., <i>Innsbruck (Austria)</i>
Dargent D., <i>Lyon (France)</i>	Meden-Vrtovec H., <i>Ljubljana (Slovenia)</i>
Dexeus S., <i>Barcelona (Spain)</i>	Ohara N., <i>Kobe (Japan)</i>
Di Paola G., <i>Buenos Aires (Argentina)</i>	Papadopoulos N., <i>Alexandroupolis (Greece)</i>
Eskes T.K.A.B., <i>Nijmegen (The Netherlands)</i>	Rakar S., <i>Ljubljana (Slovenia)</i>
Franchi M., <i>Verona (Italy)</i>	Sciarra J.J., <i>Chicago, IL (USA)</i>
Friedrich M., <i>Homburg (Germany)</i>	Stelmachow J., <i>Warsaw (Poland)</i>
Gomel V., <i>Vancouver (Canada)</i>	Varras M.N., <i>Athens (Greece)</i>
Gorins A., <i>Paris (France)</i>	Vîrtej P., <i>Bucharest (Romania)</i>
	Winter R., <i>Graz (Austria)</i>

Publishing Organization (M. Morsani):

I.R.O.G. CANADA, Inc. - 4900 Côte St-Luc - Apt # 212 - Montréal, Qué. H3W 2H3 (Canada)
Tel. +514-4893242 - Fax +514-4854513 - E-mail: canlux@mgroun-online.com - www.irog.net

Editorial Office (M. Critelli):

Galleria Storione, 2/A - 35123 Padua (Italy) - Tel. (39) 049 8756900 - Fax (39) 049 8752018

CLINICAL AND EXPERIMENTAL OBSTETRICS AND GYNECOLOGY (ISSN 0390-6663) publishes original work, preferably brief reports, in the fields of Gynecology, Obstetrics, Fetal Medicine, Gynecological Endocrinology and related subjects. (Fertility and Sterility, Menopause, Uro-gynecology, Ultrasound in Obstetrics and Gynecology, Sexually Transmitted Diseases). The Journal is covered by **INDEX MEDICUS, MEDLINE, EMBASE/Excerpta Medica**.

CLINICAL AND EXPERIMENTAL OBSTETRICS AND GYNECOLOGY is issued every three months in one volume per year by IROG CANADA Inc. Montréal. Printed in Italy by "La Garangola", Tipografia Editrice - Via E. Dalla Costa, 6 - 35129 Padova (Italy).

Clinical and Experimental Obstetrics and Gynecology

www.irog.net

General Information

CLINICAL AND EXPERIMENTAL OBSTETRICS AND GYNECOLOGY (ISSN 0390-6663) publishes original peer-reviewed work, preferably brief reports, in the fields of Gynecology, Obstetrics, Fetal Medicine, Gynecological Endocrinology, Fertility and Sterility, Menopause, Uro-gynecology, Ultrasound diagnosis in Obstetrics and Gynecology, Sexually transmitted diseases and related topics. It is indexed in INDEX MEDICUS, MEDLINE, EMBASE/Excerpta Medica.

AIMS AND SCOPE

Since its inception, the *CLINICAL AND EXPERIMENTAL OBSTETRICS AND GYNECOLOGY Journal* has had the primary aim to assemble and diffuse scientific researches, particularly original researches, contributions, reviews, and proceedings of meetings in every field of the Discipline.

Today its large diffusion all over the world allows us to collect high quality papers and clinical reports on many interesting studies from every country, even from developing countries. This is the target goal of the Journal – aiming at the diffusion of knowledge and advances in female genital diseases.

This publication tries to cover all aspects of obstetrics and gynecology in an interdisciplinary approach among gynecologists, epidemiologists, pathologists, oncologists, radiologists, microbiologists, surgeons, urologists, neonatologists, genetists and so on.

The first target goal of the Journal is to publish **high quality papers** in the **shortest time possible**. Research papers, editorial reviews, case reports, technical notes, book reviews and letters to the Editor are published.

ANNOUNCEMENTS regarding meetings, postgraduate courses and symposia will be accepted 6 months before publication and will be published free of charge.

BOOK SAMPLES for review should be sent to the Editorial offices in Montréal or in Padova.

COPYRIGHT: the Journal has been registered with the Copyright Clearance Center, Inc. Reproductions are not allowed without the written consent of the Publisher. All photocopy fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA stating the ISSN number, the volume and the first and last page numbers of each article copied.

ADVERTISING INFORMATION: advertising orders and inquiries may be sent to: I.R.O.G. CANADA Inc., Publisher, 4900 Côte St. Luc, Apt. 212, Montréal (Quebec) Canada H3W 2H3, Tél. 514.4893242-4893640 - Fax 514.4854513 - E-mail: canlux@mgroun-online.com - www.irog.net

RESPONSIBILITY: although every effort is made by the editorial staff and the printer to eliminate misleading or inaccurate information, the publisher accepts no responsibility for the consequences of faulty or incorrect information. The authors recognize that the editor and publisher have no responsibility and are indemnified against any liability or claim that may result from the publication of misleading or incorrect data.

SUBSCRIPTION INFORMATION

The Journal is issued every three months (January, April, July and October); one volume per year. Subscriptions start from January and are automatically renewed if not cancelled by the end of September.

Subscriptions include four issues per year plus supplements and monographs and all official communications of Meetings, Courses, Symposia and all scientific activities in the fields of *Obstetrics and Gynecology* and related topics.

Subscriptions are entered with prepayment only. The annual subscription is \$280 US for Institutions and \$170 US for Individuals all over the world. For air mail add \$20. Single copies prepaid cost \$75.00 US.

Send subscription requests with cheque or credit card payment (Amex - Visa - Diners - Master Card) to I.R.O.G. CANADA Inc., 4900 Côte St. Luc, Apt. 212, Montréal, Québec H3W 2H3, Canada. **Only US Funds are accepted.**

Claims for missing issues can be honored up to six months. **Changes of address:** allow six weeks for all changes to become effective. All communications should include both old and new addresses (with postal codes) - better if accompanied by a mailing label from a recent issue and should be sent to the printer La Garangola, Via E. Dalla Costa, 6 - 35129 Padova (Italy) - also by Tel. +39.049.8075557, Fax +39.049.7806580. Claims should be made within six months of publication date. Duplicate copies will not be sent to replace those undelivered through failure to notify of change of address.

Single copies and back issue and volume information is available from the printer La Garangola, Padua, Tel. +39.049.8075557, Fax +39.049.7806580. Certain back issues may only be available as photocopies of the originals.

All other business correspondence including orders for offprints and advertising space and **any communication and requests should be addressed to** I.R.O.G. CANADA Inc., 4900 Côte St. Luc, Apt. 212, MONTREAL, QUÉBEC H3W 2H3 (Canada), Tel. (514) 4893242, fax (514) 4854513.

IN ALL LEGAL MATTERS THE COURT OF MONTREAL IS COMPETENT.

Clinical and Experimental Obstetrics and Gynecology

www.irog.net

Instructions to Authors

SUBMISSION OF MANUSCRIPTS

Papers should be submitted to A. ONNIS Editor-in-Chief, 4900 Côte St. Luc, Apt. 212 MONTREAL, QUÉBEC H3W 2H3 (Canada) - Tel. +514-4893242 - Fax +514-4854513 - Galleria Storione 2/A - 35123 PADOVA (Italy) - Tel. +39-049-8756900 - Fax +39-049-8752018. The new section "Assisted conception and reproductive biology" will be led by J.H. Check, Editor-in-Chief. Address: Reproductive and Medical Endocrine Associates P.C. (Attention: Laurie Aurand), 7447 Old York Road, Melrose Park, PA 19027. Telephone Number: 215 635-4400, Fax Number: 215 635-2304, email: Laurie@ccivf.com.

When a manuscript is submitted, an acknowledgement card is sent to the corresponding author within two or three weeks.

Submitted papers are reviewed by the Editor-in-Chief and his Peer Referees. Authors may be required to modify the manuscript according to the reviewers' suggestions.

Manuscripts accepted for publication will be copyedited by the editorial staff for typographical and grammatical mistakes and to guarantee clarity and conciseness.

Publication time will be the shortest possible based on scientific and publishing needs. Manuscripts submitted for publication cannot be returned.

Published papers will become property of the Journal and copyrighted under I.R.O.G. CANADA Inc.

After six months no grievances will be accepted regarding published articles.

All statements are the responsibility of the authors. Product dosages, indications and methods referred to in the papers reflect the author's experience. No responsibility is assumed by the Editor-in-Chief or the Publisher for any damage from use of any products, operation methods or instructions contained in the published materials.

Trade names, trademarks, etc. are protected by the law and regulations. The Editor-in-Chief and the Publisher cannot accept any legal responsibility for any errors or omissions that may be made in press, particularly for information about drug dosage and application thereof contained in the Journal. Consult the prescribing information before administering any drug.

MANUSCRIPT REQUIREMENTS

The Journal follows the "Uniform requirements for manuscripts submitted to biomedical journals" published in the *New England Journal of Medicine* 1991, 324, 424-8 and in the *British Medical Journal* 1991, 302.

The manuscripts must be sent by mail and never by e-mail.

Three *manuscripts* typed and double spaced should be submitted by mail (not by email) **with an electronic disk, formatted in Word for Macintosh or Windows, version 6.0.** Manuscripts without an electronic disk will not be accepted. **A cover letter signed by all authors must state that all authors who have participated in the work take responsibility for the manuscript which has never been published or submitted for publication elsewhere.** Without a cover letter the publication will not be possible. Name, address and phone/fax numbers of the *Corresponding Author*, responsible for revision and approval of the proofs, should be indicated. Full-length **articles** should not exceed 8 printed pages including tables and references.

After the *title page* (full title and names of authors, institutions, eventual acknowledgement for financial support, running title of no more than 60 characters or spaces), original works should be arranged in the conventional order: **Summary** (*purpose of investigation, methods, results, conclusion - about 150 words*), **Key words**, **Content** (a 20-word summary), **Introduction**, **Materials and Methods**, **Results**, **Discussion**, **Conclusion**, **Acknowledgement** (if any), **References**, **Tables**, **Legends**.

Authors should supply a complete address for reprint requests.

In the text only standard abbreviations can be used and must be avoided in the title. The full term for which an abbreviation stands should precede its first use in the summary and text unless it is a standard unit of measurement.

Authors must give their complete professional identifications and affiliations, including all academic titles and positions.

Letters to the editor should be brief (500 words or less) and offer objective, constructive and educational criticism of published material. The editor reserves the right to publish.

Figures: Two original copies (not negatives) of each figure are requested. Each figure should have a label on the back indicating its number, author's name and top of the figure. Do not write on the back of the figures and do not mount them on cardboard. **If sending colour pictures advise if they must be printed in colour or black and white (colour costs ten times more).**

Legends should be typed on a separate page with Arabic numerals corresponding to the illustrations.

Tables should be titled, typed in double space on separate pages and numbered in Arabic numerals in the order of their first citation in the text. Do not use internal rules. Only standard, universally understood abbreviations should be used.

References should be numbered consecutively in the order in which they are first mentioned in the text. Identify references in the text, tables, and legends by Arabic numerals in parentheses.

Use the style of the examples below, which are based with slight modifications on the format used by the U.S. National Library of Medicine in *Index Medicus*. The titles of journals should be abbreviated according to the style used in *Index Medicus*.

References must be verified by the Author(s) against the original documents.

Examples of correct forms of references are given below:

Articles in Journals: Authors' surname and initials (if more than six names, give six followed by "et al."), Title, Abbreviated Journal Title, Year of Publication, Volume, Issue and first page.

Books: Authors' surname and initials, title of the book and title of chapter, in: Title, Editor(s), Place, Publisher, Year, Page.

Acknowledgments will be limited to appropriate professionals who were contributors to the paper.

PROOFS revised by the editorial staff will be sent to the corresponding author and should be checked and returned within ten days. The corresponding author is responsible for detecting typesetting errors. After this deadline **the proofs will be considered approved.** Only essential corrections should be made; extensive changes will be charged to the authors.

BUSINESS MATTERS

The Journal has no commercial advertisements.

Authors will be expected to contribute to the printing expenses, tables, figures and postage. For every published article a copy of the Journal will be provided free of charge. **Only payments in US dollars will be accepted.** No bank transfers.

Reprints should be requested with the form enclosed with the acceptance letter. No free reprints will be supplied.

ORIGINAL ARTICLES

- Clinical characteristics of vaginal discharge in bacterial vaginosis diagnosed by Nugent's criteria** 5
 E.D. Hapsari, M. Hayashi, H. Matsuo - *Kobe, JAPAN*
 A cross-sectional study of 58 women undergoing vaginal examination at Hayashi Women's Clinic, Hyogo Prefecture was carried out. Characteristics of vaginal discharge (color, amount, odor, and pH level) and the number of clue cells were compared among normal, intermediate, and BV groups. BV was diagnosed by using Nugent's criteria.
- The influence of the mode of anaesthesia in the incidence of neonatal morbidity after an elective caesarean section** 10
 J. Sigalas, G. Galazios, I. Tsikrikoni, M. Scordala, T. Vogiatjaki, P.I. Spanopoulou, P. Tsikouras - *Alexandroupolis, GREECE*
 General anaesthesia when performed in elective caesarean section is not regarded as a risk factor for increased neonatal respiratory morbidity.
- Reproductive Biology Section**
- Successful pregnancy with spontaneous ovulation in a woman with apparent premature ovarian failure who failed to conceive despite four transfers of embryos derived from donated oocytes** 13
 J.H. Check, B. Katsoff - *Camden, NJ (USA)*
 A viable natural pregnancy occurred despite a very high FSH and failure to conceive after four embryo transfers using donor oocytes.
- Moderate or severe depression is uncommon in women seeking infertility therapy according to the Beck Depression Inventory** 16
 D. Brasile, B. Katsoff, J.H. Check - *Camden, NJ (USA)*
 The Beck Depression Inventory test was given to 30 new infertility patients. Only 10% showed mild depression and none had moderate or severe depression.
- Effect of smoking on semen parameters of men attending an infertility clinic** 19
 H. Hassa, A. Yildirim, C. Can, M. Turgut, H.M. Tanir, T. Senses, F. Sahin-Mutlu - *Eskisehir, TURKEY*
 Smoking has a deleterious effect on sperm motility, but not on sperm amount or morphology.
- General Section**
- Urinary disorders during pregnancy and postpartum: our experience** 23
 A. D'Alfonso, P. Iovenitti, G. Carta - *L'Aquila, ITALY*
 Changes that take place in the pelvic region during birth can give rise to alterations in the genitourinary system which are at the basis of pathologies such as stress urinary incontinence (SUI). The occurrence of this condition has been correlated to a variety of factors including neonatal birth weight and obesity.
- Implication of negative urine pregnancy testing in subjects with unknown last menstrual period** 26
 V. Wiwanitkit - *Bangkok, THAILAND*
 Negative pregnancy testing in the presence of amenorrhea can imply more than a pregnancy. Close follow-up for other possible pathological conditions should be considered.
- Placental umbilical cord whole blood transfusion to combat anemia in the background of advanced rheumatoid arthritis and emaciation and its potential role as immunoadjuvant therapy** 28
 N. Bhattacharya - *Calcutta, INDIA*
 Umbilical cord whole blood transfusion is safe in rheumatoid arthritis patients with anemia. This blood, with its altered metabolic profile and hypo-antigenic nature, has the potential to carry more oxygen than adult blood and it does not trigger any clinical immunological or non-immunological reaction after transfusion to an adult host. There is a rise in the CD34 levels of peripheral blood in HLA-randomized hosts after transfusion, without any clinical graft vs host reaction.
- Cytokine levels in amniotic fluid: a marker of preterm labor?** 34
 A. D'Alfonso, D. Piancatelli, D. Maccarone, A. Adorno, P. Iovenitti, G. Carta - *L'Aquila, ITALY*
 The aim of this study was to determine levels of Interleukin 6 (IL-6) in amniotic fluid at the beginning of the second trimester and to establish whether IL-6 can be used as a marker for premature birth as it would appear to be an important prenatal marker of chorionic inflammation.

Prevalence and antibiotic susceptibility of genital <i>Mycoplasma hominis</i> and <i>Ureaplasma urealyticum</i> in a university hospital in Turkey	36
O. Karabay, A. Topcuoglu, E. Kocoglu, S. Gurel, H. Gurel, N.K. Ince - <i>Bolu, TURKEY</i>	
This study aimed to assess the colonization prevalence and antibiotic susceptibility of genital <i>Ureaplasma urealyticum</i> and <i>Mycoplasma hominis</i> in a teaching hospital in Turkey.	
Placental umbilical cord blood transfusion: A novel method of treatment of patients with malaria in the background of anemia	39
N. Bhattacharya - <i>Calcutta, INDIA</i>	
Umbilical cord whole blood transfusion is safe in malaria patients with anemia. It does not trigger any clinical immunological or non-immunological reaction after transfusion to adult hosts.	
Emotional distress of infertile women in Turkey	44
O. Ozkan, B. Baysal - <i>Istanbul, TURKEY</i>	
Psychological morbidity, marital and sexual relationships of infertile women and healthy women were compared. Depression, anxiety and severity of psychological symptoms were significantly higher in the infertile group.	
Cervical ectopic pregnancy: clinical review	47
A. Starita, A. Di Miscia, S. Evangelista, F. Donadio, A. Starita - <i>Rome, ITALY</i>	
The literature on the epidemiology, etiology, diagnosis and treatments of cervical pregnancy was reviewed.	
High frequency of thrombophilic disorders in women with recurrent fetal miscarriage	50
L. Onderoglu, C. Baykal, R.A. Al, E. Demirtas, O. Deren, A. Gurgey - <i>Ankara, TURKEY</i>	
Thrombophilias are etiologic causes in recurrent fetal miscarriage and must be evaluated routinely.	
Effects of postpartum uterine curettage on maternal well-being in severe preeclamptic patients	55
A. Alkan, S. Tugrul, Ö. Oral, H. Uslu, D. Köse, F.T. Çatakli - <i>Istanbul, TURKEY</i>	
The effect of postpartum uterine curettage on maternal recovery time in severe preeclamptic patients was assessed. In our study we observed that uterine curettage performed in the postpartum period had favorable effects on blood pressure, platelet count and urinary output, and also helped in faster recovery from severe preeclampsia.	
Possible factors affecting the age at menopause among women in the central anatolian region of Turkey	59
H. Hassa, H.M. Tanir, B. Tekin, T. Senses, T. Oge, F.S. Mutlu - <i>Eskisehir, TURKEY</i>	
Cigarette smoking and menopausal ages of mothers and sisters affect the age at menopause.	
Successful treatment of brucellosis in a twin pregnancy	61
K. Ozbay, R.A. Inanmis - <i>Bitlis, TURKEY</i>	
Active brucellosis infection was diagnosed at the 10 th week of gestation and treated properly in woman with a twin pregnancy.	
CASE REPORTS	
Cervical pregnancy: a case report	63
A. Starita, A. Di Miscia, F.L. Labi, F. Donadio, A. Starita - <i>Rome, ITALY</i>	
The case of a patient with cervical pregnancy diagnosed by ultrasonography (U/S) at nine weeks of gestation is described.	