

CLINICAL AND EXPERIMENTAL OBSTETRICS & GYNECOLOGY

an International Journal

Founding Editor

A. Onnis

Montréal (CND)

Editors-in-Chief

M. Marchetti

Montréal (CND)

J.H. Check

Camden, NJ (USA)

Assistant Editor

J. Wilson

San Diego - CA (USA)

Editorial Board

Audet-Lapointe P., *Montréal (Canada)*

Axt-Flidner R., *Lübeck (Germany)*

Basta A., *Krakow (Poland)*

Bender H.J., *Dusseldorf (Germany)*

Bhattacharya N., *Calcutta (India)*

Bonilla Musoles F., *Valencia (Spain)*

Charkviani T., *Tbilisi (Georgia)*

Dexeus S., *Barcelona (Spain)*

Di Paola G., *Buenos Aires (Argentina)*

Eskes T.K.A.B.,

Nijmegen (The Netherlands)

Franchi M., *Verona (Italy)*

Friedrich M., *Homburg (Germany)*

Gomel V., *Vancouver (Canada)*

Gorins A., *Paris (France)*

Grella P.V., *Padua (Italy)*

Holub Z., *Kladno (Czech Republic)*

Jordan J.A., *Birmingham, England (UK)*

Kaplan B., *Petach Tikva (Israel)*

Kralj B., *Ljubljana (Slovenia)*

Markowska J., *Poznan (Poland)*

Marth C., *Innsbruck (Austria)*

Meden-Vrtovec H., *Ljubljana (Slovenia)*

Ohara N., *Kobe (Japan)*

Papadopoulos N., *Alexandroupolis (Greece)*

Rakar S., *Ljubljana (Slovenia)*

Sciarra J.J., *Chicago, IL (USA)*

Stelmachow J., *Warsaw (Poland)*

Varras M.N., *Athens (Greece)*

Vîrtej P., *Bucharest (Romania)*

Winter R., *Graz (Austria)*

Publishing Organization (M. Morsani):

I.R.O.G. CANADA, Inc. - 4900 Côte St-Luc - Apt # 212 - Montréal, Qué. H3W 2H3 (Canada)

Tel. +514-4893242 - Fax +514-4854513 - E-mail: canlux@mgroun-online.com - www.irog.net

Editorial Office (M. Critelli):

Galleria Storione, 2/A - 35123 Padua (Italy) - Tel. (39) 049 8756900 - Fax (39) 049 8752018

CLINICAL AND EXPERIMENTAL OBSTETRICS AND GYNECOLOGY (ISSN 0390-6663) publishes original work, preferably brief reports, in the fields of Gynecology, Obstetrics, Fetal Medicine, Gynecological Endocrinology and related subjects. (Fertility and Sterility, Menopause, Uro-gynecology, Ultrasound in Obstetrics and Gynecology, Sexually Transmitted Diseases, Reproductive Biological Section). The Journal is covered by **INDEX MEDICUS, MEDLINE, EMBASE/Excerpta Medica**.

CLINICAL AND EXPERIMENTAL OBSTETRICS AND GYNECOLOGY is issued every three months in one volume per year by IROG CANADA Inc. Montréal. Printed in Italy by "La Garangola", Tipografia Editrice - Via E. Dalla Costa, 6 - 35129 Padova (Italy).

In Memoriam: Antonio Onnis 201

EDITORIAL ARTICLE

A practical approach to the prevention of miscarriage: Part 1 - progesterone therapy 203
 J.H. Check - *Camden, NJ (USA)*
 Progesterone therapy is effective in reducing the risk of miscarriage in women with previous miscarriages, women needing follicle maturing drugs for infertility, and women of advanced reproductive age.

ORIGINAL ARTICLES

Reproductive Biology Section

The effect of blastomere number on embryo survival upon freezing/thawing 209
 J.H. Check, D. Horwath, D. Summers-Chase, W. Yuan, K. Swenson, C. Levito - *Camden, NJ (USA)*
 Though 4-cell embryos have a markedly lower implantation potential upon fresh embryo transfer compared to 6-8 cell embryos, it is not reflected in their ability to survive freeze-thawing.

A comparison of efficacy of freezing embryos at the 2 pronuclear (2PN) stage vs multi-cell when using a simplified freezing protocol with one-step removal of cryoprotectant 210
 J.H. Check, D. Summers-Chase, D. Horwath, K. Swenson, W. Yuan - *Camden, NJ (USA)*
 When using a simplified freezing protocol with a Biocool freezer rather than a programmable freezer higher survival, live delivered pregnancy and implantation rates were found when freezing at the 2 pronuclear rather than the multi-cell stage.

Pregnancy rates per embryo transfer (ET) may be improved by conventional oocyte insemination for male factor rather than intracytoplasmic sperm injection (ICSI) 212
 J.H. Check, B. Katsoff, D. Summers-Chase, W. Yuan, D. Horwath, J.K. Choe - *Camden, NJ (USA)*
 A retrospective comparison of pregnancy outcome following conventional oocyte insemination versus intracytoplasmic sperm injection suggests that fertilization by ICSI could reduce the implantation potential of the embryos that are formed.

Relationship of serum progesterone (P) level the day after human chorionic gonadotropin (hCG) injection on outcome following in vitro fertilization-embryo transfer (IVF-ET) 214
 J.H. Check, J. Amui, J.K. Choe, D. Brasile - *Camden, NJ (USA)*
 Either too little or too much progesterone secretion following hCG injection can negatively effect embryo implantation but the effect is minimal.

Effect of the degree of fragmentation on embryo survival after freeze-thawing 216
 J.H. Check, K. Swenson, W. Yuan, A. Nazari - *Camden, NJ (USA)*
 Though more fragmented embryos have a lower survival rate after freeze thawing, about 50% of embryos with > 25% fragmentation will still survive the thaw and be able to be transferred.

A prospective comparison of in vitro fertilization (IVF) outcome following controlled ovarian hyperstimulation (COH) regimens using follitropin alpha exclusively or with the addition of low dose human chorionic gonadotropin (hCG) and ganirelix 217
 J.H. Check, E. Davies, D. Brasile, J.K. Choe, J. Amui - *Camden, NJ (USA)*
 No clinical advantage was found by adding exogenous LH activity to the drug regimen for stimulation of multiple follicles for purposes of in vitro fertilization when using follitropin alpha.

General Section

Tartrate-resistant acid phosphatase (TRAP) as a serum marker for bone resorption in breast cancer patients with bone metastases 219
 S. Tauchert, A. di Liberto, T. Cordes, M. Thill, D. Salehin, M. Friedrich - *Krefeld, GERMANY*
 TRAP activity is well correlated with the grade of bone metastases and with the number of locations in the body.

Lesions of the subepithelial stromal zone of the lower female genital tract. An immunopathological study 226
 A. Kondi-Pafiti, M. Frangou-Plemmenou, C. Bakalianou, M. Tsantopoulos, K. Papadias, A. Liapis - *Athens, GREECE*
 Subepithelial cervical and vaginal stroma lesions were studied immunopathologically.

Regional anaesthesia for primary caesarean section in patients with preterm HELLP syndrome: a review of 102 cases 230
 Ş. Palit, G. Palit, M. Vercauteren, Y. Jacquemyn - *Edegem, BELGIUM*
 A retrospective study demonstrating that combined spinal-epidural anaesthesia can be used in cases of HELLP syndrome.

Prevalence of severe pelvic inflammatory disease and endometriotic ovarian cysts: a 7-year retrospective study	235
I. Grammatikakis, N. Evangelinakis, G. Salamalekis, V. Tziortzioti, C. Samaras, C. Chrelias, D. Kassanos - Athens, GREECE	
The prevalence of PID in women with endometriosis is sufficiently higher than the prevalence in the general population.	
Mid-trimester maternal serum markers in predicting adverse pregnancy outcome	237
G. Androutopoulos, P. Gkogkos, V. Papadopoulos, G. Adonakis, V. Tsapanos, P. Vassilakos, G. Panayiotakis, G. Decavalas - Rion, GREECE	
Mid-trimester maternal serum markers in predicting adverse pregnancy outcome.	
Evaluation of pain before and after vaginal delivery	241
B. Alves, T. Zakka, M.J. Teixeira, J.T.T. Siqueira, S.R.D.T. Siqueira - São Paulo, BRAZIL	
The factors associated with the pain perception of childbirth and the perception of the obstetrician about women's pain in a prospective study are reported.	
A comparison of low-dose and high-dose protocols of vaginal misoprostol for second trimester termination of pregnancy	245
K. Özerkan, G. Ocakoğlu, S. Rehimli, G. Uncu, O. Develioğlu - Bursa, TURKEY	
To induce termination of pregnancy, vaginal misoprostol is more efficient when administered in higher doses.	
Intramuscular fetal corticosteroid therapy short-term effect on maternal-fetal Doppler velocimetry	248
I. Babović, S. Plesinac, J. Opalić, I. Pilić, Z. Radojičić, M. Pervulov, N. Radunović, A. Ljubić - Belgrade, SERBIA	
Fetal corticosteroid therapy includes the increase of RI in the descending aorta as well as decrease of GIL in the umbilical artery after the 32nd week.	
Chorionic villus sampling: analysis of the first 350 singleton pregnancies by a single operator	251
G.O. Ajayi - Lagos, NIGERIA	
Chorionic villus sampling is a relatively safe and reliable method of prenatal genetic diagnosis.	
Prevalence of acute hemoperitoneum in patients with endometriotic ovarian cysts: a 7-year retrospective study	254
N. Evangelinakis, I. Grammatikakis, G. Salamalekis, V. Tziortzioti, C. Samaras, C. Chrelias, D. Kassanos - Athens, GREECE	
Endometriosis should be considered in the differential diagnosis of ascites and acute abdominal pain or pelvic mass.	
Two-year results of a new two-minute hot liquid balloon endometrial ablation system (Thermablate): a pilot study	256
D. Karamanidis, P. Nicolaou, A. Byros, Ger. Koutsougeras - Alexandroupolis, GREECE	
A new two-minute hot liquid balloon system provided effective therapy for menorrhagia in 70% of women.	
Arthrogyposis multiplex congenita: Analysis of twelve cases	259
B. Dane, C. Dane, F. Aksoy, A. Cetin, M. Yayla - Istanbul, TURKEY	
Sonographic examination plays an important role in the diagnosis and obstetric management of cases with arthrogyposis multiplex congenita.	
CASE REPORTS	
Spontaneous umbilical endometriosis: a case report with one-year follow-up	263
E. Spaziani, M. Picchio, A. Di Filippo, C. De Cristofano, F. Ceci, F. Stagnitti - Latina, ITALY	
A case of spontaneous umbilical endometriosis is presented and the clinical and therapeutic approaches to this very rare disease are discussed.	
Primitive breast localisation of Buruli ulcer in an endemic zone: a rare case	265
K. N'Guessan, P. Guié, P. Iovenitti, G. Carta, V. Loue, V. Angoi - L'Aquila, ITALY	
A rare case of Buruli ulcer localised in the breast is described.	
Placental chorioangioma and chorioangiomas. Clinicopathological study of six unusual vascular lesions of the placenta - case reports	268
A. Kondi-Pafiti, K. Bakalianou, N. Salakos, C. Iavazzo, K. Papadias, A. Liapis - Athens, GREECE	
Two cases of placental chorioangiomas and four cases of chorioangiomas are presented because of the importance of the differential diagnoses.	
Letter to the Editor	271
Contents index vol. XXXVI, 2009	272
Authors index vol. XXXVI, 2009	276