

CLINICAL AND EXPERIMENTAL OBSTETRICS & GYNECOLOGY

an International Journal

Founding Editor

A. Onnis

Montréal (CND)

Editors-in-Chief

M. Marchetti

Montréal (CND)

J.H. Check

Camden, NJ (USA)

Assistant Editor

J. Wilson

San Diego - CA (USA)

Editorial Board

Audet-Lapointe P., *Montréal (Canada)*

Axt-Flidner R., *Lübeck (Germany)*

Basta A., *Krakow (Poland)*

Bender H.J., *Dusseldorf (Germany)*

Bhattacharya N., *Calcutta (India)*

Bonilla Musoles F., *Valencia (Spain)*

Charkviani T., *Tbilisi (Georgia)*

Dexeus S., *Barcelona (Spain)*

Di Paola G., *Buenos Aires (Argentina)*

Eskes T.K.A.B.,
Nijmegen (The Netherlands)

Franchi M., *Verona (Italy)*

Friedrich M., *Homburg (Germany)*

Gomel V., *Vancouver (Canada)*

Gorins A., *Paris (France)*

Grella P.V., *Padua (Italy)*

Holub Z., *Kladno (Czech Republic)*

Jordan J.A., *Birmingham, England (UK)*

Kaplan B., *Petach Tikva (Israel)*

Kralj B., *Ljubljana (Slovenia)*

Markowska J., *Poznan (Poland)*

Marth C., *Innsbruck (Austria)*

Meden-Vrtovec H., *Ljubljana (Slovenia)*

Ohara N., *Kobe (Japan)*

Papadopoulos N., *Alexandroupolis (Greece)*

Rakar S., *Ljubljana (Slovenia)*

Sciarra J.J., *Chicago, IL (USA)*

Stelmachow J., *Warsaw (Poland)*

Varras M.N., *Athens (Greece)*

Vîrtej P., *Bucharest (Romania)*

Winter R., *Graz (Austria)*

Publishing Organization (M. Morsani):

I.R.O.G. CANADA, Inc. - 4900 Côte St-Luc - Apt # 212 - Montréal, Qué. H3W 2H3 (Canada)

Tel. +514-4893242 - Fax +514-4854513 - E-mail: canlux@mgroun-online.com - www.irog.net

Editorial Office (M. Critelli):

Galleria Storione, 2/A - 35123 Padua (Italy) - Tel. (39) 049 8756900 - Fax (39) 049 8752018

CLINICAL AND EXPERIMENTAL OBSTETRICS AND GYNECOLOGY (ISSN 0390-6663) publishes original work, preferably brief reports, in the fields of Gynecology, Obstetrics, Fetal Medicine, Gynecological Endocrinology and related subjects. (Fertility and Sterility, Menopause, Uro-gynecology, Ultrasound in Obstetrics and Gynecology, Sexually Transmitted Diseases, Reproductive Biological Section). The Journal is covered by **INDEX MEDICUS, MEDLINE, EMBASE/Excerpta Medica**.

CLINICAL AND EXPERIMENTAL OBSTETRICS AND GYNECOLOGY is issued every three months in one volume per year by IROG CANADA Inc. Montréal. Printed in Italy by "La Garangola", Tipografia Editrice - Via E. Dalla Costa, 6 - 35129 Padova (Italy).



Contents

Clinical and Experimental Obstetrics & Gynecology - Vol. XXXVII, no. 2, 2010

EDITORIAL ARTICLES

- A practical approach to the prevention of miscarriage: part 3 – passive immunotherapy** 81

J.H. Check - *Camden, NJ (USA)*

There is controversy over the efficacy of passive immunotherapy to prevent miscarriage, but there are some data that are encouraging if the passive immunotherapy is properly given with the right brand and timing.

- Advantages of using a lower vs higher dosage of gonadotropins for follicular maturation including cycles of in vitro fertilization-embryo transfer** 84

J.H. Check - *Camden, NJ (USA)*

The use of a lower dosage of exogenous FSH for follicular stimulation can not only save money but may result in higher pregnancy rates compared to higher dosage regimens.

REVIEW ARTICLES

- The slow levonorgestrel-releasing intrauterine system (LNG-IUS) 20 mcg/day: a literature review** 89

N. Salakos, A. Koumoussidis, C. Iavazzo, G. Paltoglou, K. Bakalianou, O. Gregoriou - *Athens, GREECE*

A review of indications, complications and contraindications of the levonorgestrel-releasing intrauterine system was performed.

ORIGINAL ARTICLES

Reproductive Biology Section

- A novel method to assess the effect of uterine senescence by comparing pregnancy outcome in younger donors vs older recipients who are sharing a common pool of oocytes** 97

J.H. Check, B. Katsoff, T. Jamison, J.K. Choe, D. Brasile, J. Amui - *Camden, NJ (USA)*

The evaluation of pregnancy and implantation rates after transfer of fresh or frozen embryos in younger infertile egg donors vs older recipients confirmed that the uterus from a woman of advanced reproductive age does not impair embryo implantation.

- Cryopreservation of blastocysts using a modification of a simplified freezing protocol with a one step removal of cryoprotectant successfully used previously to freeze 2 pronuclear or multi-cell embryos** 99

D. Summers-Chase, J.H. Check, D. Horwath, W. Yuan, K. Swenson, M. Press - *Camden, NJ (USA)*

A modification of a simplified freezing protocol used for 2 pronuclear and multi-cell embryos has resulted in a successful cryopreservation technique for blastocysts.

- Serum retinol-binding protein-4 levels in polycystic ovary syndrome patients undergoing controlled ovarian hyperstimulation for in-vitro fertilization cycle** 100

R. Orvieto, V. Shuhat, G. Liberty, R. Homburg, E.Y. Anteby, R. Nahum, J. Rabinson, S. Meltzer - *Beer Sheva, ISRAEL*

PCOS patients demonstrated a decrease in serum RBP-4 during COH with no correlation to IVF treatment variables or pregnancy rate.

- A comparison of pregnancy rates following fresh and frozen embryo transfer according to the use of leuprolide acetate vs ganirelix vs cetrorelix** 105

J.H. Check, C. Wilson, J.K. Choe, J. Amui, B. Katsoff - *Camden, NJ (USA)*

A retrospective review found that the gonadotropin releasing hormone (GnRH) agonist leuprolide did not result in higher implantation rates than the GnRH antagonist cetrorelix but both were superior to ganirelix.

- The effect of endometriosis on pregnancy outcome following in vitro fertilization-embryo transfer (IVF-ET) in women with decreased egg reserve** 108

J.H. Check, J.R. Liss, J.W. Krotec, J.K. Choe, D. Brasile - *Camden, NJ (USA)*

The presence of endometriosis did not impair live delivered pregnancy rates following fresh or frozen embryo transfers in women with diminished egg reserve.

- Association of the change in serum estradiol (E2) levels from the day of to the day after human chorionic gonadotropin (hCG) injection and pregnancy outcome following in vitro fertilization-embryo transfer (IVF-ET) in less than average responders** 110

J.H. Check, J.K. Choe, J. Amui, D. Brasile - *Camden, NJ (USA)*

A drop in serum estradiol in a group of women who were less than average responders was not associated with a lower chance of conception following in vitro fertilization-embryo transfer.

General Section

- Effects of tamoxifen on tissue nitrite/nitrate levels and plasma lipid peroxidation in female rats** 112

M. Gharehbaghi, F. Sendag, F. Akercan, B. Zeybek, E. Sezer, M.C. Terek, N. Karadadas - *Izmir, TURKEY*

The effects of tamoxifen on lipid peroxidation and oxidant-antioxidant balance were investigated in an animal model.



Successful treatment of a female with chronic pseudo-intestinal obstruction with sympathomimetic amines and thyroid hormone replacement	115
J.H. Check, R. Cohen - <i>Camden, NJ (USA)</i> Another way that idiopathic orthostatic edema may present is with classic symptoms and signs of chronic pseudointestinal obstruction, and similar to other associated pain syndromes, the condition responds to sympathomimetic amine treatment.	
Emergency obstetric hysterectomy at two tertiary centers: a clinical analysis of 11 years experience	117
M. Varras, Ch. Akrivis, Ch. Plis, G. Tsoukalos - <i>Ioannina, GREECE</i> The incidence, indications and maternal mortality of emergency obstetric hysterectomies to control major postpartum hemorrhage after delivery following a pregnancy of at least 24 weeks' gestation, regardless of the mode of delivery, at two tertiary Greek hospitals are presented.	
Comparision of reproductive outcome of the women with hypogonadotropic hypogonadism and tubal factor infertility	120
G. Yildirim, C. Ficicioglu, R. Attar, O. Akcin, N. Tecellioglu - <i>Istanbul, TURKEY</i> The outcome of women with hypogonadotropic hypogonadism undergoing assisted reproductive treatment are comparable to women with tubal factor infertility.	
Effect of long-time administration of tibolone on vaginal cytology of castrated rats	123
H.N. Henriques, A.C. Bergmann de Carvalho, J.A.S. Pantaleão, M.A. Guzmán-Silva - <i>Niteroi, RJ BRAZIL</i> Tibolone administered at high-dose and long-term has estrogenic effects in vaginal epithelium evident after one dose, without changes over time.	
Vaginal fluid pH, cervicovaginitis and cervical length in pregnancy	127
F. Sendag, M. Kazandi, F. Akercan, A.C. Kazandi, N. Karadadas, S. Sagol - <i>Irbid, JORDAN</i> Elevated vaginal fluid pH in women at 16-22 weeks of gestation seems to be associated with decreased cervical length and increased risk of preterm delivery.	
Perineal ultrasound evaluation of urethral mobility after the TVT-O procedure	131
L. Di Pietto, C. Scaffa, A. Lambiase, M. Torella, C. Sciorio, E. Dato, A. Nocerino, M.L. Di Petrillo, R. Fusco, M. Rotondi, E.M. Messalli, N. Colacurci - <i>Naples, ITALY</i> By means of perineal ultrasound the study evaluates urethral mobility in urinary stress incontinence before and after transobturator tension-free vaginal tape surgery.	
Is placebo as effective as estrogen regimens on vasomotor symptoms in women with surgical menopause?	135
H. Hassa, H.M. Tanir, T. Oge - <i>Agri, TURKEY</i> Oral and transdermal forms of estrogen and placebo improved total Greene Climacteric Scale scores in women with surgical menopause.	
Tubal ectopic pregnancy in the north of Jordan: presentation and management	138
B. Obeidat, F. Zayed, Z. Amarín, N. Obeidat, M.F. El-Jallad - <i>Irbid, JORDAN</i> A retrospective study of the approach to the management tubal ectopic pregnancy in the north of Jordan.	
Umbilical cord prolapse in the southeast region of Turkey: evaluation of 79 cases	141
M. Erdemoglu, A. Kale, U. Kuyumcuoglu, N. Akdeniz, A.I. Güzel - <i>Diyarbakir, TURKEY</i> Fetal weight \leq 2500 and abnormal fetal presentation is associated with increased risk of umbilical cord prolapse. Cesarean section decreases the risk of perinatal mortality.	
Adolescent pregnancies and obstetric outcomes in Southeast Turkey: data from two regional centers	144
D.C. Arkan, M. Kaplanoğlu, H. Kran, A. Özer, A. Coşkun, E. Turgut - <i>Istanbul, TURKEY</i> The incidence of adolescent pregnancy is still high in Turkey. Preterm labor, intrauterine growth retardation, and stillbirth were significantly higher in pregnant adolescents.	
Pregnancy-related acute renal failure in the southeast region of Turkey: analysis of 75 cases	148
M. Erdemoğlu, U. Kuyumcuoğlu, A. Kale, N. Akdeniz - <i>Diyarbakir, TURKEY</i> A case series of 75 patients affected by acute renal failure related with pregnancy in a limited region of Turkey is reported.	
An analysis of hysteroscopy experience over a seven-year period	150
E. Ozturk, M.G. Ugur, O. Balat, I. Kutlar, E. Dikensoy, B. Cebesoy - <i>Gaziantep, TURKEY</i> Analysis of hysteroscopy experience indicates that this method is safe and useful for various gynecological disorders.	
Is insulin-dependent diabetes and obesity a predisposition for endometrial and pancreatic carcinoma?	152
M. Gojnic, V. Dugalic, M. Brankovic, I. Stojanovic, M. Acimovic, B. Vasiljevic - <i>Belgrade, SERBIA</i> The same risk factors for endometrial adenocarcinoma may also apply for pancreatic adenocarcinoma.	
CASE REPORTS	
Peripartum cardiomyopathy and Klippel-Trenaunay syndrome	155
G. Carta, V. De Lellis, M. Di Nicola, D. Kaliakoudas - <i>L'Aquila, ITALY</i> This study illustrates the correlation between the KTS and PPCM in women with twin pregnancies.	
Novel therapeutic strategy for uterine arteriovenous fistulas: case report	158
R. Kizaki, J. Fujimoto, E. Sato, T. Tamaya - <i>Gifu City, JAPAN</i> Precise evaluation with color Doppler, CT and angiography led to an adequate therapeutic strategy for uterine arteriovenous fistulas.	
Book Review	161