

# europaean journal of gynaecological oncology

an International Journal

*Founding Editor*

**A. Onnis**

*Montréal (Canada)*

*Editors-in-Chief*

**M. Marchetti**

*Montréal (Canada)*

**P. Bószé**

*Budapest (Hungary)*

*Associate Editor*

**T. Maggino**

*Padua (Italy)*

*Assistant Editor*

**J. Wilson**

*San Diego - CA (USA)*

*Editorial Board*

Allen H.H., *London, Ontario (Canada)*

Anteby S.O., *Jerusalem (Israel)*

Audet-Lapointe P., *Montreal (Canada)*

Ayhan A., *Ankara (Turkey)*

Balat O., *Graziantep (Turkey)*

Bănceanu G., *Bucarest (Romania)*

Basta A., *Krakow (Poland)*

Bender H.C., *Dusseldorf (Germany)*

Charkviani T., *Tbilisi (Georgia)*

Chiarelli S., *Padua (Italy)*

De Oliveira C.F., *Coimbra (Portugal)*

Dexeus S. Jr., *Barcelona (Spain)*

Di Paola G.R.,  
*Buenos Aires (Argentina)*

Di Re F., *Milan (Italy)*

Di Saia P., *Orange, CA (USA)*

Elit L., *Hamilton (Canada)*

Friedrich M., *Hamburg (Germany)*

Fuller A.F. Jr., *Boston, MA (USA)*

Geisler H.E., *Indianapolis, IN (USA)*

Gerbaulet A., *Villejuif (France)*

Gorins A., *Paris (France)*

Heintz A.P.M.,  
*Utrecht (The Netherlands)*

Ioannidou-Mouzaka L.,  
*Athens (Greece)*

Jordan J.A.,  
*Birmingham, England (UK)*

Karseladze A.I., *Moscow (Russia)*

Klastersky J., *Bruxelles (Belgium)*

Kubista E., *Vienna (Austria)*

Lee Y.S., *Daegu (South Korea)*

Markowska J., *Poznan (Poland)*

Marth C., *Innsbruck (Austria)*

Massuger Leon F.A.G.,  
*Nijmegen (The Netherlands)*

Menczer J., *Savyon (Israel)*

Monsonogo J., *Paris (France)*

Pálfalvi L., *Budapest, (Hungary)*

Piura B., *Beer Sheva (Israel)*

Piver S.M., *Buffalo, NY (USA)*

Rakar S., *Ljubljana (Slovenia)*

Raju K.S., *London, England (UK)*

Shepherd J.H.,  
*London, England (UK)*

Stelmachów J., *Warsaw (Poland)*

Tjalma W., *Antwerpen (Belgium)*

Ungár L., *Budapest (Hungary)*

Vermorken J.B., *Edegem (Belgium)*

Wang P.H., *Taipei (Taiwan)*

Winter R., *Graz (Austria)*

Yokoyama Y., *Hirosaki (Japan)*

*Publishing Organization (M. Morsani):*

I.R.O.G. CANADA, Inc. - 4900 Côte St-Luc - Apt # 212 - Montréal, Qué. H3W 2H3 (Canada)

Tel. +514-4893242 - Fax +514-4854513 - E-mail: canlux@mgroun-online.com - www.irog.net

*Editorial Office (M. Critelli):*

Galleria Storione, 2/A - 35123 Padua (Italy) - Tel. (39) 049 8756900 - Fax (39) 049 8752018

EUROPEAN JOURNAL OF GYNAECOLOGICAL ONCOLOGY (ISSN 0392-2936) publishes original peer reviewed works in the fields of female genital cancers and related subjects and also proceedings of gynecologic oncology society meetings all over the world. The Journal is covered by **CURRENT CONTENTS, SCISEARCH, RESEARCH ALERT, INDEX MEDICUS, MEDLINE, EMBASE/Excerpta Medica, CURRENT ADVANCES IN CANCER RESEARCH, BIOSIS.**

**DISTINGUISHED EXPERT SERIES**

- Role of professional societies in the global battle against gynecologic cancers** 605  
 L. Elit - *Hamilton, CANADA*  
 Gynecological cancer domains in which professional societies are focused on are discussed.

**ORIGINAL ARTICLES**

- Significance of serum CA125 and TPS antigen levels for determination of overall survival after three chemotherapy courses in ovarian cancer patients during long-term follow-up** 609  
 A. van Dalen, J. Favier, E. Hallensleben, A. Burges, P. Stieber, H.W.A. de Bruijn, D Fink, A. Ferrero, P. McGing, A. Harlozinska, Ch. Kainz, J. Markowska, R. Molina, C. Sturgeon, A. Bowman, R. Einarsson, H. Goike - *Gouda, THE NETHERLANDS*  
 Results of a 10-year multicentre clinical follow-up of CA125 and TPS in ovarian cancer patients after three chemotherapy courses.
- Modulation of microRNA associated with ovarian cancer cells by genistein** 616  
 L.P. Parker, D.D. Taylor, J. Kesterson, D.S. Metzinger, C. Gercel-Taylor - *Louisville, KY (USA)*  
 miRNA profiles vary during the progression of ovarian cancer. Genistein results in the differential regulation of selected miRNAs.
- Sentinel lymph node biopsy in vulvar cancer: a pilot study** 622  
 O. Camara, H. Gonnert, J. Herrmann, A. Egbe, H. Dieboldler, M. Gajda, W. Michels, I.B. Runnebaum - *Jena, GERMANY*  
 SLN dissection is feasible and safe to perform in vulvar cancer cases and is a promising indication for the implementation of the sentinel technique.
- Emerging concepts in epithelial ovarian cancer: highlights of the 4<sup>th</sup> Canadian Conference on Ovarian Cancer Research** 625  
 A.A. Tone, M. Letarte, T.J. Brown - *Ontario, CANADA*  
 A summary of key ideas, promising research and clinical findings presented at the 4<sup>th</sup> Canadian Conference on Ovarian Cancer Research.
- Breast cancer patients with micrometastases in sentinel lymph nodes: differences considering additional metastatic lymph nodes** 631  
 M.J. Carvalho, M.F. Dias, T.S. Silva, S. Custódio, C.F. de Oliveira - *Coimbra, PORTUGAL*  
 Predictive factors for additional lymph node invasion in patients with micrometastases in the sentinel lymph node.
- Proteomics in mammary cancer research** 635  
 A. Fink-Retter, K. Czerwenka, D. Gschwantler-Kaulich, G. Hudelist, K. Pischinger, M. Manavi, E. Kubista, C.F. Singer - *Villach, AUSTRIA*  
 More accurate comprehension of the molecular complexities of human tumors is allowed by comparison of DNA or RNA expression, analysis of protein expression in tissues and proteomics.
- Expression of cyclooxygenase-2 in ovarian serous carcinoma: correlation with angiogenesis, nm23 expression and survival** 640  
 S. Ozuysal, T. Bilgin, T. Ozgur, N. Celik, T. Evrensel - *Bursa, TURKEY*  
 COX-2 levels were shown to be increased in serous ovarian carcinomas, but no correlation was found between COX-2 levels and angiogenesis, nm23 expression, clinicopathological parameters, and survival.
- Plasma concentration of angiopoietin-1, angiopoietin-2 and Tie-2 in cervical cancer** 646  
 E. Koczyńska, R. Makarewicz, M. Biedka, A. Kaczmarczyk, H. Kardymowicz, T. Tyrakowski - *Bydgoszcz, POLAND*  
 Plasma concentrations of Ang-1, Ang-2, Tie-2 and Ang-1/Ang-2 ratio in cervical cancer were significantly higher than in controls.

- Do women with glandular abnormalities require colposcopy follow-up?** 650  
 C.A. Errington, D. Mansour - *Newcastle upon Tyne (U.K.)*  
 A retrospective review was conducted to identify women with cervical glandular abnormalities and showed that community cytological follow-up is safe.
- Sexual and psychological functioning in women after pelvic surgery for gynaecological cancer** 652  
 L. Aerts, P. Enzlin, J. Verhaeghe, I. Vergote, F. Amant - *Leuven, BELGIUM*  
 The prevalence of sexual dysfunction and psychological functioning in women who underwent pelvic surgery for gynaecological cancer were examined.
- Intraoperative assessment of epithelial and non-epithelial ovarian tumors: a 7-year review** 657  
 K. Pavlakis, I. Messini, T. Vrekoussis, P. Yiannou, T. Panoskaltis, Z. Voulgaris - *Athens, GREECE*  
 Frozen section is a method of relatively low accuracy in borderline epithelial tumors, teratomatous tumors and generally in large masses (> 10 cm).
- Incidence of multiple primary malignancies in women diagnosed with breast cancer** 661  
 F. Stracci, D. D'Alò, T. Cassetti, M. Scheibel, F. La Rosa - *Perugia, ITALY*  
 Occurrence of breast cancer reduces the risk of a second colorectum, stomach, pancreas and breast cancer with different histology, and increases melanoma and contralateral breast risk.
- Endometrial stromal sarcoma: experience from a district hospital and literature review** 664  
 G. Somoye, H. Lawton, S. Havenga - *Cambridgeshire (U.K.)*  
 Diagnosis and management of endometrial stromal sarcoma in a district hospital over a 12-year period 1995-2007.
- Serum YKL-40 levels in patients with ovarian cancer and women with BRCA1 gene mutation - comparison to CA 125 antigen** 668  
 A. Chudecka-Głaz, B. Górski, D. Zielińska, W. Błogowski, I. Wojciechowska, R. Bedner, I. Rzepka-Górska - *Szczecin, POLAND*  
 Serum YKL-40 appears to demonstrate no advantage over CA 125 as a biomarker of ovarian cancer.
- Endometrial carcinoma clinical management: results of a regional survey** 672  
 G. Carlomagno - *Rome, ITALY*  
 After collecting information concerning the clinical management of endometrial cancer in 13 different gynecological units of the Campania region, an overall good quality of treatment was confirmed for women desiring treatment close to their residence.
- Comparison of paired cervical scrape and tumor tissue samples for detection of human papillomaviruses in patients with cervical cancer** 675  
 N. Jančar, B.J. Kocjan, M. Poljak, E. Vrtačnik Bokal - *Ljubljana, SLOVENIA*  
 Cervical scrape samples are equally accurate for HPV genotype determination as tissue samples in patients with cervical cancer.
- Assessment of serum paraoxonase and arylesterase activity in patients with endometrial cancer** 679  
 D.T. Ario, H. Camuzcuoglu, H. Toy, S. Kurt, H. Celik, O. Erel - *Sanliurfa, TURKEY*  
 The serum levels of paraoxonase and arylesterase activity are compared in patients with endometrial cancer and healthy controls.
- CASE REPORTS**
- Brain metastases from epithelial ovarian cancer - report of cases** 683  
 J. Stanisławiak, J. Lubin, J. Markowska - *Poznan, POLAND*  
 Case presentations of patients with brain metastases from epithelial ovarian cancer who were admitted to the Department of Oncology, Poznan University of Medical Sciences, Poland between August 1998 and March 2008.
- Adenoid cystic carcinoma of the Bartholin's gland in a young patient: Eight-year follow-up** 686  
 I. Korkontzelos, M. Fragkoulidis, A. Stavroulis, N. Apostolikas, E. Terzakis - *Athens, GREECE*  
 An adenoid cystic carcinoma of the Bartholin's gland in a young patient treated by surgery only is reported.
- A successful pregnancy and delivery after resectoscopic surgery for early invasive endometrial cancer** 689  
 H. Matsumoto, K. Toyofuku, I. Taniguchi, M. Haraoka, T. Utsunomiya, N. Takai - *Oita, JAPAN*  
 Resectoscopic surgery to preserve fertility among young women who have early invasive endometrial cancer is feasible.

<b>Pure vulvar Langerhans cell histiocytosis: a case report and literature review</b>	691
O. Triantafyllidou, K. Giannakopoulos, V. Pergialiotis, M. Simou, A. Lagkadas, P. Alexandrou - <i>Athens, GREECE</i>	
Pure vulvar Langerhans cell histiocytosis without systemic involvement is a rare lesion and local excision seems to be the best treatment for these patients.	
<b>Sclerosing peritonitis associated with bilateral luteinized thecoma, linked to anticonvulsant therapy</b>	695
H. Levavi, G. Sabah, M. Heifetz, M. Feinmesser - <i>Tel Aviv, ISRAEL</i>	
A 22-year-old patient receiving carbamazepine underwent surgery for bilateral ovarian luteinized thecoma with sclerosing peritonitis and was treated with tamoxifen.	
<b>Incidental diagnosis of atypical polypoid adenomyoma in a young infertile woman</b>	701
K. Dinas, A. Daniilidis, E. Drizis, T. Zaraboukas, J. Tzafettas - <i>Thessaloniki, GREECE</i>	
A rare case of atypical polypoid adenoma in a young woman is reported.	
<b>A giant ovarian mucinous cystic neoplasm weighing 8,500 grams with functional stroma. A case report and literature review</b>	704
A. Kondi-Pafiti, C. Bakalianou, C. Dastamanis, K. Papadias, C. Iavazzo, A. Liapis - <i>Athens, GREECE</i>	
A case of a giant ovarian mucinous tumor in a 27-year-old woman with functional stroma is presented.	
<b>Possible relationship between chronic inflammation and pyloric metaplasia in a patient with lobular endocervical glandular hyperplasia</b>	707
K. Takeuchi, T. Tsujino, R. Yasumizu, S. Kitazawa - <i>Kobe, JAPAN</i>	
A rare case of localized lobular endocervical glandular hyperplasia adjacent to a cesarean section scar is described.	
Contents index vol. XXX, 2009	711
Authors index vol. XXX, 2009	720

---

EUROPEAN JOURNAL OF GYNAECOLOGICAL ONCOLOGY

Vol. XXX, Number 6, 2009

ISSN: 0392-2936

I.R.O.G. CANADA, Inc.

Publisher's office: 4900 Côte St. Luc - Apt. 212 - Montréal, Québec H3W 2H3 (Canada) - Tél.: (514) 4893640-4893242 - Fax: (514) 4854513

E-mail: canlux@mgroup-online.com - www.irog.net

ALL RIGHTS RESERVED

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopies, recordings, nor any information storage and retrieval system without written permission from the copyright owner.

Printed in Italy