

europaean journal of gynaecological oncology

an International Journal

Editors-in-Chief

A. Onnis **P. Bószé**
Montréal (Canada) *Budapest (Hungary)*

Associate Editor

M. Marchetti
Montréal (Canada)

Assistant Editor

J. Wilson
San Diego - CA (USA)

Editorial Board

Allen H.H., <i>London, Ontario (Canada)</i>	Friedrich M., <i>Luebeck (Germany)</i>	Marth C., <i>Innsbruck (Austria)</i>
Anteby S.O., <i>Jerusalem (Israel)</i>	Fuller A.F. Jr., <i>Boston, MA (USA)</i>	Massuger Leon F.A.G., <i>Nijmegen (The Netherlands)</i>
Audet-Lapointe P., <i>Montreal (Canada)</i>	Geisler H.E., <i>Indianapolis, IN (USA)</i>	Menczer J., <i>Savyon (Israel)</i>
Ayhan A., <i>Ankara (Turkey)</i>	Gerbaulet A., <i>Villejuif (France)</i>	Monsonogo J., <i>Paris (France)</i>
Balat O., <i>Graziantep (Turkey)</i>	Gorins A., <i>Paris (France)</i>	Pinotti A., <i>São Paulo (Brazil)</i>
Barber H.K., <i>New York, NY (USA)</i>	Heintz A.P.M., <i>Utrecht (The Netherlands)</i>	Piver S.M., <i>Buffalo, NY (USA)</i>
Basta A., <i>Krakow (Poland)</i>	Ioannidou-Mouzaka L., <i>Athens (Greece)</i>	Rakar S., <i>Ljubljana (Slovenia)</i>
Bender H.C., <i>Dusseldorf (Germany)</i>	Jordan J.A., <i>Birmingham, England (UK)</i>	Raju K.S., <i>London, England (UK)</i>
Benedetti Panici P.L., <i>Rome (Italy)</i>	Karseladze A.I., <i>Moscow (Russia)</i>	Shepherd J.H., <i>London, England (UK)</i>
Charkviani T., <i>Tbilisi (Georgia)</i>	Klastersky J., <i>Bruxelles (Belgium)</i>	Stelmachów J., <i>Warsaw (Poland)</i>
Dargent D., <i>Lyon (France)</i>	Kubista E., <i>Vienna (Austria)</i>	Ungár L., <i>Budapest (Hungary)</i>
De Oliveira C.F., <i>Coimbra (Portugal)</i>	Kudelka A.P., <i>Houston, TX (USA)</i>	Vermorken J.B., <i>Edegem (Belgium)</i>
Dexeus S. Jr., <i>Barcelona (Spain)</i>	Maggino T., <i>Padua (Italy)</i>	Vírtej P., <i>Bucharest (Romania)</i>
De Palo G., <i>Milan (Italy)</i>	Markowska J., <i>Poznan (Poland)</i>	Wang P.-H., <i>Taipei (Taiwan)</i>
Di Paola G.R., <i>Buenos Aires (Argentina)</i>		Winter R., <i>Graz (Austria)</i>
Di Re F., <i>Milan (Italy)</i>		Yokoyama Y., <i>Hiroasaki (Japan)</i>
Di Saia P., <i>Orange, CA (USA)</i>		

Publishing Organization (M. Morsani):

I.R.O.G. CANADA, Inc. - 4900 Côte St-Luc - Apt # 212 - Montréal, Qué. H3W 2H3 (Canada)
Tel. +514-4893242 - Fax +514-4854513 - E-mail: canlux@mgroun-online.com - www.irog.net

Editorial Office (M. Critelli):

Galleria Storione, 2/A - 35123 Padua (Italy) - Tel. (39) 049 8756900 - Fax (39) 049 8752018

EUROPEAN JOURNAL OF GYNAECOLOGICAL ONCOLOGY (ISSN 0392-2936) publishes original peer reviewed works in the fields of female genital cancers and related subjects and also proceedings of gynecologic oncology society meetings all over the world. The Journal is covered by **CURRENT CONTENTS, SCISEARCH, RESEARCH ALERT, INDEX MEDICUS, MEDLINE, EMBASE/Excerpta Medica, CURRENT ADVANCES IN CANCER RESEARCH, BIOSIS.**

European Journal of Gynaecological Oncology

www.irog.net

Instructions to Authors

SUBMISSION OF MANUSCRIPTS

Papers should be submitted to A. ONNIS Editor-in-Chief of the EUROPEAN JOURNAL OF GYNAECOLOGICAL ONCOLOGY, 4900 Côte St. Luc, Apt. 212 MONTREAL, QUÉBEC H3W 2H3 (Canada) - Tel. +514-4893242 - Fax +514-4854513, or Galleria Storie 2/A - 35123 PADOVA (Italy) - Fax +39-049-8752018.

Editorial articles for publication in the "Distinguished Expert Series" should be submitted to P. Bószé, Editor-in-Chief of this section, Department of Gynecology, Saint Stephan Hospital, 1096 Budapest, Nagyvárad tér 1, Telephone (36-1) 275 2172, Fax (36-1) 275 2172, E-mail: bosze@axelero.hu.

When a manuscript is submitted, an acknowledgement card is sent to the corresponding author within two or three weeks.

Submitted papers are reviewed by the Editor-in-Chief and his Peer Referees. Authors may be required to modify the manuscript according to the reviewers' suggestions.

Manuscripts accepted for publication will be copyedited by the editorial staff for typographical and grammatical mistakes and to guarantee clarity and conciseness.

Publication time will be the shortest possible based on scientific and publishing needs. Manuscripts submitted for publication cannot be returned.

Published papers will become property of the Journal and copyrighted under I.R.O.G. CANADA Inc.

After six months no grievances will be accepted regarding published articles.

All statements are the responsibility of the authors. Product dosages, indications and methods referred to in the papers reflect the author's experience. No responsibility is assumed by the Editor-in-Chief or the Publisher for any damage from use of any products, operation methods or instructions contained in the published materials.

Trade names, trademarks, etc. are protected by the law and regulations. The Editor-in-Chief and the Publisher cannot accept any legal responsibility for any errors or omissions that may be made in press, particularly for information about drug dosage and application thereof contained in the Journal. Consult the prescribing information before administering any drug.

MANUSCRIPT REQUIREMENTS

The Journal follows the "Uniform requirements for manuscripts submitted to biomedical journals" published in the *New England Journal of Medicine* 1991, 324, 424-8 and in the *British Medical Journal* 1991, 302.

Three *manuscripts*, typed and double spaced should be submitted **with an electronic disk, formatted in Word for Macintosh or Windows, version 6.0**. Manuscripts without an electronic disk will not be accepted. **A cover letter signed by all authors must state that all authors who have participated in the work take responsibility for the manuscript which has never been published or submitted for publication elsewhere.** Without a cover letter the publication will not be possible. Name, address and phone/fax numbers of the *Corresponding Author*, responsible for revision and approval of the proofs, should be indicated. **Full-length articles should not exceed 8 printed pages including tables and references.**

After the *title page* (full title and names of authors, institutions, eventual acknowledgement for financial support, running title of no more than 60 characters or spaces), original works should be arranged in the conventional order: *Summary* (purpose of investigation, methods, results, conclusion - about 150 words), *Key words*, *Content* (a 20-word summary), *Introduction*, *Materials and Methods*, *Results*, *Discussion*, *Conclusion*, *Acknowledgement* (if any), *References*, *Tables*, *Legends*.

Authors should supply a complete address for reprint requests.

In the text only standard abbreviations can be used and must be avoided in the title. The full term for which an abbreviation stands should precede its first use in the summary and text unless it is a standard unit of measurement.

Authors must give their complete professional identifications and affiliations, including all academic titles and positions.

Letters to the editor should be brief (500 words or less) and offer objective, constructive and educational criticism of published material. The editor reserves the right to publish.

Figures: Two original copies (not negatives) of each figure are requested. Each figure should have a label on the back indicating its number, author's name and top of the figure. Do not write on the back of the figures and do not mount them on cardboard. **If sending colour pictures advise if they must be printed in colour or black and white (colour costs ten times more).**

Legends should be typed on a separate page with Arabic numerals corresponding to the illustrations.

Tables should be titled, typed in double space on separate pages and numbered in Arabic numerals in the order of their first citation in the text. Do not use internal rules. Only standard, universally understood abbreviations should be used.

References should be numbered consecutively in the order in which they are first mentioned in the text. Identify references in the text, tables, and legends by Arabic numerals in parentheses.

Use the style of the examples below, which are based with slight modifications on the format used by the U.S. National Library of Medicine in *Index Medicus*. The titles of journals should be abbreviated according to the style used in *Index Medicus*.

References must be verified by the Author(s) against the original documents.

Examples of correct forms of references are given below:

Articles in Journals: Authors' surname and initials (if more than six names, give six followed by "et al."), Title, Abbreviated Journal Title, Year of Publication, Volume, Issue and first page.

Books: Authors' surname and initials, title of the book and title of chapter, in: Title, Editor(s), Place, Publisher, Year, Page.

Acknowledgments will be limited to appropriate professionals who were contributors to the paper.

PROOFS revised by the editorial staff will be sent to the corresponding author and should be checked and returned within ten days. The corresponding author is responsible for detecting typesetting errors. After this deadline **the proofs will be considered approved**. Only essential corrections should be made; extensive changes will be charged to the authors.

BUSINESS MATTERS

The Journal has no commercial advertisements.

Authors will be expected to contribute to the printing expenses, tables, figures and postage. For every published article a copy of the Journal will be provided free of charge. **Only payments in US dollars will be accepted.** No bank transfers.

Reprints should be requested with the form enclosed with the acceptance letter. No free reprints will be supplied.

DISTINGUISHED EXPERT SERIES

- The impact of anti HPV vaccination on cervical cancer incidence and HPV-induced cervical lesions: Consequences for clinical management** 129
 J.A. Brinkman, A.S. Caffrey, L.I. Muderspach, L.D. Roman, W.M. Kast - *Los Angeles, CA, USA*
 Development of cervical cancer is associated with infection with high-risk types of human papillomavirus (HPV) creating a unique opportunity to prevent or treat cervical cancer through anti-viral vaccination strategies.
- FNAC: Its role, limitations and perspective in the preoperative diagnosis of breast cancer** 143
 P. Zagorianakou, S. Fiaccavento, N. Zagorianakou, G. Makrydimas, N.J. Agnantis - *Ioannina, GREECE*
 The goal was to assess fine needle breast aspiration as we move from the age of morphologic indicators to cell biology.

REVIEW ARTICLE

- Management of massive presacral pelvic bleeding in patients with gynecological malignances: Review of the literature** 151
 D. Wydra, J. Emerich, K. Ciach, A. Marciniak - *Gdański, POLAND*
 The management of massive presacral pelvic bleeding in patients with gynecological malignances is described.

ORIGINAL ARTICLES

- Thoracic metastases from breast cancer: A single-institution's experience** 155
 F.L. Ampil, G.V. Burton, B.D.L. Li, Q. Chu, R.M. Krishnamsetty, G. Caldito - *Shreveport, LA, USA*
 A retrospective study evaluated the outcome of breast cancer patients with thoracic metastases.
- A case of metastasizing invasive hydatidiform mole. Is less - less good? Review of the literature with regard to adequate treatment** 158
 A. Honig, L. Rieger, P. Kristen, M. Eck, T. Frambach, A. Tschammler, H. Caffier, J. Dietl - *Wuerzburg, GERMANY*
 A case of a metastasizing invasive hydatidiform mole is described with focus on sufficient and adequate cytostatic treatment with low toxicity.
- Primary breast lymphoma** 163
 A.L. Areia, M. Dias, M.M. Alves, C.F. de Oliveira - *Coimbra, PORTUGAL*
 Primary breast lymphoma (PBL) is a rare entity; a high incidence of PBL was seen in our department from 1999 to 2003.
- Detection of axillary metastases in breast cancer patients using ultrasound and colour Doppler combined with fine needle aspiration cytology** 165
 S. Lemos, M. Dias, M. Gonçalo, E. Pinto, G. Fernandes, C. Oliveira - *Coimbra, PORTUGAL*
 Evaluation of the diagnostic value of ultrasonography/colour Doppler combined with fine needle aspiration cytology for detection of non-palpable axillary lymph node metastases in breast cancer patients.
- Lymph node pathway in the spread of endometrial carcinoma** 167
 T. Jobo, R. Sato, T. Arai, T. Tamura, J. Watanabe, H. Kuramoto - *Kitasato, JAPAN*
 The lymph node spread pathway in endometrial carcinoma consists of a route via the obturator or internal iliac node, parametrium and PAN.
- Assessment of ER- α and ER- β expression levels in malicious tumors of the uterine corpus** 170
 A. Popiela, W. Baranowski, G. Popiela, M. Slomczynska, M. Manowiec, M. Gabrys - *Krakow, POLAND*
 Assessment of estrogen receptor (ER- α and ER- β) expression levels in malicious tumors of the uterine corpus is presented.
- Effects of dioxin and nutrition on cellular proliferation and dioxin- and estrogen-linked genes in ovarian cancer cell lines** 175
 S. Takahashi, S. Hirano, N. Ito, T. Tamaya - *Gifu, JAPAN*
 Dioxin can stimulate the proliferation of ovarian cancer cell lines in low serum concentration medium.
- Lymph node sampling is of prognostic value in early stage epithelial ovarian carcinoma** 181
 I. Skírnisdóttir, B. Sorbe - *Örebro, SWEDEN*
 Tumor grade and lymph node sampling as part of the primary surgery were found to be significant prognostic factors in the treatment of ovarian carcinoma in FIGO Stages I-II. The prognostic value of surgical staging was evaluated in a series of 113 patients.

- Nuclear alterations of cells and atypical metaplastic cells in cervical smears are predictive criteria of high-grade cervical intraepithelial neoplasia** 186
 R.M. Dufloth, S.M. Messias-Silva, L.A. Andrade, C. di Loreto, D.M. Munhoz, L.C. Zeferino - *São Paulo, BRAZIL*
 Identification of the cytomorphological criteria used in the screening of cervical smears that would be more predictive of the grades of cervical intraepithelial neoplasia diagnosed at histological evaluation.
- Development of endometrial cancer following radiation therapy for cervical carcinoma** 191
 T. Hagiwara, T. Mori, T. Kaku - *Fukuoka, JAPAN*
 The clinical and histologic findings in five cases of endometrial cancer following radiation for squamous cell carcinoma of the cervix are presented.
- A retrospective study of 32 borderline ovarian tumours: The experience of a non-specialized centre** 196
 A. Economou, P. Panagopoulos, I. Koutras, G. Petrakos, S. Karadaglis, C. Karcanis - *Piraeus, GREECE*
 Suboptimal staging remains a major problem during the initial operation in non-specialized centres in gynaecologic malignancies.
- Expression of matrix metalloproteinase-2 in preinvasive and invasive carcinoma of the uterine cervix** 199
 M.A. Mohamed Nasr, S.B. Ayyad, I.K.I. El-Lamie, M.Y. Mikhail - *Cairo, EGYPT*
 Matrix metalloproteinase-2 is an early marker of tumor progression in cervical neoplasia and its expression may denote a potential risk for invasion and metastasis.
- Effect of hysterosalpingography on serum cancer antigen (CA-125) levels** 203
 M. Karaca, A. Göçmen, A. Sari, M.G. Uğur - *Gaziantep, TURKEY*
 The hysterosalpingography procedure does not have an effect on serum CA-125 levels.
- BRCA1 mutation, leptin and estrogen levels in breast cancer patients** 205
 I. Rzepka-Górska, B. Tarnowski, A. Chudecka-Głaz, B. Górski - *Szczecin, POLAND*
 In postmenopausal BRCA1 mutation carriers, leptin levels were significantly lower and correlated with the body mass index.
- Epidemiology of hydatidiform mole in Finland, 1975 to 2001** 207
 M. Loukovaara, E. Pukkala, P. Lehtovirta, A. Leminen - *Helsinki, FINLAND*
 The incidence of hydatidiform mole in Finland follows the same patterns as in other Western countries with no changes in recent decades.
- Differentiation of benign and malignant adnexal masses: value of a morphologic scoring system** 209
 S. Topuz, H. Saygili, S. Akhan, E. Yavuz, A. Turfanda, S. Berkman - *Istanbul, TURKEY*
 The value of a morphological scoring system to predict malignancy in 58 adnexal masses using ultrasonography was evaluated.
- Mondor's disease of the breast: is there any relation to breast cancer?** 213
 C. Markopoulos, E. Kouskos, D. Mantas, J. Kakisis, Z. Antonopoulou, K. Kontzoglou, N. Nikiteas - *Lesvos Island, GREECE*
 Mondor's disease of the breast is a rare disorder appearing as thrombophlebitis of subcutaneous veins of the anteriolateral chest wall. The experience of our Breast Unit in managing such lesions is presented.
- Cytological analysis of the distension fluid used during diagnostic office hysteroscopies in patients with suspected endometrial pathology** 215
 D. Gerbaldo, A. Papadia, P. Cristoforoni, P. Lorenzi, E. Fulcheri, N. Ragni - *Genova, ITALY*
 Cytological examination of endometrial cells suspended in the distension fluid used for office hysteroscopy seems to be useful in detecting endometrial atypias.
- CASE REPORTS**
- Pelvic retroperitoneal paraganglioma mimicking an ovarian mass** 219
 E. Kuscu, M. Oktem, D. Eroglu, A. Haberal, B. Bilezikci, B. Demirhan - *Ankara, TURKEY*
 A 75-year-old hypertensive female was referred with a suspected ovarian tumor that, in fact, was a pelvic retroperitoneal paraganglioma. Preoperative imaging did not allow a definitive diagnosis to be made. Explorative surgery was performed, and a mass that arose from the peritoneum was found obstructing the right ureter. The lesion was excised and the histopathologic diagnosis was paraganglioma.
- Pancreatic tumor in a pregnant woman: A rare case report** 221
 M. Gojnic, V. Boskovic, A. Fazlagic, T. Mostic, S. Vidakovic, A. Stefanovic, M. Pervulov, S. Petkovic - *Belgrade, SERBIA AND MONTENEGRO*
 Pancreatic tumor is more common in the male population. The literature data about cases of pancreatic tumor in pregnant women are rare. Our patient was an older primipara in the second trimester of pregnancy. After artificial maturation and surgical delivery, the patient was subjected to surgical therapy immediately after delivery. The patient is still alive but under close monitoring and so far without substitutional gynecological therapy.

- Primary carcinoma of the fallopian tube mimicking tubo-ovarian abscess** 225
F.F. Verit, H. Kafali - *Sanliurfa, TURKEY*
Carcinoma of the fallopian tube should be considered in the differential diagnosis of acute pelvic peritonitis like a tubo-ovarian abscess.
- Verrucous carcinoma of the cervix - diagnostic and therapeutic difficulties with regards to HPV status. Case report** 227
T. Zbroch, P. Grzegorz Knapp, P.A. Knapp - *Bialystok, POLAND*
A case report of a rare variant of squamous cell carcinoma of the cervix is presented with attention focused on diagnostic processes and HPV involvement.
- A case of ovarian sarcoidosis mimicking malignancy** 231
K. Karmaniolas, S. Liatis, M. Dalamaga, G. Mourouti, A. Digeni, I. Migdalis - *Athens, GREECE*
A case of systemic sarcoidosis with ovarian and peritoneal involvement is reported. The clinical presentation is problematic in the differential diagnosis of ovarian cancer.
- The use of thumbtacks to stop severe presacral bleeding** 233
M. Harma, M. Harma, A. Ozturk, M. Bozer - *Ankara, TURKEY*
Use of standard size drawing pins (thumbtacks) sterilised and deployed as described in the case report is a simple, effective, readily available and potentially lifesaving technique in severe presacral bleeding.

EUROPEAN JOURNAL OF GYNAECOLOGICAL ONCOLOGY

Vol. XXVI, Number 2, 2005

ISSN: 0392-2936

I.R.O.G. CANADA, Inc.

Publisher office: 4900 Côte St. Luc - Apt. 212 - Montréal, Québec H3W 2H3 (Canada) - Tél.: (514) 4893640-4893242 - Fax: (514) 4854513

E-mail: canlux@mgroup-online.com - www.irog.net

ALL RIGHTS RESERVED

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopies, recordings, nor any information storage and retrieval system without written permission from the copyright owner.

Printed in Italy