

europaean journal of gynaecological oncology

an International Journal

Founding Editor

A. Onnis

Montréal (Canada)

Editors-in-Chief

M. Marchetti

Montréal (Canada)

P. Bószse

Budapest (Hungary)

Associate Editor

T. Maggino

Padua (Italy)

Assistant Editor

J. Wilson

San Diego - CA (USA)

Editorial Board

Allen H.H., *London, Ontario (Canada)*

Anteby S.O., *Jerusalem (Israel)*

Audet-Lapointe P., *Montreal (Canada)*

Ayhan A., *Ankara (Turkey)*

Balat O., *Graziantep (Turkey)*

Bănceanu G., *Bucarest (Romania)*

Basta A., *Krakow (Poland)*

Bender H.C., *Dusseldorf (Germany)*

Benedetti Panici P.L., *Rome (Italy)*

Charkviani T., *Tbilisi (Georgia)*

De Oliveira C.F., *Coimbra (Portugal)*

Dexeus S. Jr., *Barcelona (Spain)*

Di Paola G.R.,

Buenos Aires (Argentina)

Di Re F., *Milan (Italy)*

Di Saia P., *Orange, CA (USA)*

Friedrich M., *Hamburg (Germany)*

Fuller A.F. Jr., *Boston, MA (USA)*

Geisler H.E., *Indianapolis, IN (USA)*

Gerbaulet A., *Villejuif (France)*

Gorins A., *Paris (France)*

Heintz A.P.M.,

Utrecht (The Netherlands)

Ioannidou-Mouzaka L.,

Athens (Greece)

Jordan J.A.,

Birmingham, England (UK)

Karseladze A.I., *Moscow (Russia)*

Klastersky J., *Bruxelles (Belgium)*

Kubista E., *Vienna (Austria)*

Kudelka A.P., *Houston, TX (USA)*

Maggino T., *Padua (Italy)*

Markowska J., *Poznan (Poland)*

Marth C., *Innsbruck (Austria)*

Massuger Leon F.A.G.,

Nijmegen (The Netherlands)

Menczer J., *Savyon (Israel)*

Monsonogo J., *Paris (France)*

Pálfalvi L., *Budapest, (Hungary)*

Pinotti A., *São Paulo (Brazil)*

Piura B., *Beer Sheva (Israel)*

Piver S.M., *Buffalo, NY (USA)*

Rakar S., *Ljubljana (Slovenia)*

Raju K.S., *London, England (UK)*

Shepherd J.H.,

London, England (UK)

Stelmachów J., *Warsaw (Poland)*

Tjalma W., *Antwerpen (Belgium)*

Ungár L., *Budapest (Hungary)*

Vermorken J.B., *Edegem (Belgium)*

Wang P.-H., *Taipei (Taiwan)*

Winter R., *Graz (Austria)*

Yokoyama Y., *Hirosaki (Japan)*

Publishing Organization (M. Morsani):

I.R.O.G. CANADA, Inc. - 4900 Côte St-Luc - Apt # 212 - Montréal, Qué. H3W 2H3 (Canada)

Tel. +514-4893242 - Fax +514-4854513 - E-mail: canlux@mgroun-online.com - www.irog.net

Editorial Office (M. Critelli):

Galleria Storione, 2/A - 35123 Padua (Italy) - Tel. (39) 049 8756900 - Fax (39) 049 8752018

EUROPEAN JOURNAL OF GYNAECOLOGICAL ONCOLOGY (ISSN 0392-2936) publishes original peer reviewed works in the fields of female genital cancers and related subjects and also proceedings of gynecologic oncology society meetings all over the world. The Journal is covered by **CURRENT CONTENTS, SCISEARCH, RESEARCH ALERT, INDEX MEDICUS, MEDLINE, EMBASE/Excerpta Medica, CURRENT ADVANCES IN CANCER RESEARCH, BIOSIS.**

EDITORIAL

- Cervical screening in Hungary: why does the “English model” work but the “Hungarian model” does not?** 5
 A. Kovács, L. Döbrössy, A. Budai, I. Boncz, A. Cornides - *Budapest, HUNGARY*
 A comparison between the English practice and the “Hungarian model” of cervical screening has been made.

DISTINGUISHED EXPERT SERIES

- Potential therapeutic vaccine strategies and relevance of the immune system in uterine cervical cancer** 10
 M.A. Michelin, E.F.C. Murta - *Uberaba, MG, BRAZIL*
 The immune system has mechanisms to destroy neoplastic cells. The development of drugs based on these mechanisms is discussed.

ORIGINAL ARTICLES

- Immunohistochemical bcl-2 expression, p53 overexpression, PR and ER status in endometrial carcinoma and survival outcomes** 19
 I. Kalogiannidis, M. Bobos, A. Papanikolaou, A. Makedos, I. Amlianitis, I. Vergote, E. Nenopoulou, G. Makedos - *Leuven, BELGIUM*
 The prognostic impact of bcl-2 expression and p53 overexpression in endometrial cancer and survival outcome is reported.
- L1 (CAM) (CD171) in ovarian serous neoplasms** 26
 A. Daponte, E. Kostopoulou, P. Kollia, R. Papamichali, P. Vanakara, C. Hadjichristodoulou, M. Nakou, S. Samara, G. Koukoulis, I.E. Messinis - *Larissa, GREECE*
 L1 (CAM) expression represents a diagnostic marker in serous ovarian neoplasms that is associated with stage, grade and reduced PFS.
- Recurrent cervical carcinoma after radical hysterectomy and pelvic lymph node dissection: a study of 32 cases** 31
 B. Piura, A. Rabinovich, M. Friger - *Beer-Sheva, ISRAEL*
 In 32 patients with recurrent cervical carcinoma after radical hysterectomy and pelvic lymph node dissection, extent of recurrent disease and pelvic lymph node status were significant predictors of survival.
- Concentrations of follicle stimulating hormone are increased in ovarian tumor fluid: implications for the management of ovarian cancer** 37
 A. Chudecka-Głaz, I. Rzepka-Górska - *Szczecin POLAND*
 The current study compares follitropin levels in serum, tumor fluid, and rectouterine pouch fluid in patients with ovarian cancer.
- Prognostic factors for the development of vaginal intraepithelial neoplasia** 43
 E. González Bosquet, A. Torres, M. Busquets, C. Esteva, C. Muñoz-Almagro, J.M. Laila- *Barcelona, SPAIN*
 Women infected with HPV who are treated for high-grade cervical SIL are at higher risk for VAIN.
- Results of postoperative radiotherapy in the treatment of uterine sarcomas: a retrospective analysis of 46 patients** 46
 D. Yalman, Z. Özşaran, B. Baltarlı, Ö. Demir, N. Özdemir, A. Aras - *Izmir, TURKEY*
 Postoperative radiotherapy provides high local control rates in uterine sarcomas. Important prognostic factors found to influence treatment results were stage, histologic subtype, tumor size and positive peritoneal cytology.

Migrant women and cervical cancer: background of a prevention study	52
L. Mariani, A. Morrone, M. Preti, C. Sbiroli, F. Tomao, S. Tomao - <i>Rome, ITALY</i>	
Appropriate intervention health strategies for migrant women are reviewed. Screening for cervical cancer in this population has been initiated in Rome.	
Outcome of uterine clear cell carcinomas compared to endometrioid carcinomas and poorly-differentiated endometrioid carcinomas	57
P. Petignat, M. Usel, P. Gauthier, Y. Popowski, M.F. Pelte, C. Bouchardy, H.M. Verkooijen - <i>Geneva, SWITZERLAND</i>	
The survival of patients with clear cell carcinoma with endometrioid carcinoma is compared.	
Sociodemographic and clinicopathologic characterization of cervical cancers in northern Nigeria	61
S.A. Adewuyi, S.O. Shittu, A.H. Rafindadi - <i>Zaria, NIGERIA</i>	
Patients with cervical cancer in Nigeria have early sexual activity, multiple partners, a high average live birth rate and late presentation.	
FIGO Stage I endometrial carcinoma: evaluation of lung metastases and follow-up	65
F.L. Labi, S. Evangelista, A. Di Miscia, P. Stentella - <i>Rome, ITALY</i>	
The incidence of lung metastasis of FIGO Stage I endometrial cancer is evaluated.	
TV sonographic assessment in postmenopausal women with bleeding	67
P. Tsikouras, V. Liberis, G. Galazios, X. Grapsas, P. Kantari, S. Papageorgiou, G. Maroulis - <i>Alexandroupolis, GREECE</i>	
In postmenopausal symptomatic women premalignant or malignant causes of bleeding can not be safely excluded with just transvaginal ultrasound.	
Risk factors for cervical cancer in China: a case-control study	72
H.B. Cai, X.H. Ding, Y.F. Zhou, D.M. Lie - <i>Wuhan, P.R., CHINA</i>	
HPV infection, age at first sexual intercourse, and number of live births are risk factors for cervical cancer in Hubei.	
Knowledge and interest of Turkish women about cervical cancer and HPV vaccine	76
C. Baykal, A. Al, M.G. Uğur, N. Çetinkaya, R. Attar, P. Arioglu - <i>Istanbul, TURKEY</i>	
Knowledge and interest of Turkish women about cervical cancer and HPV vaccines were evaluated in three different districts.	
Relationship between risk factors and tumor stage in breast cancer patients in a university hospital - Brazil	80
M.A.O. Mendonça, B.M. Tavares-Murta, E.S. Bachin, L.B. Davi, E.F.C. Murta - <i>Minas Gerais, BRAZIL</i>	
Breast cancer is diagnosed with similar frequency in women under or over 50 years of age, and breast self-exam is associated with early-stage disease.	
Cold-knife conization versus the loop electrosurgical excision procedure for treatment of cervical dysplasia	83
T. Božanovic, A. Ljubic, P. Momcilov, S. Milicevic, T. Mostić, J. Atanacković - <i>Belgrade, SERBIA</i>	
Loop diathermy conization as a method of choice for treatment of cervical dysplasia was compared to classical conization.	
CASE REPORTS	
Recurrence of granulosa cell tumor 25 years after initial diagnosis. Report of a case and review of the literature	86
D. Hasiakos, K. Papakonstantinou, E. Karvouni, S. Fotiou - <i>Athens, GREECE</i>	
A case of recurrent ovarian granulosa cell tumor (GCT) in a 60-year-old woman 25 years after the initial diagnosis is reported.	
Ovarian cancer after kidney transplantation	89
C. Di Berardino, G. Mascaretti - <i>L'Aquila, ITALY</i>	
An analysis of factors implicated in the development of neoplastic disease in transplant patients is presented.	
Solitary ovarian mass: a case of metastatic malignant melanoma	93
S. Milicevic, T. Bozanovic, Z. Vilendacic, G. Lazovic, B. Kastratovic Kotlica, J. Atanackovic, M. Bajcetic - <i>Belgrade, SERBIA</i>	
Retroperitoneal angioleiomyoma was discovered during a surgical procedure for a uterine myoma in a 36-year-old patient.	

- A case of synchronous relapse of breast cancer and uterine müllerian adenocarcinoma post tamoxifen in a premenopausal woman** 95
 F. Farhat, N. Fakhruddine - *Sidon, LEBANON*
 A 42-year-old premenopausal woman presented with a synchronous relapse of her metastatic breast cancer and müllerian adenocarcinoma associated with four years of tamoxifen therapy.
- Leiomyosarcoma of the uterine corpus with ovarian metastases in a 28-year-old woman: case report** 98
 M. Vasiljevic, D. Stanojevic, M. Djukic, A. Hajric - *Belgrade, SERBIA*
 A case of uterine leiomyosarcoma with ovarian metastases in a 28-year-old woman treated surgically and postoperatively with radiotherapy is reported.
- Endometrial metastasis of a primitive neuroendocrine ovarian carcinoma: management and treatment of a case** 101
 E. Tartaglia, C. Di Serio, M. Rotondi, M. Di Serio, C. Scaffa, A. Tolino - *Naples, ITALY*
 Description of a rare case of endometrial metastasis of a primary ovarian non-small cell neuroendocrine carcinoma without any surface epithelial ovarian tumour association.

ERRATA - CORRIGE

Folate and vitamin B12 levels in abnormal pap smears: a case control study

Vol. XXVIII, n. 6, 2007, page 526

Errata:

Case report

Corrige:

Original article

EUROPEAN JOURNAL OF GYNAECOLOGICAL ONCOLOGY

Vol. XXIX, Number 1, 2008

ISSN: 0392-2936

I.R.O.G. CANADA, Inc.

Publisher's office: 4900 Côte St. Luc - Apt. 212 - Montréal, Québec H3W 2H3 (Canada) - Tél.: (514) 4893640-4893242 - Fax: (514) 4854513

E-mail: canlux@mgroup-online.com - www.irog.net

ALL RIGHTS RESERVED

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopies, recordings, nor any information storage and retrieval system without written permission from the copyright owner.

Printed in Italy