

# europaean journal of gynaecological oncology

an International Journal

*Founding Editor*

**A. Onnis**

*Montréal (Canada)*

*Editors-in-Chief*

**M. Marchetti**

*Montréal (Canada)*

**P. Bősze**

*Budapest (Hungary)*

*Associate Editor*

**T. Maggino**

*Padua (Italy)*

*Assistant Editor*

**J. Wilson**

*San Diego - CA (USA)*

*Editorial Board*

Allen H.H., *London, Ontario (Canada)*

Anteby S.O., *Jerusalem (Israel)*

Audet-Lapointe P., *Montreal (Canada)*

Ayhan A., *Ankara (Turkey)*

Balat O., *Graziantep (Turkey)*

Bănceanu G., *Bucarest (Romania)*

Basta A., *Krakow (Poland)*

Bender H.C., *Dusseldorf (Germany)*

Benedetti Panici P.L., *Rome (Italy)*

Charkviani T., *Tbilisi (Georgia)*

De Oliveira C.F., *Coimbra (Portugal)*

Dexeus S. Jr., *Barcelona (Spain)*

Di Paola G.R.,

*Buenos Aires (Argentina)*

Di Re F., *Milan (Italy)*

Di Saia P., *Orange, CA (USA)*

Friedrich M., *Hamburg (Germany)*

Fuller A.F. Jr., *Boston, MA (USA)*

Geisler H.E., *Indianapolis, IN (USA)*

Gerbaulet A., *Villejuif (France)*

Gorins A., *Paris (France)*

Heintz A.P.M.,

*Utrecht (The Netherlands)*

Ioannidou-Mouzaka L.,

*Athens (Greece)*

Jordan J.A.,

*Birmingham, England (UK)*

Karseladze A.I., *Moscow (Russia)*

Klastersky J., *Bruxelles (Belgium)*

Kubista E., *Vienna (Austria)*

Kudelka A.P., *Houston, TX (USA)*

Maggino T., *Padua (Italy)*

Markowska J., *Poznan (Poland)*

Marth C., *Innsbruck (Austria)*

Massuger Leon F.A.G.,

*Nijmegen (The Netherlands)*

Menczer J., *Savyon (Israel)*

Monsonogo J., *Paris (France)*

Pálfalvi L., *Budapest, (Hungary)*

Pinotti A., *São Paulo (Brazil)*

Piura B., *Beer Sheva (Israel)*

Piver S.M., *Buffalo, NY (USA)*

Rakar S., *Ljubljana (Slovenia)*

Raju K.S., *London, England (UK)*

Shepherd J.H.,

*London, England (UK)*

Stelmachów J., *Warsaw (Poland)*

Tjalma W., *Antwerpen (Belgium)*

Ungár L., *Budapest (Hungary)*

Vermorken J.B., *Edegem (Belgium)*

Wang P.-H., *Taipei (Taiwan)*

Winter R., *Graz (Austria)*

Yokoyama Y., *Hirosaki (Japan)*

*Publishing Organization (M. Morsani):*

I.R.O.G. CANADA, Inc. - 4900 Côte St-Luc - Apt # 212 - Montréal, Qué. H3W 2H3 (Canada)

Tel. +514-4893242 - Fax +514-4854513 - E-mail: canlux@mgroun-online.com - www.irog.net

*Editorial Office (M. Critelli):*

Galleria Storione, 2/A - 35123 Padua (Italy) - Tel. (39) 049 8756900 - Fax (39) 049 8752018

EUROPEAN JOURNAL OF GYNAECOLOGICAL ONCOLOGY (ISSN 0392-2936) publishes original peer reviewed works in the fields of female genital cancers and related subjects and also proceedings of gynecologic oncology society meetings all over the world. The Journal is covered by **CURRENT CONTENTS, SCISEARCH, RESEARCH ALERT, INDEX MEDICUS, MEDLINE, EMBASE/Excerpta Medica, CURRENT ADVANCES IN CANCER RESEARCH, BIOSIS.**

**DISTINGUISHED EXPERT SERIES**

- The 21<sup>st</sup> century role of Piver type II hysterectomy in FIGO Stage IA, IB cervical cancer: A personal perspective** 109  
 M.S. Piver, J.Y. Lee - *Buffalo, NY (USA)*  
 A personal perspective on the use of the Piver type II hysterectomy based on FIGO classification of Stages IA1, IA2, IB1 and IB2 is presented

**ORIGINAL ARTICLES**

- Epidemiological, clinical and viral determinants of the increased prevalence of high-risk human papillomavirus (HPV) infections in elderly women** 114  
 K. Syrjänen, S.M. Kulmala, I. Shabalova, N. Petrovichev, V. Kozachenko, T. Zakharova, J. Pajanidi, J. Podistov, G. Chemeris, L. Sozaeva, E. Lipova, I. Tsidaeva, O. Ivanchenko, A. Pshepurko, S. Zakharenko, R. Nerovjna, L. Kljukina, O. Erokhina, M. Branovskaja, M. Nikitina, V. Grunjberga, A. Grunjberg, A. Juschenko, R. Santopietro, M. Cintonino, P. Tosi, S. Syrjänen - *Turku, FINLAND*  
 In older women who fail to eradicate their HR-HPV infections, virus integration takes place leading to disease progression towards high-grade CIN and invasive carcinoma.
- Comparison of conization and limited excision of the transformation zone (LETZ) in the treatment of squamous intraepithelial lesions (SIL) of the uterine cervix** 123  
 E. González Bosquet, C. Esteva, C. Muñoz-Almagro, J.M. Lailla - *Barcelona, SPAIN*  
 LETZ may be an alternative to conization in the treatment of high-grade cervical SIL.
- Estrogen receptor  $\alpha$  and  $\beta$  expression in a case matched series of serous and endometrioid adenocarcinomas of the ovary** 126  
 J.P. Geisler, E. Buller, K.J. Manahan - *Iowa City, IA (USA)*  
 The expression of estrogen receptors  $\alpha$  and  $\beta$  in relation to stage and grade in serous and endometrioid adenocarcinoma is analyzed.
- Uterine sarcoma: a report of 57 cases over a 16-year period analysis** 129  
 P. Tsikouras, V. Liberis, G. Galazios, A. Savidis, A. Grapsa, X. Grapsas, A.T. Teichmann, G. Maroulis - *Thrace, GREECE*  
 Sarcoma of the uterus is a rare malignant neoplasm associated with a poor prognosis.
- Magnetic resonance imaging in the preoperative staging of endometrial carcinoma** 135  
 S. Cabrita, H. Rodrigues, R. Abreu, M. Martins, L. Teixeira, C. Marques, F. Mota, C. Freire de Oliveira - *Coimbra, PORTUGAL*  
 This study aimed to assess the value of MRI in the preoperative staging of endometrial carcinoma by comparing MRI images with pathological findings.
- Does the localisation of tumour at Stage I endometrial endometrioid adenocarcinoma have an impact on invasion of the tumour and individualisation of the surgical procedure?** 138  
 S. Dilek, M. Dede, K. Gezginç, M.C. Yenen, Ü. Göktolga, H.C. Ulutin, M.S. Deveci, E. Erdemoglu, T. Aydogdu - *Zekai Tahir Burak (ZTB) (TURKEY)*  
 The impact on invasion of Stage I endometrioid adenocarcinoma in relation to localisation and surgical procedure is analysed.
- Tunneled central venous catheters in a gynecologic oncology service: operative and short-term complications** 141  
 J.P. Geisler, R.E. Buller, K.J. Manahan - *Indianapolis, IN (USA)*  
 Operative and short-term complications in the employment of tunneled central venous catheters in gynecological oncology are examined.

<b>Frequency of infectious agents for vaginitis in patients with a cytological diagnosis of atypical squamous cells of undetermined significance</b>	114
N.R. Tirone, C.E.V. Souza, M.A. Michelin, E.F.C. Murta - <i>Uberaba, MG (BRAZIL)</i> Diagnoses of ASCUS can be induced by the presence of infectious agents for vaginitis, mainly cocci and coccoids.	
<b>Knowledge about and attitudes to Pap smears, cervical cancer and human papillomavirus among women in Slovenia</b>	148
M.U. Vrščaj, A. Vakselj, V. Stržinar, S. Bebar, M. Baskovic, A.P. Frasn, A. Djurišič - <i>Ljubljana, SLOVENIA</i> In Slovenia relevant and accurate information on HPV infection, early detection of cervical cancer and preventive vaccination should be improved.	
<b>Evaluation of acute and late radiation morbidity in patients with gynaecologic malignancy using the RTOG criteria and Franco-Italian glossary</b>	154
G. Yildirim, Z. Özşaran, D. Yalman, S. Kamer, A. Aras - <i>Izmir, TURKEY</i> A prospective clinical study to evaluate the competence of two toxicity scoring systems in patients who undergo pelvic radiotherapy for gynaecologic cancers is reported.	
<b>Plasma lipid profile in gynecologic cancers</b>	158
M.I. Qadir, S.A. Malik - <i>Islamabad, PAKISTAN</i> The relationship between gynecological cancer and plasma lipids is studied.	
<b>Sodium Phosphate (NaP) versus polyethylene glycol-electrolyte lavage solution (PEG-ELS) tolerability: a prospective randomized study in patients with gynecological malignancy</b>	162
F.B. Cebesoy, O. Balat, S. Pence - <i>Gaziantep, TURKEY</i> Bowel cleansing before gynecological malignancy surgery with NaP was superior to polyethyleneglycol-electrolyte solutions in terms of patient tolerability, completing the regimen and cost effectiveness.	
<b>Can “chromohysteroscopy” help target endometrial biopsy in postmenopausal bleeding?</b>	165
T. Küçük, S. Deveci - <i>Ankara, TURKEY</i> Endometrial death during diagnostic hysteroscopy (chromohysteroscopy) can help target endometrial biopsy.	
<b>CASE REPORTS</b>	
<b>Fallopian tube cancer associated with paraneoplastic dermatomyositis - asymptomatic multivisceral exacerbated dermatomyositis mimicking recurrent widespread malignant disease: case report</b>	168
J. Seeber, D. Reimer, E. Müller-Holzner, G. Spizzo, N. Sepp, P. Wiesbauer, C. Marth, A.G. Zeimet - <i>Innsbruck, AUSTRIA</i> Asymptomatic exacerbated dermatomyositis involving the liver, spleen, lungs, adrenal glands and lymph nodes was mistakenly regarded as widespread recurrent fallopian tube cancer.	
<b>Neoadjuvant chemotherapy followed by extended-field concurrent chemoradiotherapy in squamous cell carcinoma of the cervix with positive paraaortic lymph nodes: two cases</b>	171
M. Hirakawa, Y. Nagai, C. Yagi, T. Nashiro, M. Inamine, Y. Aoki - <i>Okinawa, JAPAN</i> NAC followed by EF-CCRT is feasible and may improve the survival outcome of patients with cervical carcinoma with positive paraaortic lymph nodes.	
<b>Primary ovarian choriocarcinoma mimicking ectopic pregnancy managed with laparoscopy - case report</b>	174
Y.X. Chen, J. Xu, W.G. Lv, X. Xie - <i>Hangzhou, P.R. CHINA</i> Laparoscopy is invaluable in both the diagnosis and comprehensive staging procedure in early-stage primary ovarian choriocarcinoma.	
<b>Unusual histologic finding in tissue obtained from voluntary pregnancy termination: a case report</b>	177
G. Giordano, T. D’Adda, C. Grassani - <i>Parma, ITALY</i> This report demonstrates that pathological study of tissue obtained from voluntary pregnancy termination provides new information regarding a woman’s gynecological health.	
<b>Metastatic breast carcinoma initially presenting as acute cholecystitis: a case report and review of the literature</b>	179
A. Manouras, E.E. Lagoudianakis, M. Genetzakis, N. Pararas, A. Papadima, P.B. Kekis - <i>Athens, GREECE</i> A rare case of a solitary breast cancer metastasis to the gallbladder found after laparoscopic cholecystectomy for acute cholecystitis is reported.	

<b>Virchow's node as a first manifestation of ovarian serous carcinoma: case report</b>	182
F.B. Cebesoy, O. Balat, A. Aydin - <i>Gaziantep, TURKEY</i>	
Ovarian carcinoma could present not only with ascites and an adnexal mass but with an extrapelvic lymph node such as Virchow's node.	
<b>Vaginal paraganglioma presenting as a gynecologic mass: case report</b>	184
J.G. Shen, Y.X. Chen, D.Y. Xu, Y.F. Feng, Z.H. Tong - <i>Hangzhou, P.R. CHINA</i>	
The possibility that a tumor is a paraganglioma should be considered before surgical removal of vaginal solid tumors.	
<b>Two cases of immature teratoma with positive reproductive outcomes</b>	186
S. Milicevic, R. Argirović, N. Radunović, Z. Vilendečić, D. Plečaš, M. Pervulov, L. Mirković, M. Berisavac, V. Bosković - <i>Belgrade, SERBIA</i>	
Two cases of immature teratoma with a positive reproductive outcome are presented. Surgery alone is curative in most cases.	
<b>Pathological complete response after primary chemotherapy in a mother and daughter with hereditary breast carcinoma: two case reports</b>	188
B. Melichar, P. Fridrichová, Š. Lukešová, J. Mergancová, H. Urmínská, A. Ryška, L. Foretová - <i>Brno, CZECH REPUBLIC</i>	
Pathological complete response after primary chemotherapy was observed in both a mother and daughter carrier of the BRCA1 mutation.	
<b>Uterine leiomyosarcoma metastasis to the breast</b>	191
H.H. Hsiao, Y.C. Liu, M.F. Hou, S.F. Lin - <i>Kaohsiung, TAIWAN</i>	
Uterine leiomyosarcoma is a rare female neoplasm. A case of a 62-year-old female with uterine leiomyosarcoma metastasis to the breast is presented.	
<b>A sacomatous-type peritoneal malign mixed mullerian tumor implant in association with ovarian adenocarcinoma: a case report</b>	193
M. Dede, K. Gezginç, İ. Alanbay, U. Fidan, M. Yenen - <i>Ankara, TURKEY</i>	
A case of a malignant mixed mullerian tumor implanted in the peritoneum associated with ovarian adenocarcinoma is described.	
<b>Secondary involvement of breast with non-Hodgkin's lymphoma in a patient with HIV infection - case report</b>	196
V. Georgountzos, L. Ioannidou-Mouzaka, T. Soldatos, D. Apessou, A. Karatasiou, M. Tsouroulas, G. Kontogeorgos - <i>Athens, GREECE</i>	
A rare case of secondary lymphoma of the breast in a female AIDS patient who presented with a unilateral breast mass.	
<b>Tamoxifen and giant endometrial polyp</b>	198
E. Erdemoglu, M. Güney, B. Keskin, T. Mungan - <i>Isparta, TURKEY</i>	
The case of a woman with a giant endometrial polyp of uncommon dimension who was receiving adjuvant tamoxifen for breast cancer is presented.	
<b>BRIEF COMMUNICATION</b>	
<b>A breast cancer patient with pelvic and gastric malignancy after adjuvant tamoxifen treatment for breast cancer</b>	200
M. Dede, K. Gezginç, M. Ulubay, İ. Alanbay, Ş. Güran, M. Yenen - <i>Ankara, TURKEY</i>	
A case of woman with three different tumors which developed after tamoxifen treatment for breast cancer is described.	