

europaean journal of gynaecological oncology

an International Journal

Founding Editor

A. Onnis

Montréal (Canada)

Editors-in-Chief

M. Marchetti

Montréal (Canada)

P. Bószé

Budapest (Hungary)

Associate Editor

T. Maggino

Padua (Italy)

Assistant Editor

J. Wilson

San Diego - CA (USA)

Editorial Board

Allen H.H., *London, Ontario (Canada)*

Anteby S.O., *Jerusalem (Israel)*

Audet-Lapointe P., *Montreal (Canada)*

Ayhan A., *Ankara (Turkey)*

Balat O., *Graziantep (Turkey)*

Bănceanu G., *Bucarest (Romania)*

Basta A., *Krakow (Poland)*

Bender H.C., *Dusseldorf (Germany)*

Benedetti Panici P.L., *Rome (Italy)*

Charkviani T., *Tbilisi (Georgia)*

De Oliveira C.F., *Coimbra (Portugal)*

Dexeus S. Jr., *Barcelona (Spain)*

Di Paola G.R.,
Buenos Aires (Argentina)

Di Re F., *Milan (Italy)*

Di Saia P., *Orange, CA (USA)*

Friedrich M., *Hamburg (Germany)*

Fuller A.F. Jr., *Boston, MA (USA)*

Geisler H.E., *Indianapolis, IN (USA)*

Gerbaulet A., *Villejuif (France)*

Gorins A., *Paris (France)*

Heintz A.P.M.,
Utrecht (The Netherlands)

Ioannidou-Mouzaka L.,
Athens (Greece)

Jordan J.A.,
Birmingham, England (UK)

Karseladze A.I., *Moscow (Russia)*

Klastersky J., *Bruxelles (Belgium)*

Kubista E., *Vienna (Austria)*

Kudelka A.P., *Houston, TX (USA)*

Maggino T., *Padua (Italy)*

Markowska J., *Poznan (Poland)*

Marth C., *Innsbruck (Austria)*

Massuger Leon F.A.G.,
Nijmegen (The Netherlands)

Menczer J., *Savyon (Israel)*

Monsonogo J., *Paris (France)*

Pálfalvi L., *Budapest, (Hungary)*

Pinotti A., *São Paulo (Brazil)*

Piura B., *Beer Sheva (Israel)*

Piver S.M., *Buffalo, NY (USA)*

Rakar S., *Ljubljana (Slovenia)*

Raju K.S., *London, England (UK)*

Shepherd J.H.,
London, England (UK)

Stelmachów J., *Warsaw (Poland)*

Tjalma W., *Antwerpen (Belgium)*

Ungár L., *Budapest (Hungary)*

Vermorken J.B., *Edegem (Belgium)*

Wang P.-H., *Taipei (Taiwan)*

Winter R., *Graz (Austria)*

Yokoyama Y., *Hirosaki (Japan)*

Publishing Organization (M. Morsani):

I.R.O.G. CANADA, Inc. - 4900 Côte St-Luc - Apt # 212 - Montréal, Qué. H3W 2H3 (Canada)

Tel. +514-4893242 - Fax +514-4854513 - E-mail: canlux@mgroun-online.com - www.irog.net

Editorial Office (M. Critelli):

Galleria Storione, 2/A - 35123 Padua (Italy) - Tel. (39) 049 8756900 - Fax (39) 049 8752018

EUROPEAN JOURNAL OF GYNAECOLOGICAL ONCOLOGY (ISSN 0392-2936) publishes original peer reviewed works in the fields of female genital cancers and related subjects and also proceedings of gynecologic oncology society meetings all over the world. The Journal is covered by **CURRENT CONTENTS, SCISEARCH, RESEARCH ALERT, INDEX MEDICUS, MEDLINE, EMBASE/Excerpta Medica, CURRENT ADVANCES IN CANCER RESEARCH, BIOSIS.**

DISTINGUISHED EXPERT SERIES

- Technetium-99m-sestamibi scintigraphy in gynecological cancer imaging** 309
J. Stelmachów, A. Timorek-Lemieszczuk - *Warsaw, POLAND*
A new diagnostic method, technetium-99m-sestamibi scintigraphy, and the potential use in gynecological oncology are described.

REVIEW ARTICLE

- Genetic polymorphisms, the metabolism of estrogens and breast cancer: a review** 313
D.D.G. Bugano, N. Conforti-Froes, N.H. Yamaguchi, E.C. Baracat - *São Paulo, SP (BRAZIL)*
Review of the main polymorphisms influencing the role of estrogens in breast carcinogenesis and their possible impact on clinical practice.

ORIGINAL ARTICLES

- Peri- and intratumoral T and B lymphocytic infiltration in breast cancer** 321
R.A. Menegaz, M.A. Michelin, R.M. Etchebehere, P.C. Fernandes Jr., E.F.C. Murta - *Uberaba, BRAZIL*
The peritumoral and intratumoral infiltrate of T and B lymphocytes in breast cancer are different and depend on tumor size.
- Self-sampling for human papillomavirus (HPV) testing as cervical cancer screening option. Experience from the LAMS Study** 327
A. Longatto-Filho, C. Roteli-Martins, L. Hammes, D. Etlinger, S.M. Miranda Pereira, M. Eržen, M. Branca, P. Naud, S.F.M. Derchain, L.O. Sarian, J. Matos, R. Gontijo, T. Lima, M.Y.S. Maeda, S. Tatti, S. Syrjänen, K. Syrjänen - *Braga, PORTUGAL*
Screening based on self-sampled HPV tests can decisively facilitate the selection of women potentially having cervical lesions.
- Association study of vascular endothelial growth factor gene polymorphisms in endometrial carcinomas in a Japanese population** 333
M. Amano, S. Yoshida, S. Kennedy, N. Takemura, M. Deguchi, N. Ohara, T. Maruo - *Kobe, JAPAN*
Polymorphisms in the VEGF are unlikely to be associated with the risk of developing endometrial carcinoma in a Japanese population.
- HPV in men** 338
K.W.M. D'Hauwers, W.A.A. Tjalma - *Edegem, BELGIUM*
Men are HPV reservoirs and transmitters. Screening and vaccinating men should be considered in order to protect women.
- Stromal cells play a role in cervical cancer progression mediated by MMP-2 protein** 341
T. Fernandes, L.A. de Angelo-Andrade, S.S. Morais, G.A. Pinto, C.A. Chagas, S.S. Maria-Engler, L.C. Zeferino - *Campinas, SP (BRAZIL)*
Stromal cells play an important role in cervical carcinoma invasion and progression mediated by MMP-2 expression.
- Cost of screening and treatment of cervical dyskaryosis in Germany** 345
K.U. Petry, J.G. Breugelmans, S. Bénard, E. Lamure, K.J. Littlewood, P. Hillemanns - *Wolfsburg, GERMANY*
The cost of screening and treatment for precancerous cervical lesions in Germany was shown to be high.

- Immunoexpression of HER family, neuregulin, MAPK and AKT in invasive ductal carcinomas of the breast** 350
 H. Kaya, İ. Erbarut, N. Özkan, N. Bekiroğlu, S. Sen, U. Abacığlu - *Istanbul, TURKEY*
 The HER family, NRG α , p-MAPK and p-AKT expression in invasive ductal carcinoma of the breast are investigated.
- Differential gene expression analysis of ovarian cancer in a population isolate** 357
 D. Grazio, I. Pichler, C. Fuchsberger, F. Zolezzi, P. Guarnieri, H. Heidegger, A. Scherer, B. Engl, S. Messini, E. Egarter-Vigl, P.P. Pramstaller - *Bolzano, ITALY*
 Gene expression analysis of ovarian serous carcinoma tissues in a population isolate of South Tyrol.
- Study of p53 codon 72 polymorphism in patients with breast cancer** 364
 J.O. Vieira, I.D.C.G. da Silva, P.E.S. Higo, N.C. Nogueira-de-Souza, L.H. Gebrim - *São Paulo, SP (BRAZIL)*
 In order to identify viral and bacterial DNA in DNA isolated from specimens of cervical cancer PCR analysis was performed using starters complementary to various types of HPV, HSV-2 and *Ch. trachomatis*.
- Paget's disease of the vulva. A ten-year experience** 368
 K. Bakalianou, N. Salakos, C. Iavazzo, G. Paltoglou, K. Papadias, O. Gregoriou, A. Kondi-Pafiti - *Athens, GREECE*
 A retrospective study of the diagnosis, management and prognosis of Paget's disease is presented.
- Does vaginal intraepithelial neoplasia have the same evolution as cervical intraepithelial neoplasia?** 371
 U. Indraccolo, L. Chiocci, A. Baldoni - *Camerino, MC (ITALY)*
 CIN and VAIN may have some common features in some but not all cases.
- Past obstetric history and risk of malignant breast neoplasms** 374
 B. Pięta, T. Opala, M. Wilczak, S. Grodecka-Gazdecka, L. Kramer, D. Samulak, K. Więznowska-Mączyńska - *Poznan, POLAND*
 The study was focused on analysis of the obstetrical past and its potential influence on the risk of developing malignant breast neoplasms.
- Prognostic significance of high-risk HPV persistence after laser CO₂ conization for high-grade CIN: a prospective clinical study** 378
 M.G. Fallani, C. Penna, M. Marchionni, C. Bussani, A. Pieralli, K.L. Andersson, M. Fambrini - *Florence, ITALY*
 HPV persistence during follow-up represents an independent risk factor for recurrence after laser CO₂ conization for high-grade CIN.
- A retrospective analysis of borderline ovarian tumors in a Greek University Hospital** 383
 A. Liapis, K. Bakalianou, C. Iavazzo, N. Salakos, G. Paltoglou, A. Kondi-Pafiti - *Athens, GREECE*
 The aim of this retrospective study was to discuss the pathologic and clinical characteristics of borderline ovarian tumors.
- Effect of intraoperative irrigation with alteplase on adhesion formation associated with intraperitoneal chemotherapy (experimental study)** 386
 M.M. Meydanli, H. Celik, F. Hanay, M. Nalbant - *Elazig, TURKEY*
 The efficacy of alteplase, a TPA, in adhesion formation associated with intraperitoneal paclitaxel-carboplatin administration is investigated.
- CASE REPORTS**
- Two rare cases of methotrexate-induced pneumonitis and pleurisy in patients with gestational trophoblastic neoplasms** 390
 D. Zhang, Z. Ding, J. Qian, X. Xie, Y. Wang - *Hangzhou, CHINA*
 Two cases of methotrexate inducing pneumonitis and pleurisy are described.
- Ovarian endometriosis associated with carcinoma and sarcoma: case report** 393
 M.C. Boruban, A. Jaishuen, N. Sirisabya, Y. Li, H.G. Zheng, M.T. Deavers, J.J. Kavanagh - *Houston, TX (USA)*
 A case of endometriosis associated with ovarian carcinoma and sarcoma in a 32-year-old woman is reported.

- A rare case of low-grade endometrial stromal sarcoma with myxoid differentiation and atypical bizarre cells** 397
 Y. Kibar, A. Aydin, H. Deniz, O. Balat, B. Cebesoy, A. Al-Nafussi - *Gaziantep, TURKEY*
 Endometrial stromal tumours rarely may have pleomorphic bizarre cells in a prominent fibromyxoid stroma which may create diagnostic difficulties.
- Invasive squamous carcinoma of the vulva in women aged less than 40 years: report of two cases and a third case diagnosed during pregnancy** 399
 N. Keskin, A.C. Iyibozkurt, S. Topuz, Y. Salihoğlu, E. Bengisu, S. Berkman - *Istanbul, TURKEY*
 Three cases of invasive squamous cell carcinoma of the vulva, one diagnosed during pregnancy, are presented.
- Meningeal carcinomatosis as a late complication of brain metastases of epithelial ovarian carcinoma** 402
 B. Melichar, M. Tomšová, S. Řehák, E. Malířová, G. Šimonová - *Prague, CZECH REPUBLIC*
 Brain metastases in an epithelial ovarian carcinoma patient were controlled for 45 months, but were subsequently complicated by fatal meningeal carcinomatosis.
- Cervical cancer coexisting with small lymphocytic lymphoma detected during positron emission tomography/computed tomography simulation: a case report** 405
 Ş. İğdem, S. Okkan, B. Ünalın, A. İğdem, B. Ferhanoğlu - *Istanbul, TURKEY*
 PET/CT aided treatment planning of a case with carcinoma of the cervix and led to significant changes in treatment management.
- In vitro fertilization in a patient with ovarian cancer (Stage IC) following conservative surgery and chemotherapy: a case report** 408
 A. Abu-Musa, M. Seoud, A. Hannoun - *Beirut, LEBANON*
 A patient with a borderline epithelial ovarian tumor and invasive implants (Stage IC adenocarcinoma) underwent conservative surgery and chemotherapy followed by successful IVF pregnancy.
- Primary double invasive cervical carcinoma, squamous cell carcinoma and adenocarcinoma - case report** 411
 M. Vasiljevic, B. Stanimirovic, D. Stanojevic, M. Djukic, N. Vasiljevic - *Belgrade, SERBIA*
 A case of a primary double invasive cervical carcinoma in a 56-year-old woman, surgically and postoperatively treated with radiotherapy, is presented.
- Bilateral struma ovarii: a case mimicking an ovarian neoplasm** 414
 L. Novac, M. Niculescu, C. Simionescu, M.R. Stanescu, M. Novac - *Craiova, ROMANIA*
 A very rare case of bilateral ovarian struma without clinical evidence is reported.

EUROPEAN JOURNAL OF GYNAECOLOGICAL ONCOLOGY

Vol. XXIX, Number 4, 2008

ISSN: 0392-2936

I.R.O.G. CANADA, Inc.

Publisher's office: 4900 Côte St. Luc - Apt. 212 - Montréal, Québec H3W 2H3 (Canada) - Tél.: (514) 4893640-4893242 - Fax: (514) 4854513

E-mail: canlux@mgroun-online.com - www.irog.net

ALL RIGHTS RESERVED

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopies, recordings, nor any information storage and retrieval system without written permission from the copyright owner.

Printed in Italy