

europaean journal of gynaecological oncology

an International Journal

Founding Editor

A. Onnis

Montréal (Canada)

Editors-in-Chief

M. Marchetti

Montréal (Canada)

P. Bószé

Budapest (Hungary)

Associate Editor

T. Maggino

Padua (Italy)

Assistant Editor

J. Wilson

San Diego - CA (USA)

Editorial Board

Allen H.H., *London, Ontario (Canada)*

Ayhan A., *Ankara (Turkey)*

Balat O., *Graziantep (Turkey)*

Bănceanu G., *Bucarest (Romania)*

Basta A., *Krakow (Poland)*

Bender H.C., *Dusseldorf (Germany)*

Charkviani T., *Tbilisi (Georgia)*

Chiarelli S., *Padua (Italy)*

De Oliveira C.F., *Coimbra (Portugal)*

Dexeus S. Jr., *Barcelona (Spain)*

Di Paola G.R.,

Buenos Aires (Argentina)

Di Re F., *Milan (Italy)*

Di Saia P., *Orange, CA (USA)*

Elit L., *Hamilton (Canada)*

Friedrich M., *Hamburg (Germany)*

Geisler H.E., *Indianapolis, IN (USA)*

Gorins A., *Paris (France)*

Heintz A.P.M.,

Utrecht (The Netherlands)

Ioannidou-Mouzaka L.,

Athens (Greece)

Jordan J.A.,

Birmingham, England (UK)

Klastersky J., *Bruxelles (Belgium)*

Kubista E., *Vienna (Austria)*

Lee Y.S., *Daegu (South Korea)*

Markowska J., *Poznan (Poland)*

Marth C., *Innsbruck (Austria)*

Massuger Leon F.A.G.,

Nijmegen (The Netherlands)

Menczer J., *Savyon (Israel)*

Monsonogo J., *Paris (France)*

Pálfalvi L., *Budapest, (Hungary)*

Piura B., *Beer Sheva (Israel)*

Piver S.M., *Buffalo, NY (USA)*

Rakar S., *Ljubljana (Slovenia)*

Shepherd J.H.,

London, England (UK)

Smit B.J., *Tygerberg (South Africa)*

Stelmachów J., *Warsaw (Poland)*

Syrjänen K., *Turku (Finland)*

Tjalma W., *Antwerpen (Belgium)*

Ungár L., *Budapest (Hungary)*

Vermorken J.B., *Edegem (Belgium)*

Wang P.H., *Taipei (Taiwan)*

Winter R., *Graz (Austria)*

Yokoyama Y., *Hirosaki (Japan)*

Publishing Organization (M. Morsani):

I.R.O.G. CANADA, Inc. - 4900 Côte St-Luc - Apt # 212 - Montréal, Qué. H3W 2H3 (Canada)

Tel. +514-4893242 - Fax +514-4854513 - E-mail: canlux@mgroun-online.com - www.irog.net

Editorial Office (M. Critelli):

Galleria Storione, 2/A - 35123 Padua (Italy) - Tel. (39) 049 8756900 - Fax (39) 049 8752018

EUROPEAN JOURNAL OF GYNAECOLOGICAL ONCOLOGY (ISSN 0392-2936) publishes original peer reviewed works in the fields of female genital cancers and related subjects and also proceedings of gynecologic oncology society meetings all over the world. The Journal is covered by **CURRENT CONTENTS, SCISEARCH, RESEARCH ALERT, INDEX MEDICUS, MEDLINE, EMBASE/Excerpta Medica, CURRENT ADVANCES IN CANCER RESEARCH, BIOSIS.**



Contents

European Journal of Gynaecological Oncology - Vol. XXXI, no. 1, 2010

ORIGINAL ARTICLES

- Referral and ascertainment bias in patients with synchronous and metachronous endometrial malignancy** 5
 A. Mariani, S.S. Cha, E.J. Bergstralh, L.A. Boardman, S.C. Dowdy, G.L. Keeney, K.C. Podratz, L.J. Melton III - *Rochester, MN (USA)*
 Endometrial cancer patients may develop other associated malignancies; study results from tertiary care centers may be misleading because of referral biases.
- Impact of three-dimensional (3D) ultrasonography and power Doppler angiography in the management of cervical cancer** 10
 K. Tanaka, N. Umesaki - *Wakayama-shi, JAPAN*
 Three-dimensional power Doppler ultrasound may be useful to monitor the response to treatment in a patient with cervical cancer.
- Out-of-protocol concurrent use of cisplatin and radiation therapy in locally advanced cervical cancer: feasibility and survival** 18
 G. Mancebo, A. Gil-Moreno, R. Vergés, J.M. Martínez-Palones, M.A. Checa, J.M.R. Carreras, J. Giralt, J. Xercavins - *Barcelona, SPAIN*
 Out-of-protocol concurrent use of cisplatin-based chemotherapy and radiation therapy is feasible and effective in locally advanced cervical cancer.
- Shoulder mobility after axillary sentinel node biopsy for early infiltrating breast cancer treatment** 23
 K.U. Favarão, J.C. Mantese, A.C.S.D. Barros - *São Paulo, BRAZIL*
 Shoulder mobility restriction in sentinel node biopsy is transitory, lasting up to three months, and should be relieved by early physiotherapeutic interventions.
- The significance of HPV in the follow-up period after treatment for CIN** 27
 J. Gallwas, N. Ditsch, P. Hillemanns, K. Friese, C. Thaler, C. Dannecker - *Munich, GERMANY*
 HPV testing showed a sensitivity of 93% in CIN recurrence and therefore should be integrated in a follow-up algorithm.
- Possible role of palliative surgery for bowel obstruction in advanced ovarian cancer patients** 31
 E. Sartori, F. Chiudinelli, B. Pasinetti, B. Sostegni, T. Maggino - *Venice-Mestre, ITALY*
 Bowel obstruction is a relatively common event in the late natural history of advanced and recurrent ovarian cancer patients. Risk score analysis may identify a subgroup of patients suitable for surgical treatment.
- The incidence, treatment and prognosis of cervical carcinoma in young women: a retrospective analysis of 4,975 cases in Japan** 37
 K. Kokawa, S. Takekida, S. Kamiura, M. Kita, T. Enomoto, R. Kawaguchi, J. Saito, A. Horie, N. Umesaki - *Kyoto, JAPAN*
 The incidence of cervical carcinoma in young women was increased but the prognosis was better when compared with all patients.
- Prediction of suboptimal cytoreduction of epithelial ovarian carcinoma by preoperative computed tomography** 44
 M. Kebapci, A.K. Akca, O.T. Yalcin, S.S. Ozalp, C. Calisir, F. Mutlu - *Eskisehir, TURKEY*
 Suboptimal surgery in patients with epithelial ovarian cancer could be predicted by preoperative CT.
- Analysis of odds ratio of increased relative risk of developing breast cancer in different groups of women** 50
 B. Pięta, D. Samulak, T. Opala, M. Wilczak, S. Grodecka-Gazdecka, K. Więznowska-Mączyńska - *Poznan POLAND*
 Quantitative assessment of risk of developing breast carcinoma enables identification of women with increased risk and the choice of the proper diagnosis.
- Analysis of protein profiles in human epithelial ovarian cancer tissues by proteomic technology** 55
 S.N. Chow, R.J. Chen, C.H. Chen, T.C. Chang, L.C. Chen, W.J. Lee, J. Shen, L.P. Chow - *Taipei, TAIWAN*
 The present study is the first to report the down-regulation of SH3 binding glutamate-rich protein and tubulin-specific chaperone A in human ovarian cancer tissues.





Mesothelin gene expression and promoter methylation/hypomethylation in gynecological tumors	63
G. Obulhasim, H. Fujii, T. Matsumoto, M. Yasen, M. Abe, S. Matsuoka, N. Ohtsuji, O. Hino - <i>Xinjiang, CHINA</i> Mesothelin expression in gynecological tumors may be influenced by the methylation/hypomethylation status at CpG sites in its promoter.	
Prevalence of human papilloma virus infection in pregnant Turkish women compared with non-pregnant women	72
Y. Aydin, A. Atis, T. Tutuman, N. Goker - <i>Istanbul, TURKEY</i> Prevalence of HPV viruses is higher in pregnant Turkish women versus non-pregnant women - especially the high-risk genotypes for cervical cancer.	
Analysis of the cytogenetic response in peripheral blood lymphocytes from breast cancer patients following chemotherapy	75
P.A. Resende, C. Fidalgo, P.M. Alves, B.M. Tavares-Murta, E.F.C. Murta, F.L. Dias - <i>Uberaba, MG (BRAZIL)</i> Chemotherapy raises the number of chromosomal aberrations in women with breast cancer and favors persistence of these abnormalities.	
Is sentinel node biopsy reliable in large breast tumors?	80
D. Koukouras, C. Spyropoulos, N. Siasos, E. Sdralis, E. Tzorakoleftherakis - <i>Patras, GREECE</i> Larger breast tumors seem to be associated with increased incidence of nodal metastases while multifocality appears to be related to increased false-negative rates of sentinel node detection.	
Laser vaporization in the management of CIN	83
G. Vetrano, P. Ciolli, S. Carboni, P. Scardamaglia, V. Aleandri, M. Verrico, R. Corosu - <i>Rome, ITALY</i> The effectiveness of CO ₂ laser vaporization and diagnostic reliability of cytology, colposcopy, microbiology and HPV testing in patients affected by HG-CIN was evaluated.	
Sonographic value in diagnosis of hemorrhagic ovarian cysts	87
Z. Ding, D. Zhang, W. Ying, J. Wang - <i>Hangzhou, CHINA</i> Sonographic characteristics of hemorrhagic ovarian cysts (HOC) were investigated, and sonographic and clinical follow-up conducted.	
E-cadherin expression in estrogen receptor-positive and negative breast carcinomas of postmenopausal women	90
B.B. da Silva, A.R. dos Santos, C.G. Pires, M.A. Correa-Lima, J.D.D. Pereira-Filho, L.G. dos Santos, C.S. Moura, P.V. Lopes-Costa - <i>Piauí, BRAZIL</i> E-cadherin expression loss is significantly associated with ER-negative tumors and therefore with a more aggressive phenotype of invasive ductal breast carcinoma.	
Granulosa cell tumors of the ovary: a clinicopathologic and immunohistochemical study of 21 cases	94
A. Kondi-Pafiti, D. Grapsa, E. Kairi-Vassilatou, E. Carvounis, D. Hasiakos, K. Kontogianni, S. Fotiou - <i>Athens, GREECE</i> The clinicopathologic and immunohistochemical features of 21 cases of adult and juvenile granulosa cell tumors of the ovary are presented.	
Uterine involvement in advanced epithelial ovarian cancer	99
N. Behtash, M. Karimi Zarchi, T. Ashraf-Ganjoei - <i>Kerman, IRAN</i> A retrospective study of the involvement of uterine tissues in ovarian cancer is reported.	
CASE REPORTS	
Primary non-Hodgkins lymphoma of the ovary in the background of human immunodeficiency virus (HIV): A bold and curative approach to treatment	102
P.S. Govender, M. Moodley - <i>Durban, SOUTH AFRICA</i> The presentation and management of a rare case of HIV-associated primary non-Hodgkins lymphoma of the ovary are discussed.	
High levels of xenoestrogens in patients with low-grade endometrial stromal sarcoma - report of two cases	105
O. Reich, S. Regauer, S. Scharf - <i>Vienna, AUSTRIA</i> Increased levels of xenoestrogens may be involved in the pathogenesis of endometrial stromal sarcoma.	





- Cisplatin-induced syndrome of inappropriate antidiuretic hormone (SIADH) in a patient with neuroendocrine tumor of the cervix: a case report and review of the literature** 107
 K.R. Brown, M.M. Leitao Jr. - *New York, NY (USA)*
 A case of a patient with neuroendocrine tumor of the cervix who developed lethargy, dizziness, confusion, and severe hyponatremia consistent with the syndrome of inappropriate antidiuretic hormone three days after administration of cisplatin is described.
- Choroidal melanoma metastasized to the ovary: case report and review of the literature** 109
 V.D. Mandato, B. Kobal, A. Di Stefano, J. Sinkovec, A. Levicnik, G.B. La Sala, S. Rakar - *Ljubljana, SLOVENIA*
 A rare case of choroidal melanoma metastasized to the ovary is reported.
- Muscle metastasis of low-grade endometrial carcinoma seven years after diagnosis: A case report** 114
 A. Oaknin, M.P. Barretina, I. Morilla - *Barcelona, SPAIN*
 Unusual behaviour of low-grade endometrial carcinoma is presented. The patient presented with muscle metastases seven years after diagnosis.
- Pure Sertoli cell tumor. A case report and review of the literature** 117
 A. Zizi-Sermpetzoglou, N. Petrakopoulou, N. Tepelenis, V. Savvaidou, K. Manoloudaki, M. Katsoulis - *Pireaus, GREECE*
 A case of a sex-cord tumor of the ovary with the typical macroscopic and microscopic features of a pure Sertoli-cell tumor is presented.
- Immunohistochemical findings in primary fallopian tube cancer. Case report** 120
 G. Raba, P. Laudanski, L. Kanczuga-Koda - *Bialystok, POLAND*
 It has been clearly shown that immunohistochemical expression of ER- β is dominant over ER- α in primary fallopian tube cancer.
- Good prognosis for primary ovarian pure nongestational choriocarcinoma using the EMA/CO regime** 123
 E. Ozturk, M. Gurol Ugur, F. Bahar Cebesoy, A. Aydin, T. Sever, O. Balat - *Gaziantep, TURKEY*
 The clinical features, management and outcome of nongestational choriocarcinoma treated by the EMA/CO protocol are discussed.
- Primary malignant mixed müllerian tumour of the fallopian tube. Report of a case** 126
 E. Skafida, X. Grammatoglou, E. Katsamagkou, Ch. Glava, N. Firfiris, Th. Vasilakaki - *Larissa, GREECE*
 A case of a 60-year-old woman with primary malignant mixed müllerian tumour of the fallopian tube is presented.

ERRATA - CORRIGE**Primary clear cell carcinoma of the peritoneum: report of two cases and a review of the literature**

Vol. XXX, n. 5, 2009, page 575

Errata:

M. Takano, T. Yoshokawa, M. Kato, S. Aida, T. Goto, K. Furuya, Y. Kikuchi

Corrige:

M. Takano, T. Yoshikawa, M. Kato, S. Aida, T. Goto, K. Furuya, Y. Kikuchi

EUROPEAN JOURNAL OF GYNAECOLOGICAL ONCOLOGY

Vol. XXXI, Number 1, 2010

ISSN: 0392-2936

I.R.O.G. CANADA, Inc.

Publisher's office: 4900 Côte St. Luc - Apt. 212 - Montréal, Québec H3W 2H3 (Canada) - Tél.: (514) 4893640-4893242 - Fax: (514) 4854513

E-mail: canlux@mgroup-online.com - www.irog.net

ALL RIGHTS RESERVED

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopies, recordings, nor any information storage and retrieval system without written permission from the copyright owner.

Printed in Italy

