

europaean journal of gynaecological oncology

an International Journal

Founding Editor

A. Onnis

Montréal (Canada)

Editors-in-Chief

M. Marchetti

Montréal (Canada)

P. Bószé

Budapest (Hungary)

Associate Editor

T. Maggino

Padua (Italy)

Assistant Editor

J. Wilson

San Diego - CA (USA)

Editorial Board

- | | | |
|---|--|---|
| Allen H.H., <i>London, Ontario (Canada)</i> | Geisler H.E., <i>Indianapolis, IN (USA)</i> | Monsonogo J., <i>Paris (France)</i> |
| Ayhan A., <i>Ankara (Turkey)</i> | Gorins A., <i>Paris (France)</i> | Pálfalvi L., <i>Budapest, (Hungary)</i> |
| Balat O., <i>Graziantep (Turkey)</i> | Heintz A.P.M.,
<i>Utrecht (The Netherlands)</i> | Piura B., <i>Beer Sheva (Israel)</i> |
| Bănceanu G., <i>Bucarest (Romania)</i> | Ioannidou-Mouzaka L.,
<i>Athens (Greece)</i> | Piver S.M., <i>Buffalo, NY (USA)</i> |
| Basta A., <i>Krakow (Poland)</i> | Jordan J.A.,
<i>Birmingham, England (UK)</i> | Rakar S., <i>Ljubljana (Slovenia)</i> |
| Bender H.C., <i>Dusseldorf (Germany)</i> | Klastersky J., <i>Bruxelles (Belgium)</i> | Shepherd J.H.,
<i>London, England (UK)</i> |
| Charkviani T., <i>Tbilisi (Georgia)</i> | Kubista E., <i>Vienna (Austria)</i> | Smit B.J., <i>Tygerberg (South Africa)</i> |
| Chiarelli S., <i>Padua (Italy)</i> | Lee Y.S., <i>Daegu (South Korea)</i> | Stelmachów J., <i>Warsaw (Poland)</i> |
| De Oliveira C.F., <i>Coimbra (Portugal)</i> | Markowska J., <i>Poznan (Poland)</i> | Syrjänen K., <i>Turku (Finland)</i> |
| Dexeus S. Jr., <i>Barcelona (Spain)</i> | Marth C., <i>Innsbruck (Austria)</i> | Tjalma W., <i>Antwerpen (Belgium)</i> |
| Di Paola G.R.,
<i>Buenos Aires (Argentina)</i> | Massuger Leon F.A.G.,
<i>Nijmegen (The Netherlands)</i> | Ungár L., <i>Budapest (Hungary)</i> |
| Di Re F., <i>Milan (Italy)</i> | Menczer J., <i>Savyon (Israel)</i> | Vermorken J.B., <i>Edegem (Belgium)</i> |
| Di Saia P., <i>Orange, CA (USA)</i> | | Wang P.H., <i>Taipei (Taiwan)</i> |
| Elit L., <i>Hamilton (Canada)</i> | | Winter R., <i>Graz (Austria)</i> |
| Friedrich M., <i>Krefeld (Germany)</i> | | Yokoyama Y., <i>Hirosaki (Japan)</i> |

Publishing Organization (M. Morsani):

I.R.O.G. CANADA, Inc. - 4900 Côte St-Luc - Apt # 212 - Montréal, Qué. H3W 2H3 (Canada)

Tel. +514-4893242 - Fax +514-4854513 - E-mail: canlux@mgroun-online.com - www.irog.net

Editorial Office (M. Critelli):

Galleria Storione, 2/A - 35123 Padua (Italy) - Tel. (39) 049 8756900 - Fax (39) 049 8752018

EUROPEAN JOURNAL OF GYNAECOLOGICAL ONCOLOGY (ISSN 0392-2936) publishes original peer reviewed works in the fields of female genital cancers and related subjects and also proceedings of gynecologic oncology society meetings all over the world. The Journal is covered by **CURRENT CONTENTS, SCISEARCH, RESEARCH ALERT, INDEX MEDICUS, MEDLINE, EMBASE/Excerpta Medica, CURRENT ADVANCES IN CANCER RESEARCH, BIOSIS.**



Contents

European Journal of Gynaecological Oncology - Vol. XXXI, no. 4, 2010

DISTINGUISHED EXPERT SERIES

- Robotic-assisted laparoscopic anterior pelvic exenteration in patients with advanced ovarian cancer: Farghaly's technique** 361
 S.A. Farghaly - *New York, NY (USA)*
 The safety and efficacy of robotic-assisted laparoscopy for anterior pelvic exenteration in patients with advanced ovarian cancer was evaluated.

ORIGINAL ARTICLES

- Effects of third-line chemotherapy for women with recurrent ovarian cancer who received platinum/taxane regimens as first-line chemotherapy** 364
 T. Chiyoda, H. Tsuda, H. Nomura, F. Kataoka, E. Tominaga, A. Suzuki, N. Susumu, D. Aoki - *Tokyo, JAPAN*
 The treatment-free interval from second-line chemotherapy may predict the survival benefit of third-line chemotherapy.
- Predictive factors for the detection of CIN II-III in the follow-up of women with CIN I** 369
 E. Gonzalez-Bosquet, L. Selva, J. Sabria, L. Pallares, L. Almeida, C. Muñoz-Almagro, J.M. Laila - *Esplugues, BARCELONA*
 HPV infection and duration of follow-up are predictive factors for the detection of CIN II-III in follow-up care for women with CIN I.
- DNA cytometry as a first-line method for diagnosis of cervical precancer with respect to clinical behaviour** 372
 O. Reich, M. Ballon - *Graz, AUSTRIA*
 DNA-ICM should be used as an objective first-line diagnostic tool for predicting cervical precancer.
- Human telomerase RNA gene (TERC) gain and polysomy of chromosome 3 in cervicovaginal liquid-based pap preparations: a fluorescence in situ hybridization study** 375
 W. Sui, M. Ou, J. Chen, J. Yu, Y. Zhang, H. Lan, H. Huang, Y. Dai - *Guangdong Province, REPUBLIC OF CHINA*
 A FISH study indicates that TERC gain and polysomy 3 are associated with patients with CIN and SCCA in Guilin City, China.
- Prognostic significance of topoisomerase II alpha and collagen IV immunoexpression in cervical cancer -** 380
 Š. Smrkolj, M. Eržen, S. Rakar - *Ljubljana, SLOVENIA*
 Immunohistochemical expression of topoisomerase IIalpha and collagen IV might complement the assessment of cervical cancer prognosis with appropriate choice of type and extent of treatment.
- Epigenetic therapy and cisplatin chemoradiation in FIGO Stage IIIB cervical cancer** 386
 M. Candelaria, L. Cetina, E. Pérez-Cárdenas, E. de la Cruz-Hernández, A. González-Fierro, C. Trejo-Becerril, L. Taja-Chayeb, J. Chanona, D. Arias, A. Dueñas-González - *Mexico City, MEXICO*
 Epigenetic agents hydralazine and valproate are well-tolerated and safe when administered with cisplatin chemoradiation in locally advanced cervical cancer.
- Loop electrosurgical excision procedure in Greek patients with vaginal intraepithelial neoplasia** 392
 E. Terzakis, G. Androutopoulos, D. Zygouris, C. Grigoriadis, G. Derdelis, N. Arnogiannaki - *Athens, GREECE*
 Electrosurgery on vaginal intraepithelial neoplasia.
- Clinical features of 215 Stage I ovarian tumors in Japanese women** 395
 S. Kaku, N. Takeshima, K. Umayahara, R. Furuta, F. Akiyama, K. Takizawa - *Tokyo, JAPAN*
 Stage I borderline ovarian tumors show low aggressiveness, while Stage Ic ovarian cancer and clear cell carcinoma are highly aggressive.
- Complications and obstetric outcomes after laser conization during pregnancy** 399
 N. Seki, J. Kodama, T. Kusumoto, K. Nakamura, A. Hongo, Y. Hiramatsu - *Okayama, JAPAN*
 Laser conization during pregnancy is feasible and comparable to cold knife conization and LEEP with regard to the rates of complication and obstetric outcome.



- Anti-tumor activity of histone deacetylase inhibitors and the effect on ATP-binding cassette in ovarian carcinoma cells** 402
 K.C. Chao, C.C. Chang, M.S. Yen, P.H. Wang - *Taipei, TAIWAN*
 The effect of HDAC on chemo-resistance genes of human ovarian carcinoma cell lines was investigated.
- p16^{INK4a} and low-grade cervical intraepithelial neoplasia. Diagnostic and therapeutic implications** 411
 L. Di Stefano, V. Accurti, G. Coletti, A. D'Alfonso, G. Carta - *L'Aquila, ITALY*
 Evaluation of p16^{INK4a} in a low-grade squamous intraepithelial lesion is an important step for therapy.
- Retrospective analysis of hysteroscopic findings in breast cancer patients having adjuvant tamoxifen treatment** 415
 F. Sendag, C. Sahin, B. Zeybek, M. Cosan Terek, K. Oztekin, O. Bilgin - *Izmir, TURKEY*
 Hysteroscopic findings of women using adjuvant tamoxifen therapy and compared with sonographic measurements were retrospectively evaluated.
- Ultrasound urodynamic study of urinary tract dysfunction after radical hysterectomy and pelvic lymphadenectomy in women with cervical carcinoma** 418
 A. Le, Z. Wang, R. Yuan, T. Xiao, R. Zhuo - *Chongqing, CHINA*
 Changes of the lower urinary tract after radical hysterectomy and pelvic lymphadenectomy node dissection were investigated using ultrasound urodynamics.
- The prevalence of *Leptotrichia amnionii* in cervical swabs of HPV positive and negative women** 425
 R. Nawrot, K. Kamieniarz, M. Malinowska, A. Józefiak, W. Kędzia, A. Kwaśniewska, D. Kuźma, A. Goździcka-Józefiak - *Lublin, POLAND*
 The prevalence of *Leptotrichia amnionii* infection in cervical specimens and its association with HPV infection and stage of carcinogenesis of the cervix is reported.
- Centralization of ovarian cancer surgery: Do patients benefit?** 429
 F. Ghaemmaghami, M. Hassanzadeh, M. Karimi-Zarchi, M. Modari-Gilani, N. Behtash, A. Mousavi - *Yazd, IRAN*
 Overall survival and disease-free survival was considerably greater in the gynecologist oncologist group but the difference was not significant.
- Twenty-five years of medical colposcopic rural tours in the Republic of Panama: commitment and integration in screening 1983-2008** 434
 J.L. Garrido - *Panama City, PANAMA*
 The 25-year experience of screening for cervical cancer in a rural area of the Republic of Panama is reported.
- Clinical usefulness of evaluation of quality parameters of blood flow: pulsation index and resistance index in the uterine arteries in the initial differential diagnostics of pathology within the endometrium** 437
 M. Wilczak, D. Samulak, M. Englert-Golon, B. Pięta - *Kalisz, POLAND*
 Evaluation of the pulsation and resistance indexes plays a significant role in the diagnostic process of pathologies within the endometrium.
- CASE REPORTS**
- Epithelioid leiomyosarcoma of the uterus: computed tomography findings** 440
 M.C. Hsieh, C.Y. Lin, J.C.W. Chien, C.J. Cheng, W.P. Chan - *Taipei, TAIWAN*
 A rare case of uterine epithelioid leiomyosarcoma presenting as an enhanced cystic mass with internal septa on CT scan images.
- Multiple epithelioid plexiform tumourlet leiomyoma of the uterus with focal vascular invasion** 443
 D. Bucella, C. Engohan-Aloghe, J.C. Noël - *Brussels, BELGIUM*
 The first case of multiple plexiform tumourlets showing focal vascular invasion suggesting that, unlike what the common and accepted opinion would advocate, these tumours may have a more aggressive behaviour.
- Myxoid leiomyosarcoma of the uterus: a diagnostic challenge** 446
 G. Karpathiou, E. Sivridis, A. Giatromanolaki - *Alexandroupolis, GREECE*
 A case of uterine myxoid leiomyosarcoma, an extremely rare malignancy, masquerading almost to perfection as a benign lesion is presented.
- “Can laparoscopy really complete full surgical staging?” A case of early recurrence and malignant transformation of borderline ovarian tumor** 449
 E.Y. Ji, H.S. Kwack, J.M. Moon, K.H. Lee, T.C. Park - *Seoul, KOREA*
 A case of BOT with early recurrence and carcinoma transformation in a short interval after laparoscopic staging with fertility-sparing surgery.



- Difficulties in the diagnosis of ovarian carcinoma: case report of squamous cell ovarian carcinoma in a 26-year-old woman** 452
D. Samulak, M. Wilczak, S. Sporny, M. Michalska, B. Pięta, R. Moszyński, S. Sajdak - *Kalisz, POLAND*
The case report of a squamous cell ovarian carcinoma in a 26-year-old woman occurring independently of mature cystic teratoma of the ovary.
- Uterine tumors resembling ovarian sex cord tumors. A case report** 456
G. Carta, G. Crisman, G. Margiotta, N. Mastrocola, A. Di Fonso, G. Coletti - *L'Aquila, ITALY*
A case of UTROSCT is reported to stress the importance of histological and immunohistochemical techniques in achieving the correct diagnosis.
- Immunohistochemical expression of granzyme B and vascular endothelial growth factor (VEGF) in normal uterine cervixes and low and high grade squamous intraepithelial lesions** 459
P.N. Belfort-Mattos, G.R.A. Focchi, N.M.G. Speck, N.S.A. Taha, C.R.N. Carvalho, J.C.L. Ribalta - *São Paulo, BRAZIL*
Immunoeexpression of granzyme B and VEGF can be useful as prognostic markers for pre-neoplastic lesions of uterine cervixes.
- Malignant mixed mullerian tumor of the cervix including components of a rhabdomyosarcoma: case report and literature review** 462
S.H. Lee, J. Kim, J.H. Kim, K.H. Lee, J.S. Park, S.Y. Hur - *Korea Seoul, REPUBLIC OF KOREA*
A case of an immunohistochemically confirmed primary MMMT of the cervix, including components of a rhabdomyosarcoma, is reported together with a literature review.
- Synchronous primary endometrial and fallopian tube cancers** 467
E. Terzakis, G. Androutsopoulos, C. Grigoriadis, D. Zygouris, G. Derdelis, N. Arnogiannaki, G. Fragkakis - *Athens, GREECE*
A case report of synchronous primary endometrial and fallopian tube cancers and review of the literature.
- Isolated osseous ovarian metaplasia: Case report** 469
J.C. Rosa e Silva, D. Andrade, A.P. Becker, F.J. Cândido dos Reis, O.B.P. Neto, A.A. Nogueira - *São Paulo, BRAZIL*
Ovarian osseous metaplasia associated or not with other ovarian changes is rare and its histogenesis continues to be unknown.
- A case of ovarian endometrioid adenocarcinoma with yolk sac tumor in a 35-year-old woman** 471
D.G. Hong, G.O. Chong, W.J. Seong, Y.S. Lee, Y.L. Cho, J.Y. Park, J.M. Chae, I.S. Park - *Daegu, REPUBLIC OF KOREA*
Histological and biological features in a case of endometrial carcinoma with a yolk sac tumor component were investigated.
- Vaginal hysterectomy aided with surgery by the abdominal approach as a method of hysterectomy with salpingo-oophorectomy due to endometrial carcinoma in a woman with morbid obesity. Case report** 475
D. Samulak, M. Michalska, M. Wilczak, B. Pięta, S. Sajdak - *Kalisz, POLAND*
Vaginal hysterectomy aided with laparotomy facilitates performing operational treatment in women with endometrial carcinoma and morbid obesity.

EUROPEAN JOURNAL OF GYNAECOLOGICAL ONCOLOGY

Vol. XXXI, Number 4, 2010

ISSN: 0392-2936

I.R.O.G. CANADA, Inc.

Publisher's office: 4900 Côte St. Luc - Apt. 212 - Montréal, Québec H3W 2H3 (Canada) - Tél.: (514) 4893640-4893242 - Fax: (514) 4854513

E-mail: canlux@mgroup-online.com - www.irog.net

ALL RIGHTS RESERVED

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopies, recordings, nor any information storage and retrieval system without written permission from the copyright owner.

Printed in Italy

