

europaean journal of gynaecological oncology

an International Journal

Founding Editor

A. Onnis

Montréal (Canada)

Editors-in-Chief

M. Marchetti

Montréal (Canada)

P. Bószé

Budapest (Hungary)

Associate Editor

T. Maggino

Padua (Italy)

Assistant Editor

J. Wilson

San Diego - CA (USA)

Editorial Board

Allen H.H., *London, Ontario (Canada)*

Anteby S.O., *Jerusalem (Israel)*

Audet-Lapointe P., *Montreal (Canada)*

Ayhan A., *Ankara (Turkey)*

Balat O., *Graziantep (Turkey)*

Bănceanu G., *Bucarest (Romania)*

Basta A., *Krakow (Poland)*

Bender H.C., *Dusseldorf (Germany)*

Benedetti Panici P.L., *Rome (Italy)*

Charkviani T., *Tbilisi (Georgia)*

De Oliveira C.F., *Coimbra (Portugal)*

Dexeus S. Jr., *Barcelona (Spain)*

Di Paola G.R.,

Buenos Aires (Argentina)

Di Re F., *Milan (Italy)*

Di Saia P., *Orange, CA (USA)*

Friedrich M., *Hamburg (Germany)*

Fuller A.F. Jr., *Boston, MA (USA)*

Geisler H.E., *Indianapolis, IN (USA)*

Gerbaulet A., *Villejuif (France)*

Gorins A., *Paris (France)*

Heintz A.P.M.,

Utrecht (The Netherlands)

Ioannidou-Mouzaka L.,

Athens (Greece)

Jordan J.A.,

Birmingham, England (UK)

Karseladze A.I., *Moscow (Russia)*

Klasterky J., *Bruxelles (Belgium)*

Kubista E., *Vienna (Austria)*

Maggino T., *Padua (Italy)*

Markowska J., *Poznan (Poland)*

Marth C., *Innsbruck (Austria)*

Massuger Leon F.A.G.,

Nijmegen (The Netherlands)

Menczer J., *Savyon (Israel)*

Monsonogo J., *Paris (France)*

Pálfalvi L., *Budapest, (Hungary)*

Pinotti A., *São Paulo (Brazil)*

Piura B., *Beer Sheva (Israel)*

Piver S.M., *Buffalo, NY (USA)*

Rakar S., *Ljubljana (Slovenia)*

Raju K.S., *London, England (UK)*

Shepherd J.H.,

London, England (UK)

Stelmachów J., *Warsaw (Poland)*

Tjalma W., *Antwerpen (Belgium)*

Ungár L., *Budapest (Hungary)*

Vermorken J.B., *Edegem (Belgium)*

Wang P.-H., *Taipei (Taiwan)*

Winter R., *Graz (Austria)*

Yokoyama Y., *Hirosaki (Japan)*

Publishing Organization (M. Morsani):

I.R.O.G. CANADA, Inc. - 4900 Côte St-Luc - Apt # 212 - Montréal, Qué. H3W 2H3 (Canada)

Tel. +514-4893242 - Fax +514-4854513 - E-mail: canlux@mgroun-online.com - www.irog.net

Editorial Office (M. Critelli):

Galleria Storione, 2/A - 35123 Padua (Italy) - Tel. (39) 049 8756900 - Fax (39) 049 8752018

EUROPEAN JOURNAL OF GYNAECOLOGICAL ONCOLOGY (ISSN 0392-2936) publishes original peer reviewed works in the fields of female genital cancers and related subjects and also proceedings of gynecologic oncology society meetings all over the world. The Journal is covered by **CURRENT CONTENTS, SCISEARCH, RESEARCH ALERT, INDEX MEDICUS, MEDLINE, EMBASE/Excerpta Medica, CURRENT ADVANCES IN CANCER RESEARCH, BIOSIS.**

DISTINGUISHED EXPERT SERIES

- Chemotherapy and the future: microdialysis as a local administration technique** 5
 F.C. Martins, C.F. de Oliveira - *Coimbra, PORTUGAL*
 Applications and limitations of the microdialysis technique for local-regional chemotherapy are evaluated.

REVIEW ARTICLES

- Bilateral breast metastasis of ovarian carcinoma** 9
 P. Dursun, F.B. Yanik, E. Kuscu, M. Gultekin, A. Ayhan - *Ankara, TURKEY*
 The clinicopathological features of patients with bilateral breast metastasis originating from ovarian carcinoma are summarized.
- Ovarian transposition for the preservation of ovarian function in young patients with cervical carcinoma** 13
 P. Dursun, A. Ayhan, F.B. Yanik, E. Kuşçu - *Ankara, TURKEY*
 Radiotherapy and/or surgery irreversibly destroy the reproductive capacity of young women with cervical carcinoma, however ovarian transposition (OT) may protect ovarian functions in these patients. Indications, techniques and functional outcomes of OT are reviewed.

ORIGINAL ARTICLES

- Fractional allelic loss as a potential biomarker of risk prediction in early-stage mucinous ovarian tumors of low malignant potential** 16
 K. Nakayama, N. Nakayama, M. Ishibashi, S. Yeasmin, M. Fukumoto, K. Miyazaki - *Senday, JAPAN*
 Non-random chromosome gains and losses with cisplatin-resistant epithelial ovarian cancer was documented. Genes on these regions were related to drug-resistant phenotypes.
- Radiation therapy in cervical carcinoma: fifteen years experience in a Norwegian health region** 20
 E. Lorenz, T. Strickert, B. Hagen - *Trondheim, NORWAY*
 A retrospective study on primary radiotherapy for cervical carcinoma is presented together with long-term results on survival and late tissue reactions.
- The influence of intraoperative tumor rupture on recurrence risk in Stage Ic epithelial ovarian cancer** 25
 C.S. Goudge, Z. Li, L.S. Downs Jr. - *Minneapolis, MN (USA)*
 In early ovarian cancer, intraoperative tumor rupture carries a negative prognostic significance. The outcomes of patients assigned to Stage Ic were evaluated for this reason.
- The up-regulation of KCC1 gene expression in cervical cancer cells by IGF-II through the ERK1/2-MAPK and PI3K/AKT pathways and its significance** 29
 S. Zhang, X. Wu, T. Jiang, Y. Lu, L. Ma, M. Liang, X. Sun - *Shenyang, CHINA*
 IGF-II can enhance KCC1 gene expression in cervical cancer cells through the ERK1/2MAPK and PI3K/AKT signal transduction pathways.
- Well differentiated endometrioid adenocarcinoma of the uterus: a cancer unit or centre case?** 35
 S. Attard Montalto, A. Hakmi, K.S. Raju, M. Coutts, A.J. Papadopoulos, O. Devaja - *Maidstone Kent, UK*
 A study investigating what proportion of cases showing a well differentiated endometrioid endometrial adenocarcinoma in the hysterectomy specimen had adverse pathological features or advanced stage disease at the time of presentation.

Chemotherapy (CT) with radiotherapy versus CT alone for FIGO Stage IIIc endometrial cancer	40
M. Matsuura, T. Suzuki, M. Morishita, R. Tanaka, E. Ito, T. Saito - <i>Sapporo, JAPAN</i>	
The outcome of patients affected by FIGO Stage III C endometrial cancer was compared in relation to therapy: CT plus RT versus CT alone.	
Primary cervical cancer truly negative for high-risk human papillomavirus is a rare but distinct entity that can affect virgins and young adolescents	45
C. Liebrich, O. Brummer, R. Von Wasielewski, G. Wegener, C. Meijer - T. Iftner, K.U. Petry - <i>Tübingen, GERMANY</i>	
Rare types of adenocarcinoma of the uterine cervix may be unrelated to HPV and differ from common HPV-induced tumours in the epidemiology and natural course.	
A retrospective analysis of twenty-eight borderline ovarian tumours in adolescent girls	49
P. Tsikouras, V. Liberis, G. Galazios, C. Panagiotidou, S. Bouchlariotou, A.T. Teichmann, G. Maroulis - <i>Thrace, GREECE</i>	
Evaluation of conservative surgical treatment of borderline ovarian tumours in teenagers.	
Inhibitory effects of c-erbB-2 antisense oligonucleotide transfection on uterine endometrial cancer Ishikawa cell lines	54
F.J. Zhao, S.L. Zhang, L. Ma, H. Gao. Z.H. Zong - <i>Shen Yang, P.R. CHINA</i>	
Transfecting c-erbB-2 ASODN can obviously suppress its mRNA and protein expression in ISHIKAWA cells causing cellular apoptosis and inhibiting cell growth, and may have an important role in the gene therapy of endometrial cancer.	
Effects of quercetin on proliferation, apoptosis, adhesion and migration, and invasion of HeLa cells	60
W. Zhang, F. Zhang - <i>Hubei, CHINA</i>	
It was determined that quercetin has the function of inhibiting breeding of HeLa cells inducing apoptosis of the cells that inhibit adhesion, migration and invasion of HeLa cells.	
Prevalence of <i>Chlamydia trachomatis</i> and <i>herpes simplex virus 2</i> in cervical carcinoma associated with human papillomavirus detected in paraffin-sectioned samples	65
A. Kwaśniewska, E. Korobowicz, M. Zdunek, M. Skoczvński, W. Kwaśniewski, J. Daniłos, A. Goździcka-Józefiak - <i>Lublin, POLAND</i>	
The frequency of occurrence of HPV and co-infection with chlamydia trachomatis and HSV-2 in cervical cancer is reported.	
Clinicopathologic analysis: relationship between endometrial carcinoma and uninvolved endometrium	71
C. Dane, Z. Tatar, B. Dane, A. Cetin - <i>Istanbul, TURKEY</i>	
The clinicopathologic features of endometrial carcinoma originating from a hyperplastic base, and histopathologic and clinical features of endometrial carcinoma originating from an atrophic base were not very different.	
Results of conservative surgery for recurrent borderline ovarian tumors	75
B. Cheng, X. Wan, X. Qian, W. Lv, X. Xie - <i>Hangzhou, CHINA</i>	
A second conservative surgery for patients with recurrent borderline ovarian tumors should still be considered for women who are young and desire preservation of fertility.	
Radical hysterectomy for invasive cervical cancer during pregnancy: A retrospective analysis of a single institution experience	79
Y. Watanabe, M. Tsuritani, T. Kataoka, K. Kanemura, M. Shiina, H. Ueda, H. Hoshiai - <i>Osaka, JAPAN</i>	
Radical hysterectomy in pregnant women can be safely performed on either the fetus in situ or following cesarean section.	
Hormone therapy for postmenopausal breast cancer survivors: a survey among obstetrician-gynaecologists	82
D. Vavilis, M. Zafrakas, D.G. Goulis, K. Pantazis, T. Agorastos, J.N. Bontis - <i>Thessaloniki GREECE</i>	
A survey among obstetricians-gynaecologists practising in Greece showed that most physicians would not prescribe hormone therapy to postmenopausal breast cancer survivors.	
Intraoperative estimation of sentinel lymph nodes in breast cancer by imprint cytology	85
V. Limberis, C. Romanidis, G. Galazios, G. Koutsougeras, N. Papadopoulos, M. Lambropoulou, C. Simopoulos - <i>Thrace, GREECE</i>	
Touch imprint cytology is an alternative solution for intraoperative evaluation of sentinel lymph nodes in breast cancer.	
CASE REPORTS	
Primary malignant melanoma arising in an ovarian cystic teratoma	88
T. O'Gorman, A. Olaitan - <i>London, UK</i>	
Description of a rare case of primary ovarian malignant melanoma associated with an ipsilateral carcinoid tumour and a contralateral endometrioid adenocarcinoma.	

Cerebral nocardia masquerading as metastatic CNS disease in an endometrial cancer patient	90
N.B. Rettenmaier, H.D. Epstein, S. Oi, P.A. Robinson, B.H. Goldstein - <i>Newport Beach, CA (USA)</i>	
A case of cerebral nocardia mimicking metastatic CNS disease in an endometrial cancer patient previously treated by surgery and chemotherapy is presented.	
Carcinosarcomas of the uterus and ovary: a clinicopathologic and immunohistochemical study of 11 cases	93
A. Kondi-Pafiti, D. Grapsa, D. Hasakios, K. Gennatas, S. Fotiou - <i>Athens, GREECE</i>	
Clinicopathologic and immunohistochemical features of 11 cases of carcinosarcomas located in the uterine corpus and the ovary are presented.	
Ovulation stimulation after treatment for a molar pregnancy - for or against?	98
M. Gojnic, V. Dugalic, M. Brankovic, M. Pervulov, B. Vasiljevic, A. Fazlagic - <i>Belgrade, SERBIA</i>	
A case of a 29-year-old patient who underwent in vitro fertilization due to secondary sterility, after a spontaneous but molar pregnancy, is described.	
Rectal cancer and pregnancy: report of two cases	100
A. Kulusari, G. Ugurluer, C. Kotan, H.G. Sahin, M. Kamaci - <i>Van, TURKEY</i>	
Two cases of pregnancy associated with rectal cancer are reported.	
Peritoneal implantations of papillary serous ovarian cystadenocarcinoma 13 days after initial laparoscopic treatment for a presumed benign ovarian cyst	103
D. Papoutsis, A. Rodolakis, D Haidopoulos, M. Sotiropoulou, A. Antsaklis - <i>Athens, GREECE</i>	
A case of peritoneal implantations of a papillary serous ovarian cystadenocarcinoma 13 days after laparoscopic treatment for an initially presumed benign ovarian cyst is presented.	
Amelanotic malignant melanoma of the uterine cervix with ten years follow-up	106
V.D. Mandato, B. Kobal, A. Di Stefano, J. Sinkovec, A. Levicnik, S. Rakar, L. Costagliola - <i>Naples, ITALY</i>	
A case of a patient with amelanotic malignant melanoma of the cervix is described with particular attention to diagnostic procedures, histopathological findings and therapy.	
Primary adenocarcinoid tumor of the ovary arising in mature cystic teratoma. A case report	110
T. Gungor, O. Altinkaya, M. Ozat, L. Sirvan, H. Yalcin, L. Mollamahmutoglu - <i>Ankara, TURKEY</i>	
A case of a 47-year-old pregnant woman diagnosed with an ovarian adenocarcinoid tumor developing from a mature teratoma is described.	