

european journal of gynaecological oncology

an International Journal

Founding Editor

A. Onnis

Montréal (Canada)

Editors-in-Chief

M. Marchetti

Montréal (Canada)

P. Bősze

Budapest (Hungary)

Associate Editor

T. Maggino

Padua (Italy)

Assistant Editor

J. Wilson

San Diego - CA (USA)

Editorial Board

Allen H.H., *London, Ontario (Canada)*

Anteby S.O., *Jerusalem (Israel)*

Audet-Lapointe P., *Montreal (Canada)*

Ayhan A., *Ankara (Turkey)*

Balat O., *Graziantep (Turkey)*

Bănceanu G., *Bucarest (Romania)*

Basta A., *Krakow (Poland)*

Bender H.C., *Dusseldorf (Germany)*

Benedetti Panici P.L., *Rome (Italy)*

Charkviani T., *Tbilisi (Georgia)*

De Oliveira C.F., *Coimbra (Portugal)*

Dexeus S. Jr., *Barcelona (Spain)*

Di Paola G.R.,

Buenos Aires (Argentina)

Di Re F., *Milan (Italy)*

Di Saia P., *Orange, CA (USA)*

Friedrich M., *Hamburg (Germany)*

Fuller A.F. Jr., *Boston, MA (USA)*

Geisler H.E., *Indianapolis, IN (USA)*

Gerbaulet A., *Villejuif (France)*

Gorins A., *Paris (France)*

Heintz A.P.M.,

Utrecht (The Netherlands)

Ioannidou-Mouzaka L.,

Athens (Greece)

Jordan J.A.,

Birmingham, England (UK)

Karseladze A.I., *Moscow (Russia)*

Klastersky J., *Bruxelles (Belgium)*

Kubista E., *Vienna (Austria)*

Maggino T., *Padua (Italy)*

Markowska J., *Poznan (Poland)*

Marth C., *Innsbruck (Austria)*

Massuger Leon F.A.G.,

Nijmegen (The Netherlands)

Menczer J., *Savoyon (Israel)*

Monsonogo J., *Paris (France)*

Pálfalvi L., *Budapest, (Hungary)*

Pinotti A., *São Paulo (Brazil)*

Piura B., *Beer Sheva (Israel)*

Piver S.M., *Buffalo, NY (USA)*

Rakar S., *Ljubljana (Slovenia)*

Raju K.S., *London, England (UK)*

Shepherd J.H.,

London, England (UK)

Stelmachów J., *Warsaw (Poland)*

Tjalma W., *Antwerpen (Belgium)*

Ungár L., *Budapest (Hungary)*

Vermorken J.B., *Edegem (Belgium)*

Wang P.-H., *Taipei (Taiwan)*

Winter R., *Graz (Austria)*

Yokoyama Y., *Hirosaki (Japan)*

Publishing Organization (M. Morsani):

I.R.O.G. CANADA, Inc. - 4900 Côte St-Luc - Apt # 212 - Montréal, Qué. H3W 2H3 (Canada)

Tel. +514-4893242 - Fax +514-4854513 - E-mail: canlux@mgroup-online.com - www.irog.net

Editorial Office (M. Critelli):

Galleria Storione, 2/A - 35123 Padua (Italy) - Tel. (39) 049 8756900 - Fax (39) 049 8752018

EUROPEAN JOURNAL OF GYNAECOLOGICAL ONCOLOGY (ISSN 0392-2936) publishes original peer reviewed works in the fields of female genital cancers and related subjects and also proceedings of gynecologic oncology society meetings all over the world. The Journal is covered by CURRENT CONTENTS, SCISEARCH, RESEARCH ALERT, INDEX MEDICUS, MEDLINE, EMBASE/Excerpta Medica, CURRENT ADVANCES IN CANCER RESEARCH, BIOSIS.

DISTINGUISHED EXPERT SERIES

- History of the International Federation of Cervical Pathology and Colposcopy (IFCPC)*** 117
 G.R. di Paola - *Buenos Aires, ARGENTINA*
 A lecture on the history of the International Federation of Cervical Pathology and Colposcopy.

REVIEW ARTICLES

- New cytokine: stromal derived factor-1** 124
 K. Jaszczyńska-Nowinka, A. Markowska - *Poznan, POLAND*
 The SDF-1+CXCR4 complex plays a significant role in the creation of metastases of neoplasms and as a response to cytostatic treatment.
- Human papilloma virus molecular profile and mechanisms of cancerogenesis: a review** 128
 E. Deligeoroglou, P. Christopoulos, L. Aravantinos, K. Papadías - *Athens, GREECE*
 Basic and advanced knowledge on HPV molecular biology and the mechanisms of cancerogenesis.

ORIGINAL ARTICLES

- Expression of secreted frizzled-related protein 4 (SFRP4) in primary serous ovarian tumours** 133
 J. Drake, A.M. Shearwood, J. White, R. Friis, N. Zeps, A. Charles, A. Dharmarajan - *Western Australia, AUSTRALIA*
 SFRP4 and B-catenin expression in ovarian serous carcinoma using immunohistochemistry were inversely related but did not affect survival.
- Fas/CD95 promoter polymorphism gene and its relationship with cervical carcinoma** 142
 F. Zucchi, I.D.C.G. da Silva, J.C.L. Ribalta, N.C.N. de Souza, N.M. de Góis Speck, M.J.B.C. Girão, S.M.F. Brenna, K.J. Syrjänen - *São Paulo, BRAZIL*
 The FAS/CD95 promoter polymorphism gene is associated with an increased risk of cervical cancer in women under 48 years of age.
- Trends of histopathology of cervical cancer among women in Durban, South Africa** 145
 M. Moodley, K. Moodley - *Durban, SOUTH AFRICA*
 No statistically significant relationship was identified between the presence of HPV recorded in the histopathology report and the different histological types of cervical cancer.
- Chest computed tomography before evacuation of hydatidiform mole** 151
 D.G. Hong, Y.L. Cho, Il S. Park, Y.S. Lee - *Daegu, KOREA*
 The usefulness of chest CT in the initial evaluation of hydatidiform mole was studied.
- Clinical outcome and prognostic factors in borderline tumors of the ovary. Results from 17 years' experience in the Kinki District of Japan (1990-2006)** 155
 K. Kokawa, Y. Mikami, H. Sakata, N. Oki, T. Tanaka, M. Yamazaki, Y. Nakata, N. Umesaki - *Kyoto, JAPAN*
 The prognosis of patients with borderline ovarian tumors is excellent.
- Microsatellite instability and HPV genotype in Polish women with cervical cancer** 162
 M.F.D. Baay, M. Nakonieczny, I. Wozniak, V. Deschoolmeester, J. Liss, K. Lukaszuk, K. Sotlar, J. Emerich, J.B. Vermorken - *Tübingen, GERMANY*
 Microsatellite instability was detected in 12.6% of cervical carcinoma patients, but no correlation with clinicopathological parameters or survival was found.
- Accuracy of preoperative magnetic resonance imaging in assessing lymph node metastasis and myometrial invasion in patients with uterine cancer** 167
 S.C. Yoo, W.Y. Kim, J.H. Yoon, H.Y. Kim, E.J. Lee, S.J. Chang, K.H. Chang, H.S. Ryu - *Suwon, KOREA*
 Preoperative evaluation of uterine cancer by MRI does not accurately predict lymph node metastasis and deep myometrial invasion.

Total laparoscopic hysterectomy in morbidly obese women with endometrial cancer anaesthetic and surgical complications	171
T. O'Gorman, N. MacDonald, T. Mould, A. Cutner, R. Hurley, A. Olaitan - <i>London, UK</i> Surgical and anaesthetic morbidity in morbidly obese women treated by total laparoscopic hysterectomy and bilateral salpingo-oophorectomy for endometrial cancer.	
Metastatic involvement of the urinary tract in patients with advanced ovarian carcinoma: lessons from the autopsy for an interdisciplinary treatment approach	174
S. Wyler, D.J. Huang, G. Singer, A. Schötzau, W. Holzgreve, U. Güth - <i>Basel, SWITZERLAND</i> Frequency and extent of metastases in urologic organs found at autopsy of ovarian carcinoma patients were evaluated, and the consequences of these findings for the clinical management of these patients are demonstrated.	
Risk of malignancy index for adnexal masses	178
N. Akdeniz, U. Kuyumcuoğlu, A. Kale, M. Erdemoğlu, F. Caca - <i>Diyarbakir, TURKEY</i> The effectiveness of the RMI (risk of the malignancy index) algorithm in patients with adnexal masses is reported.	
Genetic imbalance related to cisplatin-based chemoresistance in epithelial ovarian cancer	181
Y. Huanchun, Z. Shulan, L. Jing - <i>Shenyang, PR of China</i> Non-random chromosome gains and losses with cisplatin-resistant epithelial ovarian cancer was documented. Genes in these regions were related to a drug-resistant phenotype.	
Women's lifestyle and the risk of breast tumors	186
B. Pięta, D. Samulak, T. Opala, G. Iwanowicz-Palus, M. Wilczak, S. Grodecka-Gazdecka, K. Więznowska-Maczynska - <i>Kalisz, POLAND</i> The study was focused on analysis of the potential influence of women's lifestyle on the risk of developing breast tumors.	
Radicality of surgical treatment for cervical cancer	190
L. Mirković, S. Petković, D. Mirković, K. Jeremić, V. Milenković, M. Maksimović - <i>Belgrade, SERBIA</i> A study of 545 Wertheim-Meigs radical hysterectomies over a four-year period was carried out.	
CASE REPORTS	
Recurrent cervical cancer presenting as malignant pericarditis: Case report and review of the literature	193
L. Verleye, N. Thomakos, R.J. Edmondson - <i>Athens, GREECE</i> Metastatic pericardial effusion in cervical cancer patients is extremely rare. Symptomatic relief and treatment of the underlying disease may improve survival and quality of life.	
Biopsy-proven cerebellar metastasis from a malignant mixed mullerian tumor (MMMT) of the uterus: case report	196
J.K. Kim, S.K. Lee, N.H. Myong, Y.D. Kang - <i>Cheonan, KOREA</i> A rare case of cerebellar metastasis from MMMT of the uterus diagnosed by biopsy is presented.	
Metastatic leiomyosarcoma diagnosed after uterine artery embolization	199
H.E. Stohl Posy, J.C. Elkas, A.V. Yemelyanova, T.P. Diaz-Montes, R.E. Bristow, R.L. Giuntoli II - <i>Baltimore, MD (USA)</i> A case of leiomyosarcoma involving a substernal mass diagnosed in a premenopausal woman with an antecedent history of uterine artery embolization is presented.	
Management of myoepithelioma of the vulva - case report and review of the literature	203
C. Georgantopoulou, I. Aird - <i>Athens, GREECE</i> The prognosis in myoepithelioma of the vulva depends on histology and its management should be based on the histological grade.	
Conservative management of uterine leiomyosarcoma: report of a failure	206
G. Cormio, V. Loizzi, C. Carriero, D. Scardigno, G. Putignano, L. Selvaggi - <i>Bari, ITALY</i> Conservative management of a young patient with leiomyosarcoma was performed, however the patient died of disease 48 months after primary diagnosis.	
Two cases of ovarian cancer at an early stage incidentally detected using transvaginal ultrasonography in screening: Importance of interval for ovarian cancer screening and selection of population with a high risk of ovarian cancer	208
A. Fukuyama, Y. Yokoyama, J. Wada, T. Hashimoto, T. Oda, S. Sato, H. Mizunuma - <i>Mutsu, JAPAN</i> An appropriate interval of ovarian cancer screening according to risk factors of ovarian cancer is reported.	

Villoglandular papillary adenocarcinoma of the uterine cervix: a case report and literature review	211
E. González Bosquet, M. Suñol, D. Morante, M. Gomez Latre, J. Callejo, J.M. Laila - <i>Barcelona, SPAIN</i> Villoglandular papillary adenocarcinoma is a form of cervical adenocarcinoma with a good prognosis. A case study and literature review are presented.	
Obstructive uropathy secondary to parametrial metastasis: an unusual presentation of breast carcinoma	214
R.R. Nair, M.D. Conroy, A.R. Jeyarajah - <i>London, UK</i> An unusual presentation of occult breast carcinoma with parametrial metastasis is discussed.	
A case of HMB45-negative perivascular epithelial cell tumor (PEComa) of the uterine corpus: A possible diagnostic application of molecular-cytogenetic analysis	216
Y. Yamagata, S. Kawachi, H. Tamura, A. Murakami, K. Sasaki, N. Sugino - <i>Ube, JAPAN</i> A case of uterine PEComa in a 25-year-old woman with X trisomy revealed by FISH is reported.	
Vascular tumors: rare neoplasms of the female genital tract	220
A. Liapis, K. Bakalianou, N. Salakos, C. Iavazzo, I. Dalainas, A. Kondi-Pafiti - <i>Athens, GREECE</i> A retrospective study of the clinicopathological findings of vascular tumors of the female genital tract is reported.	
Primary carcinoid tumor arising in a mature cystic teratoma of the ovary: A case report	223
N. Guney, T. Sayilgan, D. Derin, D. Özcan - <i>Kayseri, TURKEY</i> A case of primary carcinoma developing from a mature teratoma of the ovary is described.	
Ovarian dermoid cyst with malignant transformation and rupture of the capsule associated with chemical peritonitis: a case report and literature review	226
B.B. da Silva, A.R. dos Santos, P.V. Lopes-Costa, E.C. Sousa-Jr., M.V. Correa-Lima, C.G. Pires - <i>Piauí, BRAZIL</i> Malignant transformation of ovarian dermoid cysts is rare and the spontaneous rupture provoking chemical peritonitis is even rarer.	
A unique case of palatinate tonsil metastasis from endometrial cancer	229
L. Zepiridis, M. Zafrakas, T.D. Theodoridis, K. Kaplanis, K.K. Dinas, J.N. Bontis - <i>Thessaloniki, GREECE</i> The first case of endometrial adenocarcinoma, and female genital tract tumour in general, metastasizing to the palatinate tonsil is presented.	
Bilateral ovarian Burkitt's lymphoma	231
L. Gutiérrez-García, N. Medina Ramos, R. García Rodríguez, M.A. Barber, M.D. Arias, J.Á. García - <i>Las Palmas de Gran Canaria, SPAIN</i> A case of Burkitt's lymphoma in a 34-year-old patient from Senegal is reported.	
Malignant adenomyoepithelioma of the breast - case report	234
A. Zizi-Sermpetzoglou, Th. Vasilakaki, X. Grammatoglou, N. Petrakopoulou, M.E. Nikolaidou, C. Glava - <i>Piraeus, GREECE</i> A case of an 80-year-old woman with malignant adenomyoepithelioma of the breast is presented.	
Synchronous primary tumors: appendiceal and ovarian cancer - case report	237
T. Božanović, A. Ljubić, P. Momčilov, T. Mostić, L. Vojvodić, S. Vidaković - <i>Belgrade, SERBIA</i> A case of a 64-year-old patient treated for synchronous primary tumors of appendiceal and ovarian origin is presented.	
A rare case of renal cell carcinoma metastasizing to the uterine cervix	239
M. Zafraks, A.N. Papanikolaou, I.D. Venizelos, D. Kellartzis, T. Agorastos, J.N. Bontis - <i>Thessaloniki, GREECE</i> A rare case of renal cell carcinoma metastasizing to the uterine cervix is presented.	
Book Review	241