

europaean journal of gynaecological oncology

an International Journal

Founding Editor

A. Onnis

Montréal (Canada)

Editors-in-Chief

M. Marchetti

Montréal (Canada)

P. Bószé

Budapest (Hungary)

Associate Editor

T. Maggino

Padua (Italy)

Assistant Editor

J. Wilson

San Diego - CA (USA)

Editorial Board

Allen H.H., *London, Ontario (Canada)*

Anteby S.O., *Jerusalem (Israel)*

Audet-Lapointe P., *Montreal (Canada)*

Ayhan A., *Ankara (Turkey)*

Balat O., *Graziantep (Turkey)*

Bănceanu G., *Bucarest (Romania)*

Basta A., *Krakow (Poland)*

Bender H.C., *Dusseldorf (Germany)*

Charkviani T., *Tbilisi (Georgia)*

De Oliveira C.F., *Coimbra (Portugal)*

Dexeus S. Jr., *Barcelona (Spain)*

Di Paola G.R.,

Buenos Aires (Argentina)

Di Re F., *Milan (Italy)*

Di Saia P., *Orange, CA (USA)*

Elit L., *Hamilton (Canada)*

Friedrich M., *Hamburg (Germany)*

Fuller A.F. Jr., *Boston, MA (USA)*

Geisler H.E., *Indianapolis, IN (USA)*

Gerbaulet A., *Villejuif (France)*

Gorins A., *Paris (France)*

Heintz A.P.M.,

Utrecht (The Netherlands)

Ioannidou-Mouzaka L.,

Athens (Greece)

Jordan J.A.,

Birmingham, England (UK)

Karseladze A.I., *Moscow (Russia)*

Klasterky J., *Bruxelles (Belgium)*

Kubista E., *Vienna (Austria)*

Lee Y.S., *Daegu (South Korea)*

Markowska J., *Poznan (Poland)*

Marth C., *Innsbruck (Austria)*

Massuger Leon F.A.G.,

Nijmegen (The Netherlands)

Menczer J., *Savyon (Israel)*

Monsonogo J., *Paris (France)*

Pálfalvi L., *Budapest, (Hungary)*

Pinotti A., *São Paulo (Brazil)*

Piura B., *Beer Sheva (Israel)*

Piver S.M., *Buffalo, NY (USA)*

Rakar S., *Ljubljana (Slovenia)*

Raju K.S., *London, England (UK)*

Shepherd J.H.,

London, England (UK)

Stelmachów J., *Warsaw (Poland)*

Tjalma W., *Antwerpen (Belgium)*

Ungár L., *Budapest (Hungary)*

Vermorken J.B., *Edegem (Belgium)*

Wang P.-H., *Taipei (Taiwan)*

Winter R., *Graz (Austria)*

Yokoyama Y., *Hirosaki (Japan)*

Publishing Organization (M. Morsani):

I.R.O.G. CANADA, Inc. - 4900 Côte St-Luc - Apt # 212 - Montréal, Qué. H3W 2H3 (Canada)

Tel. +514-4893242 - Fax +514-4854513 - E-mail: canlux@mgroun-online.com - www.irog.net

Editorial Office (M. Critelli):

Galleria Storione, 2/A - 35123 Padua (Italy) - Tel. (39) 049 8756900 - Fax (39) 049 8752018

EUROPEAN JOURNAL OF GYNAECOLOGICAL ONCOLOGY (ISSN 0392-2936) publishes original peer reviewed works in the fields of female genital cancers and related subjects and also proceedings of gynecologic oncology society meetings all over the world. The Journal is covered by **CURRENT CONTENTS, SCISEARCH, RESEARCH ALERT, INDEX MEDICUS, MEDLINE, EMBASE/Excerpta Medica, CURRENT ADVANCES IN CANCER RESEARCH, BIOSIS.**

DISTINGUISHED EXPERT SERIES

- Surveillance of endometrial pathologies, especially for endometrial cancer, of breast cancer patients under tamoxifen treatment** 357
 F. Neri, T. Maggino - *Mestre-Venezia, ITALY*
 Breast cancer patients treated with tamoxifen need close surveillance for endometrial pathologies during treatment.

ORIGINAL ARTICLES

- Patterns of care in the initial management of women with ovarian cancer in Ontario** 361
 L. Elit, S. Schultz, R. Prysbylsz, R. Saskin, N. Gunraj, A.S. Wilton, M. Simunovic, D. Urbach - *Toronto, CANADA*
 An evaluation of operative services provided for ovarian cancer patients in Ontario.
- An attempt at conservative treatment in selected cases of type I endometrial carcinoma (Stage I A/G1) in young women** 365
 S. Stanosz - *Szczecin, POLAND*
 Conservative treatment of young women diagnosed with Stage I A/G1 endometrial carcinoma could be indicated in some cases. Thorough clinical follow-up with histopathological analysis of D&C material and assessment of sex hormone concentrations in serum is mandatory.
- Clinicopathological implications of inactivation of RASSF1A in serous epithelial ovarian cancers** 370
 L. Ma, Q. Guo, Y. Ma, F.R. Liu, X.Y. Shen - *Shenyang, CHINA*
 Promoter hypermethylation of RASSF1A occurs frequently and contributes to gene expression in Chinese primary serous epithelial ovarian cancers.
- Ovarian carcinoma apparently confined to the ovaries - the accuracy of surgical staging in Israel** 375
 J. Menczer, A. Chetrit, S. Sadetzki - *Tel Hashomer, ISRAEL*
 An increased awareness of the necessity of accurate surgical staging of tumors apparently confined to the ovaries is needed since it can identify a group of patients who require surgical therapy alone.
- Perineural invasion in early-stage cervical carcinoma** 379
 H. Ozan, S. Özuysal, B. Ediz - *Bursa, TURKEY*
 The association between perineural invasion and predictive and prognostic markers in early-stage cervical carcinoma is evaluated.
- Spleen involvement in women with ovarian cancer** 384
 G. Cormio, V. Loizzi, C. Carriero, G. Putignano, L. Selvaggi - *Bari, ITALY*
 The prognostic factors of spleen metastases in ovarian cancer were studied.
- The use of cod liver oil by patients receiving pegylated liposomal doxorubicin is associated with a lack of severe palmar-plantar erythrodysesthesia** 387
 M. Kanis, J.P. Kesterson, S. Lele - *Buffalo, NY (USA)*
 A retrospective analysis of the incidence and severity of palmar-plantar erythrodysesthesia in patients being treated with pegylated liposomal doxorubicin while concurrently taking cod liver oil.
- Clinicopathological features of primary fallopian tube carcinoma: a single institution experience** 389
 C.A. Papadimitriou, S. Markaki, E. Lianos, P. Peitsidis, G. Vourli, N. Nikitas, G. Vlachos, A. Rodolakis, A. Antsaklis, M.A. Dimopoulos - *Athens, GREECE*
 Clinical and immunohistochemical characteristics were examined in PFTC. Only early-stage disease and optimal debulking were associated with favorable outcome.

Current management of endometrial hyperplasia and endometrial intraepithelial neoplasia (EIN)	396
M. Gültekin, K. Diribaş, P. Dursun, A. Ayhan - <i>Ankara, TURKEY</i>	
Current management of endometrial hyperplasia is summarized with a brief overview about EIN classification and its clinical importance.	
The contribution of laparoscopy to the diagnosis of adnexal masses in young and premenopausal women	402
V. Liberis, P. Tsikouras, Ch. Zografos, A. Ammari, V. Dislian, Ch. Iatrou, G. Maroulis - <i>Thessaloniki, GREECE</i>	
Laparoscopy plays an important role in the diagnosis of adnexal tumors.	
Accuracy of intraoperative frozen section during laparoscopic management of early endometrial cancer	408
E. Kučera, H. Václav, T. Radovan, M. Otčenášek, J. Drahoňovský, J. Feyereisl - <i>Prague, CZECH REPUBLIC</i>	
In this retrospective study the significance of frozen section biopsies in surgical treatment provided for endometrial cancer was evaluated.	
Assessment of the predictivity of preoperative serum CA 125 in the differential diagnosis of uterine leiomyoma and uterine sarcoma in the Turkish female population	412
N. Yilmaz, I. Sahin, S. Kilic, E. Ozgu, T. Gungor, U. Bilge - <i>Ankara, TURKEY</i>	
Preoperative serum CA 125 levels were not significant in the differential diagnosis between uterine leiomyoma and uterine sarcoma.	
Uterine cervical neoplasia prevention in Parque Indigena do Xingu	415
N.M. de Góis Speck, É.R. Pereira, M. Schaper, F.K. Tso, V.G. de Freitas, J.C.L. Ribalta - <i>São Paulo, SP (BRAZIL)</i>	
Results of preventive screening, diagnosis and treatment applied to native Parque Indigena do Xingu women are seen.	
The role of immunonutrition in gynecologic oncologic surgery	418
J.B. Çelik, K. Gezginç, K. Özçelik, Ç. Çelik - <i>Konya, TURKEY</i>	
Immunonutrition during the perioperative period is required to prevent infectious complications and improve clinical outcome.	
Analysis of the results and long-term follow-up of second-look laparotomy in advanced ovarian cancer	422
S. Sawicki, D. Wydra, J. Kobierski, T. Milczek, J. Emerich - <i>Gdansk, POLAND</i>	
The study presents the results of 171 second-look laparotomies and compares survival of patients with advanced ovarian cancer depending on SLL results.	
Peritoneal tuberculosis mimicking peritoneal carcinomatosis	426
H. Ozan, K. Özerkan, A. Orhan - <i>Bursa, TURKEY</i>	
Distinction of peritoneal tuberculosis from peritoneal carcinomatosis is discussed.	
Estrogen receptor a (ER-α) gene polymorphism in patients from the Lodz region of Poland with sporadic endometrial cancer	431
A. Sobczuk, B. Smolarz, H. Romanowicz-Makowska, T. Pertyński - <i>Lodz, POLAND</i>	
Polymorphism of the ER- α gene does not appear to be directly associated with appearance and development of endometrial cancer.	
BRIEF COMMUNICATION	
Valid generic substitution of carboplatin for patients with gynecological cancer	435
A. Imai, N. Ito - <i>Yanagido, JAPAN</i>	
The validity of generic carboplatin in patients affected by gynecological cancer is examined.	
CASE REPORTS	
Synchronous endometrioid carcinoma of the uterine corpus and ovary. A case report and review of the literature	437
X. Grammatoglou, E. Skafida, C. Glava, E. Katsamagkou, E. Delliou, Th. Vasilakaki - <i>Piraeus, GREECE</i>	
The case of a 52-year-old woman with synchronous endometrioid carcinoma of the uterine corpus and ovary is presented.	
Primary ovarian leiomyosarcoma associated with Brenner tumor	440
Y. Li, L.D. Feng, A.G. Ma, H.J. Lu - <i>Shanghai, CHINA</i>	
A case of a rare tumor with interesting immunohistochemical findings is described.	
Paratubal endometrioid cystadenocarcinoma: case report and review	443
C. Vaysse, J. Capdet, E. Mery, D. Querleu - <i>Cedex, FRANCE</i>	
A rare case of paratubal invasive endometrioid adenocarcinoma that has been managed according to the recommendations of ovarian cancer is presented.	

- Large retroperitoneal schwannoma mimicking ovarian carcinoma: case report and literature review** 446
 T. Aran, S. Guven, S. Gocer, S. Ersoz, H. Bozkaya - *Trabzon, TURKEY*
 Schwannomas are rarely located in the retroperitoneum and can be misdiagnosed as an adnexal mass or ovarian carcinoma even in young woman.
- Prolonged clinical benefit from platinum-based chemotherapy in a patient with metastatic triple negative breast cancer** 449
 M. Krockenberger, J.B. Engel, S. Häusler, J. Dietl, A. Honig - *Würzburg, GERMANY*
 Further evidence for the clinical benefits of platinum-based chemotherapy in early and advanced triple negative breast cancers.
- Broad ligament leiomyosarcoma in a premenopausal nulliparous woman: case report and review of the literature** 452
 S. Papachatzopoulos, T.D. Theodoridis, M. Zafrakas, P. Nikolakopoulos, E. Molibas - *Thessaloniki, GREECE*
 A rare case of broad ligament leiomyosarcoma in a premenopausal nulliparous woman is presented with a review of the literature.
- Umbilical metastasis of serous component as a first sign of mixed type epithelial ovarian cancer** 455
 S. Kurt, H. Camuzcuoglu, A. Camuzcuoglu, N. Dicle, S. Tinar - *Sanliurfa, TURKEY*
 The first reported case of umbilical metastasis of the serous component as a first sign of mixed type epithelial ovarian cancer.
- Paget's disease of the vulva in a patient with scleroderma and underlying adenocarcinoma: case report** 458
 T. Dimitroulas, L. Settas - *Thessaloniki, GREECE*
 A case of a 71-year-old woman with scleroderma and Paget's disease of the vulva is presented.
- Vulvar neoplasm and reconstruction of a lesion with a vertical rectus abdominis myocutaneous flap: case report** 460
 S. Petković, J. Jeremić, K. Jeremić, Z. Nikolić, A. Stefanović, M. Maksimović - *Belgrade, SERBIA*
 Radical vulvectomy with bilateral groin dissection and reconstruction with a large flap is still the standard treatment for patients affected by advanced vulvar cancer.

 EUROPEAN JOURNAL OF GYNAECOLOGICAL ONCOLOGY

Vol. XXX, Number 4, 2009

ISSN: 0392-2936

I.R.O.G. CANADA, Inc.

Publisher's office: 4900 Côte St. Luc - Apt. 212 - Montréal, Québec H3W 2H3 (Canada) - Tél.: (514) 4893640-4893242 - Fax: (514) 4854513

E-mail: canlux@mggroup-online.com - www.irog.net

ALL RIGHTS RESERVED

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopies, recordings, nor any information storage and retrieval system without written permission from the copyright owner.

Printed in Italy